



Graphic Design: Minka Group® Graphics Product Originals: Minka Group®

Product specifications subject to change at any time.

Minka-Aire®, A Minka Group® Company Catalog MKACAT2020-02 Printed in U.S.A.

© 1993-2020 Minka Lighting, Inc.

Google Home and Google Nest are trademarks of Google LLC. Amazon, Echo, Alexa, and all related logos are trademarks of Amazon.com, Inc. or its affiliates. ecobee and the ecobee logo are trademarks of ecobee Inc.,





Minka-Aire® invites you to view our ceiling fan collection designed for today's varying lifestyles.

Within this catalog, you will find designs of contemporary flair with elegant grace, transitional timeless styles and a collection from our licensed design series.

The architectural trend toward Great Rooms has led Minka-Aire® to redesign some of our most popular styles with enlarged bodies and longer blades to circulate more air and complement the spaciousness of these rooms.

Our Outdoor Series of fans allows your friends and family to enjoy outdoor dining or time in your spa while continuing to have pleasant surroundings.

We offer many design choices for the outdoors; rated for all-weather exposure.

Minka-Aire® ceiling fans offer a wide variety of designs for the American home.

Contents

Bond	. 9
Energy Efficiency	.10
Room Size Recommendations	. 11
Outdoor Fan Checklist	. 13
Universal Light Kit	. 396
Custom Light Kit	.40
Glass Shades	. 40

Custom LED Light Kits	403
Aire-Control Systems	404
Bulb Reference	408
Fan Control Compatibility Chart.	409
Hanging Systems	414
Finishes	417
Accessory Fan Blades	420

Airflow CFM	. 422
Fan Styles	.428
Fan Specifications	. 439
Index	. 443
Finish Codes	460

FANS

Airetor	390
Aluma	146
Aluma Wet	282
Alva	196
Anywhere	240
Artemis	114
Artemis IV	104
Artemis XL5	122
Aviation	82
Barn	16
Bling	158
Bolo	226
Cage Free Gyro	194
Calais	237
Cirque	182
Classica	230
Clean	32
Como	176
Concept I	178
Concept II 52", 44"	154
Concept II	270
Concept III	22
Concept IV	24
Concept I Wet	266
Cone92	
Contractor Series	338
Contractor	372
Contractor LED Series	344
Contractor Plus	
Contractor Uni-Pack LED	
Contractor Uni-Pack LED w Bowl	368
Cristafano	238
Delano	202
Delano II	
Dreamstar	28
Dyno	318
Dyno XL	324
Ellipse	20
Espace	307
Flyte	164

Force	98
Gauguin	304
Géant	52
Gear	44
Great Room	198
Groton	258
Gyro	191
Gyro Wet	.192,252
Java	138,280
Java LED	132,278
Kafé	222
Kafé-XL	218
Kewl	180
Kola	216
Kola-XL	214
Light Wave	68
Lun-Aire	310
Mesa	376
Minute	386
Mojave	112
Molino	
Mojo	330
Mojo II	
Napoli	228
Napoli II	229
New Era	
Ninety-Nine	
Orb	
Outdoor Selection	
Pancake	
Pancake XL	
Pure	
Rainman	
Raptor	
Roto	
Roto XL	
Rudolph	
Sabot	
Seacrest	
CL	200

Simple	.94,254
Skyhawk	
Slant	170
Sleek	76
Slipstream	150,292
Spacesaver	
Spectre	126
Stack	148
Steal	328
Strata	284
Sundance	302
Sundowner	298
Sunseeker	296
Supra	354
Swept	142
Symbio	74
Tear	34
Timber	38
Timeless	208
Traditional Concept	172,274
Traditional Gyro	190
Triple	48
Ultra-Max	352
Value Collection	306
Vintage Gyro	188
Vital	392
Volterra	236
Watt	378
Watt II	382
Wave	72
Wave II	166
Windmolen	14
Wing	162
Xtreme	66
Xtreme H2O	.56,244
Zen	186
ZCI 1	

ICON LEGEND



Your Minka-Aire® fan is Smart Ready out of the box. No need for additional hardware or hubs.



BOND - "Smart Together". Connect select Minka-Aire® ceiling fans over Wi-Fi using the BOND Bridge device.



AireControl® remotes control all functions: reverse, uplight (where applicable), fan light, speed control, as well as on/off.



AireControl® wall control systems control all functions: reverse, uplight (where applicable), fan light, speed control, as well as on/off.



Best in class with energy efficient operation. Uses up to 70% less energy than traditional AC motors while producing more power.



LED lighting is efficient, lasts up to 4 times longer than conventional lighting and uses less energy.



Indicates that product can be directly exposed to the elements. Rain, Snow or Sun.



Minka-Aire® Smart Fan Collection

Fans with built in smart control

FEATURES -

No Hub Required • No hardware to install


WiFi Enabled \cdot Controls lights & fan speeds

Control as many fans as you need

Full control away from home

NEW - In app special features

How Minka-Aire® Smart Fans work:



3. Control



Easy to use iOS & Android App






Look for the Smart Fan icon throughout the catalog for Minka-Aire® Smart fans.

Windmolen – pg. 14; Barn – pg. 16; Timber – pg. 28; Sleek – pg. 62; Dyno XL – pg. 306 Ellipse –pg. 20; SeaCrest –pg.26; Concept III –pg.22; Concept IV –pg.24; Molino –pg.30



How BOND Compatible Fans work:





Look for the BOND icon throughout the catalog for Minka-Aire® compatible fans.

ENERGY EFFICIENCY

Using the latest innovative technology and high quality materials, Minka-Aire® energy efficient DC motors provide the flexibility to create amazing fan styles and designs.





All Minka-Aire® DC motors are covered by our Limited Lifetime Warranty.



DC motors are 67% more efficient than typical (AC Motor) ceiling fan motors



Minka-Aire® DC motor fans use a maximum of 48 watts of electricity



DC Motors move a greater degree of fan blade pitches without adding significant energy consumption



Minka-Aire® DC motors offer 6 different fan speeds creating a more personalized comfort settings



Long Life

Longer lifetime is the number one benefit of LED lights. The diodes within our LEDs have an outstanding lifetime expectation of up to 30,000 hrs.

Energy Efficiency

This is today's most efficient way of illumination and lighting, saving 80%-90% when compared to traditional lighting and conventional light bulbs.

Ecologically Friendly

LED lights are free of toxic chemicals. Most conventional fluorescent lighting bulbs contain a multitude of materials like e.g. mercury that are dangerous for the environment.

Durable Quality

LEDs are extremely durable and built with sturdy components that are highly rugged and can withstand the roughest conditions.

Zero UV Emissions

LED illumination produces little infrared light and close to no UV emissions, which attracts less insects.

Dimmable


All Minka-Aire® LED fans are dimmable as compared to CFLs which are not.

ROOM SIZE & CEILING HEIGHT RECOMMENDATIONS

ROOM SIZE


These measurements are for general air flow requirements only. Decorating plans or aesthetic considerations should influence your fan choices beyond these room size specifications. For very large rooms, multiple fans is an option.

Approximate Room Size	Blade Sweep
40-60 sq. ft.	26" - 42"
70-90 sq. ft.	44"
100-150 sq. ft.	52" - 54"
12' x 15' (Great Room) Over 160 sq. ft.	60" - 99"



CEILING HEIGHT

Be sure there is at least 7 feet of clearance under your ceiling fan blades. The standard 6" downrod should work in most 8 foot ceiling installations. This will position the blades far enough from the ceiling to have enough "supply" air above the blades to provide good air movement. If greater floor to fan clearance is needed, some fans can use our low ceiling adapter (A180) without using any downrod. However, air movement is reduced using the low ceiling adapter.



Ceiling Height	Downrod Length
9'	12"
10'	18"
12'	24"
14'	36"
16'	48"
18'	60"
20'	72"

This chart shows recommended downrod lengths for various ceiling heights.







/INDMOLEN provides more than enough airflow with 12 blades intertwined with an intricate riveting flywheel design that is engineered to be easy to assemble. Streamlined with an integrated 40 Watt LED light for added light output and a wet rated energy efficient DC Motor perfect for indoor/outdoor use. Windmolen is part of Minka AIRE's Smart Fan collection, featuring easy to use smart home integration with the iOS and Android App.

Features

24° Blade Pitch

12-Blades 65" Sweep

10" Downrod

- Integrated Light Uses 40W LED (Included) 3 Year Warranty
- •1,683LM 3,000K CRI 90 DC 123 x 30mm Motor
- · Indoor/Outdoor Use Listed for Wet Locations
- · Hand Held Remote Control System Included (pg. 404)
- Maximum CFM High Speed 8,848/Low Speed 4,198 Estimated

Energy Guide (Excluding Lights)

6,633	(WATTS) 27	(CFM Per Watt)	cost \$6
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day · Your cost depends on rates and use · The higher the airflow, the more air the fan will move













F870L-TW Textured White Finish • Bleached Ashwood Blades • Etched Lens





RC400 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer





his WiFi enabled Smart Fan is a perfect blend of transitional styling within a windmill silhouette. Softening the most transitional of settings with impeccable finishes and blade textures. BARN is appointed with an energy efficient DC motor and an integrated 40 Watt LED light. Here's to a successful yield.

Features

16° Blade Pitch

10-Blades 65" Sweep

10" Downrod

- Integrated Light Uses 40W LED (Included) 3 Year Warranty
- DC 168 x 30mm Motor 1,984LM 3,000K CRI 90
- · Hand Held Remote Control System Included (pg. 404)
- Maximum CFM High Speed 8,500/Low Speed 3,000 Estimated

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
6,603	33	203	\$9

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move











RUSTIC DESIGN



65 INCH S W E E P



RC400 Remote Control

6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer

Smart Fan Google Home Amazon Alexa iOS & Android App Nest EcoBee



/ /ith three exceptionally carved all wood blades, the SKYHAWK offers a variety of finish options that lend itself to a range of living spaces. Built with a 60" blade sweep and a 14 degree blade pitch, the SKYHAWK is guaranteed to provide comfort and maximum aesthetics. An integrated 20 Watt LED is included, as well as an energy efficient DC motor.

Features

14° Blade Pitch

3-Blades 60" Sweep

6" Downrod

- Integrated Light Uses 20W LED (Included) 3 Year Warranty
- 800LM 3.000K CRI 90 DC 153 x 20mm Motor
- · Solid Wood Blades
- Hand Held Remote Control System Included
- Maximum CFM High Speed 5,800/Low Speed 2,200 Estimated
- 1024 Frequency Combinations

*Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
5,800	32	181















RC1000 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



 \bigwedge ith five distinctly contoured blades that span a 60" sweep and elevated blade tips for added airflow, the ELLIPSE will blow you away with design and comfort. A flush contemporary light source with a integrated 20 Watt LED, along with an energy efficient DC motor are essential for reliable performance. ELLIPSE is part of Minka AIRE's Smart Fan collection, featuring easy to use smart home integration with the IOS and Android Bond Home App.

Features

16° Blade Pitch

5-Blades 60" Sweep

6" Downrod

- Integrated Light Uses 20W LED (Included) 3 Year Warranty
- 800LM 3,000K CRI 90 DC 120 x 20mm Motor
- · Hand Held Remote Control System Included
- · Maximum CFM High Speed 6,500/Low Speed 2,200 Estimated
- 1024 Frequency Combinations

*Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
6,500	30	216
*Estimated		















RC1000 Remote Control

· 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer





CONCEPT III

with LED Light

Introducing the next generation of the Concept family with our CONCEPT III. Re-engineered to perfection, the CONCEPT III took all the elements of its predecessors and created a timeless modern design while keeping true to its roots. Built with an integrated 40 Watt LED light for added light output and a wet rated energy efficient DC Motor perfect for indoor/outdoor use. CONCEPT III is part of Minka AIRE's Smart Fan collection, featuring easy to use smart home integration with the IOS and Android Bond Home App.

Features

14° Blade Pitch

3-Blades 54" Sweep

Flush Mount

- Integrated Light Uses 40W LED (Included) 3 Year Warranty
- 1,683LM 3,000K CRI 90 DC 153 x 15mm Motor
- · Hand Held Remote Control System Included
- Indoor/Outdoor Use UL Listed for Wet Locations
- Maximum CFM High Speed 5,500/Low Speed 2,000 Estimated
- 1024 Frequency Combinations

*Energy Guide (Excluding Lights)

AIRFLOW ENERGY USE (CFM) (WATTS)		AIRFLOW EFFICIENCY (CFM Per Watt)	
5,500	28	196	
*Estimated			











F467L-CL Coal Finish · Coal Blades · Etched Opal Glass **F467L-ORB** Oil Rubbed Bronze Finish · Oil Rubbed Bronze Blades · Etched Opal Glass









RC1000 Remote Control

6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer





with LED Light

Introducing the next generation of the Concept family with our CONCEPT IV. Re-engineered to perfection, the CONCEPT IV took all the elements of its predecessors and created a more compact diameter and refined housing for a transitional appeal. Built with an integrated 40 Watt LED light for added light output and a wet rated energy efficient DC Motor perfect for indoor/outdoor use. CONCEPT IV is part of Minka AIRE's Smart Fan collection, featuring easy to use smart home integration with the IOS and Android Bond Home App.

Features

14° Blade Pitch

3-Blades 54" Sweep

6" Downrod

- Integrated Light Uses 40W LED (Included) 3 Year Warranty
- •1,683LM 3,000K CRI 90 DC 153 x 15mm Motor
- · Hand Held Remote Control System Included
- Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 6,000/Low Speed 2,000 Estimated
- 1024 Frequency Combinations

*Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
6,000	28	214
*Estimated		















that compliments outdoor patios and sunrooms. A 60" blade sweep with subtle ribbing across the blades provides on trend elements with today's décor. Equipped with an integrated 20 Watt LED light for added light output and a wet rated energy efficient DC Motor perfect for indoor/outdoor use. Seacrest is part of Minka AIRE's Smart Fan collection, featuring easy to use smart home integration with the IOS and Android Bond Home App.

Features

14° Blade Pitch 3-Blades 60" Sweep

- Integrated Light Uses 20W Dimmable LED (Included) 3 Year Warranty
- 1.012LM 3.000K CRI 90 DC 153 x 15mm Motor
- Indoor/ Outdoor Use ETL Listed for Wet Locations
- Hand Held Remote Control System Included
- Maximum CFM High Speed 6,000/Low Speed 2,000 *Estimated
- 1024 Frequency Combinations

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
6,000	35	171
*Estimated		











U.S. Patent(s): Pending



F675L-ORB Oil Rubbed Bronze Finish • Oil Rubbed Bronze Blades • Etched Glassl





RC1000 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

Smart Fan Amazon Alexa iOS & Android App Nest EcoBee



Dursuing a courageous statement with eight curved vanes, the DREAM STAR provides an engineered, yet artistic design. Leaving no detail to chance, this powerhouse of air movement is complemented by a fade-away canopy, which eliminates any evidence of a hanging system. DREAM STAR is also equipped with an energy efficient DC motor and a 18W Integrated LED light.

Features

Variable Blade Pitch • 8-Blades 60" Sweep • 12" Downrod

- Integrated Light Uses 18W LED (included) 3 Year Warranty
- •1,100LM 3,000K CRI 80 DC 168 x 30mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- · Maximum CFM High Speed 4,983 /Low Speed 1,067

Energy Guide (Excluding Lights)

3,130	(WATTS)	(CFM Per Watt)	COST \$5
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









U.S. Patent(s): Pendina







RC400 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



I and crafted metal blade arms are the focal point of the modern blacksmith designed MOLINO. With forged iron accents framing the housing to accentuate the bold features, the MOLINO will elevate living spaces and bedrooms. Equipped with an integrated 20 Watt LED light for added light output and a wet rated energy efficient DC Motor perfect for indoor/outdoor use. MOLINO is part of Minka AIRE's Smart Fan collection, featuring easy to use smart home integration with the IOS and Android Bond Home App.

Features

14° Blade Pitch

3-Blades 65" Sweep

6" Downrod

- Integrated Light Uses 20W LED (Included) 3 Year Warranty
- 860LM 3,000K CRI 90 DC 153 x 15mm Motor
- Full function Remote Control System Included
- Indoor/ Outdoor Use ETL Listed for Wet Locations
- Maximum CFM High Speed 6,500/Low Speed 3,200 Estimated

*Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
6,500	30	216
*Estimated		

















RC1000 Remote Control

· 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer





esigned with ultra-sophistication and minimalistic styling, CLEAN $^\prime$ utilizes a unique eye catching blade arm that links the cylindrical fan body to its five blades. Body and the blades move in unison creating a distinctive look. Clean has an integrated 10 watt LED light and an energy efficient DC motor that provides significant air flow.

Features

12° Blade Pitch

5-Blades 60" Sweep

6" Downrod

- Integrated Light Uses 10W LED (Included) 3 Year Warranty
- 408LM 3,000K CRI 90 DC 123 x 30mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- · Cap for Non-Light Use Included
- Maximum CFM High Speed 10,340/Low Speed 3,753

Energy Guide (Excluding Lights)

10,340	41	249.62
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)










U.S. Patent(s): Pending







RC400 Remote Control

- 6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer

for Non-Light Use

TEAR

The TEAR ceiling fan is designed to rejuvenate spaces. Part of a collection of stylish and urbane fans, it blends contemporary form with reliable performance.









The TEAR ceiling fan is designed to rejuvenate. Part of a collection of stylish and urbane fans, it blends contemporary form with reliable performance.

Features

Variable Blade Pitch

3-Blades 60" Sweep

6" Downrod

- Integrated LED Light Uses 15W LED (Included) 3 Year Warranty
- •1,009LM 3,000K CRI 90 DC 120 x 20mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- Maximum CFM High Speed 7,052/Low Speed 2,974



Energy Guide (Excluding Lights)

5,142	27	191	\$8
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move












TIMBER

With the continued rise in a natural look within today's home, TIMBER's Natural Tung wood blades accomplish a warmth every home desires. With its 84" blades, its energy efficient DC motor and an integrated 26 watt LED light, you can't miss.









/ith the continued rise in a natural look within today's home, Timber's natural Tung wood blades accomplish a warmth every home desires. With its energy efficient DC motor and an integrated 26 watt LED light, you can't miss. Available with WiFi enabled Smart technology in the 68" version.

Features

23° Blade Pitch

3-Blades 68"

10" Downrod

- Integrated Light Uses 26W LED (Included) 3 Year Warranty
- •1,483LM 3,000K CRI 81 DC 172 x 25mm Motor
- · Cap for Non-Light Use included
- · Hand Held Remote Control System Included (pg. 404)
- · Maximum CFM High Speed 7,778/Low Speed 3,478 Estimated

Energy Guide (Excluding Lights)


All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move













TIMBER with LED Light

Ith the continued rise in a natural look within today's home, ${\sf V}$ TIMBER's Natural Tung wood blades accomplish a warmth every home desires. With its 84" blades, its energy efficient DC motor and an integrated 26 watt LED light, you can't miss.

Features

23° Blade Pitch

3-Blades 84" Sweep

10" Downrod

- Integrated Light Uses 26W LED (Included) 3 Year Warranty
- •1,483LM 3,000K CRI 81 DC 172 x 25mm Motor
- · Cap for Non Light Use Sold Separately (#6F847LCP05-HBZ)
- · Hand Held Remote Control System Included (pg. 404)
- · Maximum CFM- High Speed 7,939/Low Speed 2,937 Estimated

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
5,623	23.7	237	\$7

and 6.4 hours use per day · Your cost depends on 12 cents per kWh and 6.4 hours use per day · Your cost depends on rates and use · The higher the airflow, the more air the fan will move















· 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

GEAR

olding court as the centerpiece of your living space, GEAR demands attention with its bold columns and art deco inspired lines. A three-bladed fan, it is built with advanced energy efficient technology with a DC motor and 18 watt LED light.









F736L-PN/ORB

Polished Nickel/Oil Rubbed Bronze Finish Oil Rubbed Bronze Blades • Etched Glass

with LED Light

lolding court as the centerpiece of your living space, GEAR demands attention with its bold columns and art deco inspired lines. A threebladed fan, it is built with advanced energy efficient technology with a DC motor and 18 watt LED light.

Features

14° Blade Pitch

3-Blades 54" Sweep

6" Downrod

- Integrated Light Uses 18W LED (Included) 3 Year Warranty
- 600LM 3,000K CRI 90 DC 125 x 30mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- · Maximum CFM High Speed 7,450/Low Speed 2,146



Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

4.953	(WATTS)	(CFM Per Watt)	COST \$6
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









U.S. Patent(s): D857,874











- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

TRIPLE

Clearing the way for fresh Aire, TRIPLE delivers a refined modern industrial design. Its turbine-like three blades provide a utilitarian and raw contemporary edge that enhances the space of any room. The TRIPLE is equipped with an integrated 20 watt LED light and advanced DC motor technology.









with LED Light

learing the way for fresh Aire, TRIPLE delivers a refined modern industrial design. Its turbine-like three blades provide a utilitarian and raw contemporary edge that enhances the space of any room. The TRIPLE is equipped with an integrated 20 watt LED light and advanced DC motor technology.

Features

Variable Blade Pitch • 3-Blades 60" Sweep • 6" Downrod

- · Integrated Light Uses 20W LED (Included) 3 Year Warranty
- •716LM 3,000K CRI 90 DC 123 x 30mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- Maximum CFM High Speed 5,861/Low Speed 2,081

Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

Ì	4,089	29	141	\$8
	AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move



















- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



ashionably tailored to blend with either contemporary or transitional decor. The largest ceiling fan to be introduced by Minka Aire®, GÉANT delivers industrial strength air movement for residential and commercial applications. Supplied with an energy efficient DC motor and 110" blade sweep.

Features

9° Blade Pitch

8-Blades 110" Sweep

16" Downrod

- Integrated Light Uses 40W LED (Included) 3 Year Warranty
- \cdot 1,683LM \cdot 3,000K \cdot CRI 90 \cdot DC 168 x 30mm Motor \cdot Heavy Duty Downrod
- · Cap for Non Light Use Included
- · Indoor/Outdoor Use ETL Rated for Wet Locations
- · Hand Held Remote Control System Included (pg. 404)
- Maximum CFM- High Speed 13,000/Low Speed 5,000 Estimated

*Energy Guide (Excluding Lights)


AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
13,000	40	325
*Estimated		
















- 6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer

110 INCH SWEEP



NINETY-NINE

⚠ inka-Aire® introduces our Ninety-Nine fan, featuring a total of V 99 inches in diameter! A refreshing transitional design featuring 9-blades, 26 watt LED and a DC motor. Ideal for residential and commercial use. Includes a six speed hand held remote control and is reversible for winter and summer.

Features

Variable Blade Pitch • 9-Blades 99" Sweep • 6" Downrod

- Integrated Light Uses 26W LED (Included) 3 Year Warranty
- •1,899LM 2,700K CRI 81 DC 172 x 30mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- Maximum CFM High Speed 13,350/Low Speed 7,803

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
11,871	33	385









U.S. Patent(s): D806,856; D817,472; Additional U.S. Patent(s)








· 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

99 INCH SWEEP

XTREME H₂O 84"

An outdoor version of one of our most popular large fan introductions, this industrial sized fan lends itself to any setting. XTREME H₂O's clean, sleek, contemporary design, complete with a DC motor and a choice of sizes, makes it perfect for large areas indoor or outdoor.









XTREME H₂O 84"

n outdoor version of one of our most popular large fan introductions, this industrial sized fan lends itself to any setting. Xtreme H2O's clean, sleek, contemporary design, complete with a DC motor and a choice of sizes, makes it perfect for large areas indoor or outdoor.

Features

9° Blade Pitch

8-Blades 84" Sweep

6" Downrod

- DC 123 x 30mm Motor ABS Blades
- · Custom 20W LED Light Kit K9886L Available (pg. 403) Sold Separately
- · Hand Held Remote Control System Included (pg. 404)
- · Indoor/Outdoor Use ETL Rated for Wet Locations
- Maximum CFM High Speed 10,988/Low Speed 5,150

Energy Guide (Excluding Lights)

8,252	(WATTS)	(CFM Per Watt)	cost \$9
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY


All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move















· 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

84 INCH SWEEP



XTREME H₂O 84"

n outdoor version of one of our most popular large fan introductions, this industrial sized fan lends itself to any setting. Xtreme H2O's clean, sleek, contemporary design, complete with a DC motor and a choice of sizes, makes it perfect for large areas indoor or outdoor.

Features

9° Blade Pitch

8-Blades 84" Sweep

6" Downrod

- DC 123 x 30mm Motor ABS Blades
- · Custom 20W LED Light Kit K9886L Available (pg. 403) Sold Separately
- · Hand Held Remote Control System Included (pg. 404)
- · Indoor/Outdoor Use ETL Rated for Wet Locations
- Maximum CFM High Speed 10,988/Low Speed 5,150

Energy Guide (Excluding Lights)

8,252	(WATTS)	(CFM Per Watt)	cost \$9
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY


All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move











F896-84-WHF Flat White Finish · Flat White Blades





RC400 Remote Control

· 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer 84 INCH S W E E P



XTREME H₂O 65"

n outdoor version of one of our most popular large fan introductions, this industrial sized fan lends itself to any setting. XTREME H2O's clean, sleek, contemporary design, complete with a DC motor and a choice of sizes, makes it perfect for large areas indoor or outdoor.

Features

9° Blade Pitch

8-Blades 65" Sweep

6" Downrod

- DC 123 x 30mm Motor ABS Blades
- · Custom 20W LED Light Kit K9886L Available (pg. 403) Sold Separately
- · Hand Held Remote Control System Included (pg. 404)
- · Indoor/Outdoor Use ETL Rated for Wet Locations
- · Maximum CFM High Speed 9,036/Low Speed 3,764

Energy Guide (Excluding Lights)

6,565	32	205	\$9
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use · Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move















· 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer 65 INCH S W E E P



XTREME H₂O 65"

n outdoor version of one of our most popular large fan introductions, this industrial sized fan lends itself to any setting. XTREME H2O's clean, sleek, contemporary design, complete with a DC motor and a choice of sizes, makes it perfect for large areas indoor or outdoor.

Features

9° Blade Pitch

8-Blades 65" Sweep

6" Downrod

- DC 123 x 30mm Motor ABS Blades
- · Custom 20W LED Light Kit K9886L Available (pg. 403) Sold Separately
- · Hand Held Remote Control System Included (pg. 404)
- · Indoor/Outdoor Use ETL Rated for Wet Locations
- · Maximum CFM High Speed 9,036/Low Speed 3,764

Energy Guide (Excluding Lights)

ŀ	6,565	32	205	\$9
	AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use · Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move











F896-65-WHF Flat White Finish • Flat White Blades





RC400 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

65 INCH SWEEP



his industrial size fan lends itself to almost any setting. XTREME's clean, sleek, contemporary design with a DC motor and a choice of sizes makes it perfect for large areas.

Features

4° Blade Pitch • 9-Blades 72" or 96" Sweep • 6" Downrod

- DC 165 x 30mm Motor Aluminum Blades
- · Hand Held Remote Control System Included (pg. 404)
- Install with Blades at least 10' above the Floor
- Maximum CFM (72" Sweep) High Speed 8,905/Low Speed 3,005
- · Maximum CFM (96" Sweep) High Speed 13,080/Low Speed 9,152

Energy Guide (Excluding Lights)

	AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
72"	6,134	23	270
96"	13,080	31	429













· 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer 72/96 INCH S W E E P

LIGHT WAVE

IGHT WAVE is the next generation of our highly successful, ground-breaking Wave fan. Its energy-efficient LED light source integrates light without compromising design.











■IGHT WAVE is the next generation of our highly successful, ground-L breaking Wave fan. Its energy-efficient LED light source integrates light without compromising design.

Features

Variable Blade Pitch • 3-Blades 52" Sweep • 6" Downrod

- Integrated Light Uses 16W Dimmable LED (Included) 3 Year Warranty
- 896LM 3,000K CRI 80 Replacement LED Assembly (#6F844LK01)
- · Hand Held Remote Control System Included (pg. 404)
- · Maximum CFM High Speed 4,453/Low Speed 1,497
- Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,068	40	77	\$11

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







U.S. Patent(s): D750,213 Additional U.S. Patent(s) Pending










RCS213 Remote Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer



WAVE

truly unique design that draws inspiration from the ocean's graceful and tubular wave formations.

Features

Variable Blade Pitch • 3-Blades 52" Sweep • 6" Downrod

- · Hand Held Remote Control System Included (pg. 404)
- Maximum CFM High Speed 4,466/Low Speed 1,674

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,229	43	75	\$12

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move





U.S. Patent(s): D715,419; D715,421





F843-WH White Finish • White Blades





RCS213 Remote Control

· 3 Speed Fan Control



his clean contemporary powerhouse delivers the air flow of larger fans using DC motor technology to keep energy consumption to a minimum while the integrated DC LED light provides energy efficient illumination.

Features

15° Blade Pitch

5-Blades 56" Sweep

6" Downrod

- Integrated LED Light Uses 16W LED (Included) 3 Year Warranty
- •710LM 3,000K CRI 80 DC 125 x 30mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- · Maximum CFM High Speed 6,276/Low Speed 1,717

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
4,043	21	194	\$6

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move










U.S. Patent(s): D788,283; D788,286; D802,114



SLEEK

Another smooth addition to our collection of three bladed ceiling fans that boasts high performance with contemporary rustic design. Energy efficient DC motor and an integrated 15 Watt LED light enhance this fresh and clean work of art. Part of Minka AIRE's Smart Fan collection you will be in control of fan speeds and the light with our easy to use iOS and Android App.









nother smooth addition to our collection of three bladed ceiling fans boasts high performance with a contemporary rustic design Energy efficient DC motor and an integrated 15 Watt LED light enhance this fresh and clean work of art. Part of Minka AIRE's Smart Fan collection you will be in control of fan speeds and the light with our easy to use iOS and Android App.

Features

12° Blade Pitch

3-Blades 60" Sweep

6" Downrod

- · Integrated Light Uses 16W LED (Included) 3 Year Warranty
- 972LM 3,000K CRI 90 DC 172 x 12mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- · Maximum CFM High Speed 6,006/Low Speed 1,715 Estimated

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,995	19	216	\$5

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move















RC600 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer





nother smooth addition to our collection of three bladed ceiling fans boasts high performance with a contemporary rustic design Energy efficient DC motor and an integrated 15 Watt LED light enhance this fresh and clean work of art. Part of Minka AIRE's Smart Fan collection you will be in control of fan speeds and the light with our easy to use iOS and Android App.

Features

12° Blade Pitch

3-Blades 60" Sweep

6" Downrod

- · Integrated Light Uses 16W LED (Included) 3 Year Warranty
- 972LM 3,000K CRI 90 DC 172 x 12mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- · Maximum CFM High Speed 6,006/Low Speed 1,715 Estimated

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,995	19	216	\$5

All estimates based on typical use · Based on 12 cents per kWh and 6.4 hours use per day · Your cost depends on rates and use · The higher the airflow, the more air the fan will move















RC600 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



AVIATION

Inspired by the classic form of vintage aircraft propellers, our AVIATION fans have an updated appeal, addressing a new kind of audience with sleek, elegant lines, and a combination of finish techniques compatible with today's trends.









AVIATION

Inspired by the classic form of vintage aircraft propellers, our AVIATION fans have an updated appeal, addressing a new kind of audience with sleek, elegant lines, and a combination of finish techniques compatible with today's trends.

Features

Variable Blade Pitch

- 3-Blades 60" Sweep
- 6" Downrod

- DC 120 x 25mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- · Maximum CFM High Speed 5,093/Low Speed 2,127



Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,703	20	187	\$6

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







U.S. Patent(s): D721,429; D721,800; D726,298









RC500 Remote Control

 \cdot 6 Speed Fan Control in Fwd and Rev

F853-BN/CL Brushed Nickel Finish • Coal Blades Shown on Previous Page



AVIATION

Inspired by the classic form of vintage aircraft propellers, our AVIATION fans have an updated appeal, addressing a new kind of audience with sleek, elegant lines, and a combination of finish techniques compatible with today's trends.

Features

Variable Blade Pitch

- 3-Blades 60" Sweep
- 6" Downrod

- DC 120 x 25mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- Maximum CFM High Speed 5,093/Low Speed 2,127
- Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

3.703	(WATTS)	(CFM Per Watt)	COST \$6
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







U.S. Patent(s): D721,429; D721,800; D726,298









RC500 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



Inspired by the classic form of vintage aircraft propellers, our AVIATION fans have an updated appeal, addressing a new kind of audience with sleek, elegant lines, and a combination of finish techniques compatible with today's trends. The new Aviation LED features an integrated 15 watt LED light.

with LED Light

Features

Variable Blade Pitch • 3-Blades 60" Sweep • 6" Downrod

- Integrated Light Uses 15W LED (Included)
- 912LM CRI 80 DC 120 x 25mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- Maximum CFM High Speed 5,093/Low Speed 2,127

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,703	20	187	\$6

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









U.S. Patent(s): D721,429; D721,800; D726,298; Additional U.S. Patent(s) Pending











RC500 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



10ITAIVA with LED Light

Inspired by the classic form of vintage aircraft propellers, our AVIATION fans have an updated appeal, addressing a new kind of audience with sleek, elegant lines, and a combination of finish techniques compatible with today's trends. The new Aviation LED features an integrated 15 watt LED light.

Features

Variable Blade Pitch • 3-Blades 60" Sweep • 6" Downrod

- Integrated Light Uses 15W LED (Included)
- 912LM CRI 80 DC 120 x 25mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- · Maximum CFM High Speed 5,093/Low Speed 2,127

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,703	20	187	\$6

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









U.S. Patent(s): D721,429; D721,800; D726,298; Additional U.S. Patent(s) Pending









RC500 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



he CONE lends an iconic presence to both indoor and outdoor settings for those who are looking for a blast from the past. This standard amongst designs offers a three, four and five blade option to suit everyone's preference as well as a clear and hooded light shade to create different lighting options.

with LED Light

Features

14° Blade Pitch

5-Blades 54" Sweep

6" Downrod

- Integrated Light Uses 20W Dimmable LED (Included) 3 Year Warranty
- 1,080LM 3,000K CRI 90 DC 123 x 30mm Motor
- · Removable Metal Ring around LED Light
- Optional Clear Lens in box Convertible into 3, 4 or 5 Blade
- · Hand Held Remote Control System Included (pg. 404)
- · Indoor/Outdoor Use ETL Listed for Wet Locations
- · Maximum CFM High Speed 8,250 / Low Speed 2,651

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
5,625	29	194	\$8

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day · Your cost depends on rates and use · The higher the airflow, the more air the fan will move











U.S. Patent(s): Pending









RC400 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



SIMPLE 52"

Co simple! We gave this wonderful design a name that best denotes it's spirit! Incredibly delicate and nearly invisible. This design best displays the advancement in technology with indoor/outdoor use, DC motor, optional LED light kit and a hand held remote.

Features

14° Blade Pitch

3-Blades 52" Sweep

6" Downrod

- DC 123 x 30mm Motor
- · Custom 20W LED Light Kit K9787L Available (pg. 403) Sold Separately
- · Indoor/Outdoor Use ETL Listed for Wet Locations
- · Hand Held Remote Control System Included (pg. 404)
- · Maximum CFM High Speed 7,051/Low Speed 2,032

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
4,310	16	277	\$4

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move











RC400 Remote Control

· 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer





SIMPLE 44"

Co simple! We gave this wonderful design a name that best denotes it's spirit! Incredibly delicate and nearly invisible. This design best displays the advancement in technology with indoor/outdoor use, DC motor, optional LED light kit and a hand held remote.

Features

26° Blade Pitch

3-Blades 44" Sweep

6" Downrod

- DC 123 x 30mm Motor
- · Custom 20W LED Light Kit K9787L Available (pg. 403) Sold Separately
- · Indoor/Outdoor Use ETL Listed for Wet Locations
- · Hand Held Remote Control System Included (pg. 404)
- · Maximum CFM High Speed 5,289/Low Speed 1,626

Energy Guide (Excluding Lights)

3,572	(WATTS)	(CFM Per Watt)	COST \$8
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)		EFFICIENCY	YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move













Features

Variable Blade Pitch •

- 3-Blades 60" Sweep
- 6" Downrod
- Integrated LED Light Uses 20W LED (Included) 3 Year Warranty
- 1180 LM 3,000K CRI 90 DC 123 x 30mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- · Custom LED Kit K9838L Avaiable (pg. 403) Sold Separately
- Maximum CFM High Speed 4,004/Low Speed 287

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
2,364	30	79	\$8

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









U.S. Patent(s): D807,492; D807,493; D824,508 Additional U.S. Patent(s) Pending








RC400 Remote Control

· 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer


MinkaAire.com | 99

ROTO

ROTO features a sleek and contemporary design with a classic industrial look. Well edited and an impeccably executed design features a slight "fold" construction along the length of the blades to increase the flow of air. A perfect marriage of form and function.









OTO features a sleek and contemporary design with a classic industrial K look. Well edited and an impeccably executed design features a slight "fold" construction along the length of the blades to increase the flow of air. A perfect marriage of form and function.

Features

22° Blade Pitch

3-Blades 52" Sweep

6" Downrod

- Aluminum Construction
- · 2 Wire Wall Control System Included (pg. 404)
- · Convertible to Electronic Control System
- · Maximum CFM High Speed 4,422/Low Speed 1,553

Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,090	31	101	\$9

All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day - Your cost depends on rates and use - The higher the airflow, the more air the fan will move



U.S. Patent(s): D750,221 Additional U.S. Patent(s) Pending





WC105-WH Wall Control

- · 4 Speed Fan Control
- · 2-Wire Installation

ARTEMIS™IV

ur next generation of ARTEMISTM continues the tradition of curves and curls lending the feel of kinetic sculpture to any contemporary setting. An integrated 15 watt LED light provides energy efficient illumination. This 4-blade gem is offered in new finish selections, providing a uniqueness all its own.











ur next generation of ARTEMIS™ continues the tradition of curves and curls lending the feel of kinetic sculpture to any contemporary setting. An integrated 15 watt LED light provides energy efficient illumination. This 4-blade gem is offered in new finish selections, providing a uniqueness all its own.

Features

Variable Blade Pitch • 4-Blades 64" Sweep • 6" Downrod

- Integrated Light Uses 15W LED (Included) 3 Year Warranty
- 659 LM 3.000k CRI90
- DC 123 x 30mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- · Cap for Non-Light Use Included
- Maximum CFM High Speed 8,376/Low Speed 2,864

Energy Guide (Excluding Lights)

5,849	22	260	\$6
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

















RC400 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

RAPTOR

This contemporary design is coupled with the energy saving advancements of DC motor technology and an integrated 17 watt LED light source. An option of three transitional finishes.









RAPTOR with LED Light

his contemporary design is coupled with the amazing energy saving advancements of DC motor technology and an integrated 16 watt LED light source. An option of three transitional finishes.

Features

12° Blade Pitch

5-Blades 60" Sweep

6" Downrod

- · Integrated Light Uses 16W LED (Included) 3 Year Warranty
- •574LM 3.000K CRI 90 DC 172 x 12mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- · Maximum CFM High Speed 5,158/Low Speed 1,910



Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
4,674	21	222	\$6w

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









U.S. Patent(s): D825,050; D833,593







RC600 Remote Control

6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer

MinkaAire.com | 111



MOJAVE

with LED Light

he MOJAVE's focus, inspired by rolling dunes of the California desert, provides a clean, cool appearance for the hottest environments. The variable pitch blades, powered by the latest DC technology, will leave you feeling anything but desolate.

Features

Variable Blade Pitch

- 3-Blades 56" Sweep
 6" Downrod
- Integrated Light Uses 20W LED (Included) 3 Year Warranty
- 689LM 3,000K CRI 90 DC 123 x 30mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- · Maximum CFM High Speed 7,417/Low Speed 2,531

Energy Guide (Excluding Lights)

5.127	31	164	\$9
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move

















RC400 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

ARTEMIS™

The distinct profile of the ARTEMIS[™] is captured by the Flying Vanes[™] that incorporate the fan housing. A true design statement! Now Built with WIFI.









"he distinct profile of the ARTEMIS™ is captured by the Flying Vanes[™] that incorporate the fan housing. A true design statement! Now with Built in Wifi!!

> Winner of the 2005 Chicago Athenaeum: Museum of Architecture and Design's Good Design Award.

Features

Variable Blade Pitch • 3-Vanes 58" Sweep • 6" Downrod

- · Contoured Aerodynamic Vanes
- Integrated Light Uses 20W Dimmable LED (Included) 3 Year Warranty
- \cdot 809LM \cdot 3,000K \cdot CRI 90 \cdot Cap for Non-Light Use Included \cdot DC153x20mm
- Full Funtion Wall Control System Included (pg. 404)
- · Maximum CFM High Speed 7,157/Low Speed 2,295



Energy Guide (Excluding Lights)

4.878	(WATTS)	(CFM Per Watt)	COST
AIRFLOW (CFM)	ENERGY	AIRFLOW	ESTIMATED YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









U.S. Patent(s): D535,011; D535,015; D535,387;





DISTINCT PROFILE





RC400 Remote Control

- 6 Speed Fan Control in Fwd and Rev
- On/Off Plus Full Range Light Dimmer





ARTEMIS™ with LED Light

The distinct profile of the ARTEMIS $^{\text{TM}}$ is captured by the Flying Vanes™ that incorporate the fan housing. A true design statement! Now with Built in Wifi!!

Features

Variable Blade Pitch • 3-Vanes 58" Sweep • 6" Downrod

- · Contoured Aerodynamic Vanes
- Integrated Light Uses 20W Dimmable LED (Included) 3 Year Warranty
- \cdot 809LM \cdot 3,000K \cdot CRI 90 \cdot Cap for Non-Light Use Included \cdot DC153x20mm
- Full Funtion Wall Control System Included (pg. 404)
- · Maximum CFM High Speed 7,157/Low Speed 2,295



Energy Guide (Excluding Lights)

4.878	(WATTS)	(CFM Per Watt)	COST
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)		EFFICIENCY	YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









U.S. Patent(s): D535,011; D535,015; D535,387; D535,388; D536,083; 7,481,626









RC400 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer





Smart Fan







Nest

EcoBee



with LED Light

The distinct profile of the ARTEMIS™ is captured by the Flying Vanes™ that incorporate the fan housing. A true design statement! Now with Built in Wifi!!

Features

Variable Blade Pitch • 3-Vanes 58" Sweep • 6" Downrod

- · Contoured Aerodynamic Vanes
- Integrated Light Uses 20W Dimmable LED (Included) 3 Year Warranty
- \cdot 809LM \cdot 3,000K \cdot CRI 90 \cdot Cap for Non-Light Use Included \cdot DC153x20mm
- Full Funtion Wall Control System Included (pg. 404)
- · Maximum CFM High Speed 7,157/Low Speed 2,295



Energy Guide (Excluding Lights)

(CFM)	USE	EFFICIENCY	YEARLY ENERGY
	(WATTS)	(CFM Per Watt)	COST
4.878	26	186	\$7

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move











U.S. Patent(s): D535,011; D535,015; D535,387; D535,388; D536,083; 7,481,626







RC400 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer





ARTEMIS™ XL5

with LED Light

The big brother of our original ARTEMIS™, the distinct profile of the ARTEMIS™ XL5 is captured by the five Flying Vanes™ that encase the fan housing - creating a true design statement!

Features

Variable Blade Pitch •

5-Blades 62" Sweep · 6" Downrod

- Integrated Light Uses 16W Dimmable LED (Included) 3 Year Warranty
- 646LM 3,000K CRI 90 DC 172 x 25mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- · Cap for Non-Light Use Included
- · Maximum CFM High Speed 6,076/Low Speed 3,396

Energy Guide (Excluding Lights)

4,820	26	183	\$7
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move









U.S. Patent(s): D721,430







hough simple in shape ORB offers detail and accenting that elevates this common form to a conversation piece in any home. Inspired by vintage pendants with a modern appeal, ORB is flawlessly implemented, and difficult to overlook.

Features

14° Blade Pitch

4-Blades 54" Sweep

6" Downrod

- · Integrated Light Uses 16W LED (Included) 3 Year Warranty
- 661 LM 3.000K CRI 90
- · Hand Held Remote Control System Included (pg. 404)
- Maximum CFM High Speed4,985 /Low Speed 2,257 Estimated

Energy Guide (Excluding Lights)

(CFM) 3,707	(WATTS)	(CFM Per Watt)	YEARLY ENERGY COST
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED





All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







F623L-WHF/BN Flat White/Brushed Nickel Finish • Flat White Blades • Etched Opal Glass





RCS213 Remote Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



SPECTRE

ersatile, industrial styling and creative details are the key to SPECTRE. The distinctive blade irons hug the fan body, providing a unique look compatible with contemporary environments.

Features

14° Blade Pitch

4-Blades 60" Sweep

6" Downrod

- Integrated LED Light Uses 17W LED (Included) 3 Year Warranty
- 264LM 3,000K CRI 90 DC 188 x 10mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- · Maximum CFM High Speed 6,469/Low Speed 1,637

Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

4,204	21	197	\$6
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









U.S. Patent(s): D778,422; D779,052; D779,093; D792,577; D806,226; D808,513; Add'l U.S. Patent(s) Pending









RC400 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



62" version of our successful PANCAKE fan includes an integrated 20 watt LED light. Our PANCAKE XL LED ceiling fan magically houses all the necessary components of a high performance ceiling fan into the same slim body. Minimal, elegant and smooth, the profile is narrow, allowing for an unobtrusive, non-competing addition to any room. Go big!

Features

12° Blade Pitch

4-Blades 62" Sweep

- 6" Downrod
- Integrated LED Light Uses 20W LED (Included)
- 1,119LM CRI 80 Max Ceiling Slope Angle 18°
- \cdot DC 188 x 14mm Motor \cdot 6" Internally Threaded Downrod
- · Hand Held Remote Control System Included (pg. 404)
- · Maximum CFM High Speed 6,619/Low Speed 3,055

Energy Guide (Excluding Lights)

4.949	(WATTS)	(CFM Per Watt)	COST
AIRFLOW (CFM)	ENERGY	AIRFLOW	ESTIMATED YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









U.S. Patent(s): D750,215; D750,219; 9,810,227 Additional U.S. Patent(s) Pendina







RC500 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



PANCAKE

ur PANCAKE ceiling fan magically houses all the needed components of a high performance ceiling fan in a slim 3-inch deep body. Minimal, elegant and smooth, the profile is narrow, allowing for an unobtrusive, non-competing addition to any room.

Features

14° Blade Pitch

4-Blades 52" Sweep

6" Downrod

- · 6" Internally Threaded Downrod · Max Ceiling Slope Angle 18°
- Full Function Hand Held Remote Control System Included (pg. 404)
- · Maximum CFM High Speed 3,941/Low Speed 780 120 x 20mm Motor

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
2,464	40	62	\$11

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day · Your cost depends on rates and use · The higher the airflow, the more air the fan will move





U.S. Patent(s): D750,215; D750,219; 9,810,227; Additional U.S. Patent(s) Pending









RCS 212 Remote Control

· 3 Speed Fan Control

JAVA

Minka-Aire's "everywhere" fan with a unique contemporary twist that is suitable for all types of environments.









inka-Aire's "everywhere" fan with a unique contemporary twist that is suitable for all indoor or outdoor environments. The JAVA LED features an integrated 17 watt LED light.

Features

14° Blade Pitch

3-Blades 54" Sweep

6" Downrod

- Integrated Light Uses 17W LED (Included) 3 Year Warranty
- 623LM 3,000K CRI 80
- · Hand Held Remote Control System Included (pg. 404)
- Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 5,771/Low Speed 2,834

Energy Guide (Excluding Lights)

4,394	(WATTS) 34	(CFM Per Watt)	COST \$9
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









UNIQUE PROFILE





RCS213 Remote Control

- · 3 Speed Fan Control
- · On/Off Plus Full Range Light Dimmer



⚠ inka-Aire's "everywhere" fan with a unique contemporary twist that is suitable for all indoor or outdoor environments. The JAVA LED features an integrated 17 watt LED light.

Features

14° Blade Pitch

3-Blades 54" Sweep

6" Downrod

- Integrated Light Uses 17W LED (Included) 3 Year Warranty
- 623LM 3,000K CRI 80
- · Hand Held Remote Control System Included (pg. 404)
- Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 5,771/Low Speed 2,834

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
4,394	34	131	\$9

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move















RCS213 Remote Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer



JAVA

Minka-Aire's "everywhere" fan with a unique contemporary twist that is suitable for all environments.

Features

14° Blade Pitch

3-Blades 54" Sweep

6" Downrod

- Hand Held Remote Control System Included (pg. 404)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 5,314/Low Speed 2,751

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	YEARLY ENERGY COST
4,113	32	128	\$9

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







UNIQUE **PROFILE**





RCS213 Remote Control

· 3 Speed Fan Control



JAVA

Minka-Aire's "everywhere" fan with a unique contemporary twist that is suitable for all environments.

Features

14° Blade Pitch

3-Blades 54" Sweep

- 6" Downrod
- · Hand Held Remote Control System Included (pg. 404)
- Indoor/Outdoor Use UL Listed for Wet Locations
- Maximum CFM High Speed 5,341/Low Speed 2,751

Energy Guide (Excluding Lights)

4.113	32	128	\$9
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move















RCS213 Remote Control

· 3 Speed Fan Control





his contemporary design provides four variable pitch blades and a tiered motor housing for styling sophistication. SWEPT by Minka-Aire® has all the latest advancements in technology with a DC motor and 20 watt LED light. A hand held remote control is included.

Features

26° Blade Pitch

4-Blades 56" Sweep

6" Downrod

- Integrated Light Uses 20W Dimmable LED (Included) 3 Year Warranty
- 643 LM 3,000K CRI 90 DC 123 x 30mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- Maximum CFM High Speed 7,397/Low Speed 2,677

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
7,397	31	232















RC400 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



his contemporary design provides four variable pitch blades and a tiered motor housing for styling sophistication. SWEPT by Minka-Aire® has all the latest advancements in technology with a DC motor and 20 watt LED light. A hand held remote control is included.

Features

26° Blade Pitch

4-Blades 56" Sweep

6" Downrod

- Integrated Light Uses 20W Dimmable LED (Included) 3 Year Warranty
- 643LM 3,000K CRI 90 DC 123 x 30mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- Maximum CFM High Speed 7,397/Low Speed 2,677

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
7,397	31	232













RC400 Remote Control

• 6 Speed Fan Control in Fwd and Rev • On/Off Plus Full Range Light Dimmer

MinkaAire.com | 145



ALUMA

he ALUMA is minimal in form with a youthful soft contemporary twist that makes it a fan with universal appeal.

Features

12° Blade Pitch

4-Blades 52" Sweep

6" Downrod

- Integrated Halogen Light Uses 1-100W Mini-Can Halogen Bulb (Included)
- · All Aluminum Construction · Cap for Non-Light Use Included
- · 4-Speed · Full Range Dimmer Included (pg. 404)
- · Convertible to Electronic Control System
- Maximum CFM High Speed 4,237/Low Speed 1,400

Energy Guide (Excluding Lights)

(CFM) 2,910	USE (WATTS)	(CFM Per Watt)	YEARLY ENERGY COST
AIRFLOW (CFM)	ENERGY	AIRFLOW	ESTIMATED VEARLY ENERGY



All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move



F521-ORB Oil Rubbed Bronze Finish • Oil Rubbed Bronze Blades • Tinted Opal Glass





WC106-WC Wall Control

· 4 Speed Fan Control · Full Range Light Dimmer · 3 Wire Installation





Inspired by a Danish architect of the 1920s, this three-tiered light shade system fan best exemplifies the mid-century modern trends of today's interior design. The STACK is equipped with three 56" blades and DC motor technology with a 21 watt DC LED downlight and a 10 watt LED uplight.

Features

14° Blade Pitch

3-Blades 56" Sweep

6" Downrod

- Integrated Light Uses 21W Dimmable LED Downlight/10W Dimmable LED Uplight (included) 3 Year Warranty
- •1,003LM 3,000K CRI 90 DC 125 x 30mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- · Maximum CFM High Speed 5,968/Low Speed 1,574

Energy Guide (Excluding Lights)

(CI WI)	(WATTS)	(CFM Per Watt)	COST
AIRFLOW (CFM)	ENERGY	AIRFLOW	ESTIMATED YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move















RC400 Remote Control

· 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

MinkaAire.com | 149



Cleek industrial styling destines this 8-bladed wonder to make a cool statement in any indoor or outdoor setting.

Features

14° Blade Pitch

8-Blades 65" Sweep

6" Downrod

- Integrated Light Uses 18W Dimmable LED (Included) 3 Year Warranty
- · Galvanized Steel 6" Downrod · Stainless Steel Hardware · All Weather Blades
- •875LM DC 165 x 25mm Motor Cap for Non-Light Use (Included)
- · Hand Held Remote Control System Included (pg. 404)
- Indoor/Outdoor Use UL Listed for Wet Locations
- Maximum CFM High Speed 8,263/Low Speed 3,916

Energy Guide (Excluding Lights)

6,216	22	285	\$6
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move












U.S. Patent(s): D715,917





DISTINCT **PROFILE**

F888L-DK Distressed Koa Finish • Distressed Koa Blades • Tinted Opal Glass





RC400 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

65 INCH SWEEP



SLIPSTREAM

Cleek industrial styling destines this 8-bladed wonder to make a cool statement in any indoor or outdoor setting.

Features

14° Blade Pitch

8-Blades 65" Sweep

6" Downrod

- Integrated Light Uses 18W Dimmable LED (Included) 3 Year Warranty
- Galvanized Steel 6" Downrod Stainless Steel Hardware All Weather Blades
- \cdot 875LM \cdot 90 CRI \cdot DC 165 x 25mm Motor \cdot Cap for Non-Light Use (Included)
- · Hand Held Remote Control System Included (pg. 404)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- Maximum CFM High Speed 8,263/Low Speed 3,916

Energy Guide (Excluding Lights)

(CFM)	USE	EFFICIENCY	YEARLY ENERGY
	(WATTS)	(CFM Per Watt)	COST
(CFM)			

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move











U.S. Patent(s): D715,917









RC400 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer





with LED Light

s the name implies, "a taste of things to come", simple in style, yet Ingenious by design, the CONCEPT™ II requires 75% less time and labor to assemble than conventional ceiling fans.

Features

14° Blade Pitch

3-Blades 52" Sweep

Flush Mount

- Integrated Light Uses 14W LED (Included) 3 Year Warranty
- \cdot 540LM \cdot 3,000K \cdot CRI 80 \cdot Hanging Depth 11.5" \cdot Concave Blades
- Full Function Hand Held Remote Control System Included (pg. 404)
- · Cap for Non-Light Use Included
- · Maximum CFM High Speed 5,491/Low Speed 1,915
- *Accessory Blades Available (pg. 420)

Energy Guide (Excluding Lights)

3,759	41	92	\$11
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move

















RCS212 Remote Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

Optional Blade Finishes

FB217-DM FB217-DW FB217-ORB



s the name implies, "a taste of things to come", simple in style, yet ightharpoonup ingenious by design, the CONCEPT $^{ exttt{TM}}$ II requires 75% less time and labor to assemble than conventional ceiling fans.

Features

14° Blade Pitch

3-Blades 44" Sweep

Flush Mount

- Integrated Light Uses 14W LED (Included) 3 Year Warranty
- 540LM 3,000K CRI 80 Hanging Depth 11.5" Concave Blades
- Full Function Hand Held Remote Control System Included (pg. 404)
- · Cap for Non-Light Use Included
- · Maximum CFM High Speed 3,783/Low Speed 1,479
- *Accessory Blades Available (pg. 420)

Energy Guide (Excluding Lights)

2.629	(WATTS)	(CFM Per Watt)	COST \$8
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







U.S. Patent(s): 7,008,192









RCS212 Remote Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

Optional Blade Finishes

FB216-DM FB216-DW FB216-ORB



he BLING fan combines a sleek contemporary chrome body and hardware with a relaxed lamp shade bedazzled with crystal. The integrated light is equipped with three – 4 watt LED Bulbs. The ample wood blades, attached with gem-like faceted blade arms, provide significant air movement for any environment.

Features

14° Blade Pitch

5-Blades 56" Sweep

6" Downrod

- Integrated LED Light Uses 3-4W LED (Included) 3 Year Warranty
- •747LM 2,700K CRI 80 DC 125 x 30mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- · Maximum CFM High Speed 5,311/Low Speed 1,830



Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST				
3654	19	192	\$5				
and 6.4 hou	ırs use per da	All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day - Your cost depends on rates and use - The higher the airflow, the more air the fan will move					









CRYSTAL SHADE





RC400 Remote Control

- 6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer
- · On/On rids run Kange Light Dirinne



CABOT's sleek, contemporary design has created a vision for today's Ointeriors. Its low profile provides maximum air management in rooms with minimal ceiling heights. The Sabot's integrated, energy efficient LED light will bring any room to life.

Features

12° Blade Pitch

5-Blades 52" Sweep

- 6" Downrod
- · Integrated LED Light Uses 16W LED (Included) 3 Year Warranty
- 625LM 3,000K CRI 90 DC 172 x 12mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- · Maximum CFM High Speed 4,609/Low Speed 825

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
2,797	22	126	\$6

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









U.S. Patent(s): D795,412; D804,646; D831,187 Additional U.S. Patent(s) Pending







RC600 Remote Control

· 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



WING

A unique 52" single wing fan that transcends all conventional designs.

Winner of the 2010 Chicago Athenaeum: Museum of Architecture and Design's Good Design Award.

Features

Variable Blade Pitch

- 1-Wing 52" Sweep
- 6" Downrod

- DC 125x30mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- Maximum CFM High Speed 5,667/Low Speed 1,805

Energy Guide (Excluding Lights)

	55	(WATTS)	(CFM Per Watt)	COST
AIRFL		ENERGY	AIRFLOW	ESTIMATED
(CFN		USE	EFFICIENCY	YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







U.S. Patent(s): D678,977; 9,004,863 Additional U.S. Patent(s) Pending



UNIQUE **DESIGN**





RC400 Remote Control

• 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

MinkaAire.com | 163



' he essence of simplicity and elegance, the Flyte® fan's combination of integrated halogen light and distinctive hanging system gives this contemporary design a compelling and sophisticated presence.

Features

14° Blade Pitch

3-Blades 56" Sweep

Downlink™

- Includes 9" Downlink™ Hanging System with ½" I.D. Downrod
- Integrated Halogen Light Uses 1-100W Mini-Can Bulb (Included)
- Suitable for Installation on Vaulted Ceilings up to 21°
- Capable of using 3½" Downrod for Low Ceiling Application (Part #DR235-44 and #DR235-BN)
- · Wall Control System Included (pg. 404)
- Maximum CFM High Speed 6,342/Low Speed 2,232
- * Accessory Blades Available (pg. 420) * Downlink™ Options Available (pg. 418)

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
4,389	44	100	\$12





All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move








WCS213 Wall Control

- 3 Speed Fan Control On/Off Plus Full Range Light Dimmer

WAVE II

Wave II is a 2-blade addition to the distinctive designs of the Wave and the Light Wave series. The uncompromising design, though minimalistic, provides maximum air flow while becoming a conversation piece to enjoy for years to come.









WAVE II

AVE II is a 2-blade addition to the distinctive designs of the Wave and the Light Wave series. The uncompromising design, though minimalistic, provides maximum air flow while becoming a conversation piece to enjoy for years to come.

Features

Variable Blade Pitch • 2-Blades 60" Sweep 6" Downrod

- DC 168 x 8mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- Maximum CFM High Speed 5,640/Low Speed 1,619

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,772	20	190	\$6







MINIMAL **DESIGN**









RC400 Remote Control

· 6 Speed Fan Control in Fwd and Rev



with LED Light

esigned with the futuristic styling of the late 1950s & early 1960s, SLANT by Minka-Aire® harkens back to the mid-century modern era of architecture and technology. An integrated 18 watt LED light. Supported with three 36" slanted blades, this fan is best suited for smaller rooms. kitchens and bathrooms.

Features

20° Blade Pitch

3-Blades 36" Sweep

6" Downrod

- Integrated Light Uses 18W LED (Included) 3 Year Warranty
- 508LM 3,000K CRI 90 DC 125 x 20mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- Maximum CFM High Speed 3,879/Low Speed 723

Energy Guide (Excluding Lights)

	(WATTS)	(CFM Per Watt)	COST
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY

All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day - Your cost depends on rates and use - The higher the airflow, the more air the fan will move









U.S. Patent(s): Pending







RC400 Remote Control

· 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



with LED Light

variation on our best selling contemporary CONCEPT™ II fan, this fan provides the same superb styling for your more traditional indoor and outdoor settings.

Features

14° Blade Pitch

3-Blades 52" Sweep

Flush Mount

- Integrated LED Light Uses 14W LED (Included) 3 Year Warranty
- 786LM 3,000K CRI 80 Total Hanging Depth 1034" Drop From Ceiling
- Full Contol Wall Control System Included (pg. 404)
- · Cap for Non-Light Use (included)
- Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 5,203/Low Speed 2,116

Energy Guide (Excluding Lights)

3,638	(WATTS)	(CFM Per Watt)	COST
AIRFLOW (CFM)	ENERGY	AIRFLOW	ESTIMATED YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move















WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



with LED Light

variation on our best selling contemporary CONCEPT™ II fan, this fan provides the same superb styling for your more traditional indoor and outdoor settings.

Features

14° Blade Pitch

3-Blades 44" Sweep

Flush Mount

- Integrated LED Light Uses 14W LED (Included) 3 Year Warranty
- 786LM 3,000K CRI 80 Total Hanging Depth 1034" Drop From Ceiling
- Full Function Wall Control System Included (pg. 404)
- · Cap for Non-Light Use (included)
- Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 3,959/Low Speed 1,500

Energy Guide (Excluding Lights)

2.682	(WATTS)	(CFM Per Watt)	COST \$10
AIRFLOW (CFM)	ENERGY	AIRFLOW	ESTIMATED YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move













WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



 $omo^{\mathsf{TM}}\,is\,a\,harmonious, versatile\,design\,with\,clean, comtemporary$ Iines highlighted with subtle chrome, bronze and brushed nickel accents.

Features

14° Blade Pitch

5-Blades 54" Sweep

6" Downrod

- Integrated Light Uses 2-75W Mini-Can Halogen Bulbs (Included)
- Full Function Wall Control System Included (pg. 404)
- Maximum CFM High Speed 5,169/Low Speed 1,810

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST	
3,595	56	64	\$16	
All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move				









WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer





Features

14° Blade Pitch · 3-Blades 44" or 52" Sweep · 6" Downrod

- Integrated Light Uses 14W LED (Included) 3 Year Warranty
- 540LM 3,000K CRI 80 Cap for Non-Light Use (Included)
- Full Function Hand Held Remote Control System Included (pg. 404)
- Maximum CFM (44" Sweep) High Speed 3,558/Low Speed 1,619
- Maximum CFM (52" Sweep) High Speed 5,236/Low Speed 2,087
- *Accessory Blades Available (pg. 420)



Energy Guide (Excluding Lights)

	AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
14"	2,646	29	92	\$8
52"	3,764	40	93	\$11

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









F516L-WH 44" White Finish • White Blades • Etched White Glass **F517L-WH 52"** White Finish • White Blades • Etched White Glass





RCS212 Remote Control

· 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

Optional Blade Finishes

F516L	F517L
FB216-DM	FB217-DM
FB216-DW	FB217-DW
FB216-ORB	FB217-ORB



KEWL

traditional design, now morphed to a contemporary style, creating a synergistic blend that's perfect for numerous settings.

Features

14° Blade Pitch

3-Blades 52" Sweep

6" Downrod

- 2-Wire Installation Wall Control Included (pg. 404)
- · Convertible to Electronic Control System
- Custom Finish Orders Accepted Minimum 200 Pieces Per Finish
- 90 Day Lead Time on Custom Orders
- · Maximum CFM High Speed 4,981/Low Speed 1499

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,349	31	107	\$9

All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day - Your cost depends on rates and use - The higher the airflow, the more air the fan will move



D715,418; D726,299





WC105-WH Wall Control

4 Speed Fan Control2-Wire Installation



CIRQUE™

Winner of the 2003 Chicago Athenaeum: Museum of Architecture and Design's Good Design Award.

Features

14° Blade Pitch · 3-Blades 25"/54" Sweep · 6" Downrod

- Integrated Light Uses 1-50W MR16 120V 2-Pin Halogen Bulb (Included)
- · Cap for Non-Light Use Included
- Full Function Wall Control System Included (pg. 404)
- · Maximum CFM High Speed 4,437/Low Speed 1,956
- *Accessory Blades Available (pg. 420)

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,219	35	91	\$10

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move





U.S. Patent(s): D510,621; D513,316; D514,689; D524,433; D549,816













WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



NEW ERA

Traditional in styling, yet defined by simple, soft lines.

Features

14° Blade Pitch

4-Blades 52" Sweep

6" Downrod

- Universal Light Kits Available K9380-1 & K9380-2 (pg. 396) Sold Separately
- Full Funtion Hand Held Remote Control System Included (pg. 404)
- Maximum CFM High Speed 4,801/Low Speed 1,754

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,373	45	75	\$13





All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day - Your cost depends on rates and use - The higher the airflow, the more air the fan will move







RCS212 Remote Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



ZEN

 $\begin{subarray}{ll} A \ clean \ modern \ profile \ is \ accentuated \ in \ three \ finish \ options. \end{subarray}$

Features

14° Blade Pitch

4-Blades 52" Sweep

- 6" Downrod
- Integrated Light Uses 2-13W Non-Dimmable GU24 CFL Bulbs (Included)
- · Cap for Non-Light Use (Included)
- Full Function Hand Held Remote Control System Included (pg. 404)
- · Maximum CFM High Speed 6,158/Low Speed 1,879

Energy Guide (Excluding Lights)

4,1	02	45	92	\$13
AIRFL (CF		ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST





All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







RCS212 Remote Control

· 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



VINTAGE GYRO™

↑n addition to our popular GYRO™ family, the VINTAGE GYRO™ performs with the same efficiency and unsurpassed level of comfort as our other GYRO™ models, but with an early 20th Century style.

Features

20° Blade Pitch • Twin Turbo Fans Total Sweep 42" • 6" Downrod

- 720-1,350 R.P.M Fan Speeds Turbo Fan Heads Adjustable Up and Down
- · Complete Assembly Rotates 360° at 2 R.P.M
- Integrated Light Uses 1-100W Mini-Can Halogen Bulb (Included)
- Full Function Wall Control System Incorporating Fully Independent Fan Head Speeds and Axis Rotation (pg. 404)
- · Cap for Non-Light Use (Included)
- · Maximum CFM High Speed 1,770/Low Speed 1,240

Energy Guide (Excluding Lights)

1,439	35	41	\$10
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move





U.S. Patent(s): 6.832.902:

F802-ORB Oil Rubbed Bronze Finish • Oil Rubbed Bronze Blades • Tinted Opal Glass



F802-BN/CH Brushed Nickel/Chrome Finish • Rosewood Blades • Etched Opal Glass





WCS212 Wall Control

- 3 Speed Fan Control in Fwd and Rev On/Off Plus Full Range Light Dimmer



TRADITIONAL GYRO™

magnificent rendition of the original GYRO™ design, the traditional finish transcends the turns of time.

Features

20° Blade Pitch • Twin Turbo Fans Total Sweep 42" • 4½" and 12" Downrod

- •720-1,350 R.P.M Fan Speeds Turbo Fan Heads Adjustable Up and Down
- · Complete Assembly Rotates 360° at 2 R.P.M
- Integrated Light Uses 1-100W Mini-Can Halogen Bulb (Included)
- Full Function Wall Control System Incorporating Fully Independent Fan Head Speeds and Axis Rotation (pg. 404)
- · Cap for Non-Light Use (Included)
- · Maximum CFM High Speed 2,505/Low Speed 1,625

Energy Guide (Excluding Lights)

(CFM)	USE	EFFICIENCY	YEARLY ENERGY
	(WATTS)	(CFM Per Watt)	COST
2,003	35	57	\$10

All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day - Your cost depends on rates and use - The higher the airflow, the more air the fan will move







U.S. Patent(s): D523,548; D523,549; D523,550; D523,983; D524,438; D526,059; D526,400; D526,712; D530,810; D532,097; D567,350; 6,832,902; 7,183,680; 7,229,255 © 2004 Minka Lighting, Inc.



$GYRO^{TM}$

truly unique design offering an unsurpassed level of comfort. The A GYROTM fan's ability to precisely control the direction and intensity of the cooling breeze efficiently circulates air in any environment.

Features

20° Blade Pitch Twin Turbo Fans Total Sweep 42" • 6" Downrod

- 720-1,350 R.P.M Fan Speeds Turbo Fan Heads Adjustable Up and Down
- Complete Assembly Rotates 360° at 2 R.P.M
- Integrated Light Uses 1-100W Mini-Can Halogen Bulb (Included)
- Full Function Wall Control System Incorporating Fully Independent Fan Head Speeds and Axis Rotation (pg. 404)
- Cap for Non-Light Use (Included)
- · Maximum CFM High Speed 2,477/Low Speed 1,670
- Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
2,037	35	58	\$10

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move







U.S. Patent(s): D489,443; D489,809; D490,146; 6,832,902; 7,183,680; 7,229,255



GYRO™ WE

apturing the design elements of the original GYRO $^{\text{TM}}$, the GYRO $^{\text{TM}}$ WET provides unsurpassed performance and comfort levels in the toughest environments. Rotating 360° and controlled by a wall control system, it offers wonderful cooling in any area and the option to stop and redirect air for maximum benefit.

Features

20° Blade Pitch • Twin Turbo Fans Total Sweep 42" • 6" Downrod

- \cdot 720-1,350 R.P.M Fan Speeds \cdot Turbo Fan Heads Adjustable Up and Down
- · Complete Assembly Rotates 360° at 2 R.P.M
- Integrated Light Uses 1-100W Mini-Can Halogen Bulb (Included)
- Full Function Wall Control System Incorporating Fully Independent Fan Head Speeds and Lighting Fixture (pg. 404)
- · Cap for Non-Light Use (Included) · Galvenized Steel Downrod
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 1,580/Low Speed 1,059

Energy Guide (Excluding Lights)

1,297	35	38	\$10
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day - Your cost depends on rates and use - The higher the airflow, the more air the fan will move









U.S. Patent(s): D489,443; D489,809; D490,146; 6,832,902; 7,183,680; 7,229,255





wonderful addition to our GYRO™ series. Simple, clean design featuring twin turbo fans, 16 watt LED and cage free blades allow for a classic transitional spirit.

Features

23° Blade Pitch • Twin Turbo Fans Total Sweep 37" • 4½" Downrod

- 800-1,470 R.P.M Fan Speeds Turbo Fan Heads Adjustable Up and Down
- · Integrated Light Uses 16W LED (Included) 3 Year Warranty
- 603LM 2,700K CRI 80• Complete Assembly Rotates 360° at 2 R.P.M
- Full Function Wall Control System Incorporating Fully Independent Fan Head Speeds and Axis Rotation (pg. 404)
- · Maximum CFM High Speed 2,686/Low Speed 1,479

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
2,122	76	28	\$21

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move







U.S. Patent(s): D808,509; 6,832,902; 7,183,680; 7,229,255; Additional U.S. Patent(s) Pending





WCS212 Wall Control

· 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



Inspired by a great American inventor, Alva merges technology and history in a transitional design of timeless aesthetic value. With five Dark Walnut Solid Wood Blades and three medium base LED ferro bulbs, it will bring comfort and a refreshing look to your home or office.

Features

14° Blade Pitch

5-Blades 56" Sweep

6" Downrod

- Integrated Light Uses 3-6W LED Medium Base Ferro Bulb (Included)
- •1,301LM 3,000K CRI 90 DC 120 x 15mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- Maximum CFM High Speed 7,015/Low Speed 3,296



Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

5.272	(WATTS)	(CFM Per Watt)	COST S6
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move















RC500 Remote Control

· 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

MinkaAire.com | 197

GREAT ROOM

Great Room interiors require new ways to manage air. We have accomplished this with expanded blade spans, larger motors and enhanced housings in styles designed to complement those rooms.









GREAT ROOM TRADITIONAL

reat Room interiors require new ways to manage air. We have $oldsymbol{\mathsf{J}}$ accomplished this with expanded blade spans, larger motors and enhanced housings in styles designed to complement those rooms.

Features

14° Blade Pitch

5-Blades 72" Sweep

6" Downrod

- · Universal Light Kit Adaptable K9376-2 (pg. 396) Sold Separately
- Full Function Wall Control Included (pg. 404)
- Maximum CFM High Speed 7,686/Low Speed 3,524

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
6,846	65	106	\$18





All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day - Your cost depends on rates and use - The higher the airflow, the more air the fan will move







WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

72 INCH SWEEP



DELANO®

Features

14° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- Integrated Uplight Uses 6-15W Candelabra Bulbs (Included)
- Integrated Downlight Uses 2-50W Mini-Can Halogen Bulbs (Included)
- Wall Control System Independent Up/Downlight Included (pg. 404)
- Maximum CFM High Speed 5,530/Low Speed 1,482

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,691	46	81	\$13

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







ELEGANT **FORM**





WCS213 Wall Control

- · 3 Speed Fan Control
- · On/Off Plus Full Range Light Dimmer



DELANO®

Features

14° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- Integrated Uplight Uses 6-15W Candelabra Bulbs (Included)
- Integrated Downlight Uses 2-50W Mini-Can Halogen Bulbs (Included)
- Wall Control System Independent Up/Downlight Included (pg. 404)
- Maximum CFM High Speed 5,530/Low Speed 1,482

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,691	46	81	\$13





All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day - Your cost depends on rates and use - The higher the airflow, the more air the fan will move



F701-DRB Dark Restoration Bronze™ Finish • Dark Walnut Blades • Rustic Scavo Glass





WCS213 Wall Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer



DELANO® II

Inspired by a long-time favorite, the DELANO® II offers the same clean, neo-transitional look but with less than an 11-inch drop from the ceiling.

Features

14° Blade Pitch

5-Blades 52" Sweep

- Flush Mount
- · Ideal for Low Ceilings Less than 11" Drop from Ceiling
- Integrated Light Uses 2-50W Mini-Can Halogen Bulbs (Included)
- Full Function Wall Control System Included (pg. 404)
- Maximum CFM High Speed 3,772/Low Speed 936

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
2,217	48	46	\$14

All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day - Your cost depends on rates and use - The higher the airflow, the more air the fan will move





U.S. Patent(s): D595.403: D597.655





WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

TIMELESS

Asmooth blend of finish and form distinguishes the TIMELESS fan, enhanced by simple clean lines and a unique blade iron design.









TIMELESS

smooth blend of finish and form distinguishes the TIMELESS fan, A enhanced by simple clean lines and a unique blade iron design.

Features

14° Blade Pitch

5-Blades 54" Sweep

6" Downrod

- · 3 Speed Pull Chain
- · Custom LED Light Kit K9614 Available (pg. 396) Sold Separately
- Universal Light Kit Available (pg. 403) Sold Separately
- · Maximum CFM High Speed 4,491/Low Speed 1,921

Energy Guide (Excluding Lights)

3.261	(WATTS)	(CFM Per Watt)	cost
AIRFLOW (CFM)	ENERGY	AIRFLOW	ESTIMATED YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move





F614-HBZ Heirloom Bronze Finish Shown on Previous Page



TIMELESS

smooth blend of finish and form distinguishes the TIMELESS fan, A enhanced by simple clean lines and a unique blade iron design.

Features

14° Blade Pitch

5-Blades 54" Sweep

6" Downrod

- · 3 Speed Pull Chain
- · Custom LED Light Kit K9614 Available (pg. 396) Sold Separately
- · Universal Light Kit Available (pg. 403) Sold Separately
- Maximum CFM High Speed 4,491/Low Speed 1,921

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,261	42	77	\$12

All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day - Your cost depends on rates and use - The higher the airflow, the more air the fan will move





KOLA-XL

he KOLA-XL 60-inch fan features the same design elements as the KOLA 52-inch. It has been upgraded to provide the performance necessary for larger rooms and has the convenience of a remote control system.

Features

12° Blade Pitch

5-Blades 60" Sweep

6" Downrod

- · Universal Light Kit Adaptable (pg. 403) Sold Separately
- Hand Held Remote Control System Included (pg. 404)
- · Maximum CFM High Speed 6,497 /Low Speed 1,608


Energy Guide (Excluding Lights)

4,206	51	83	\$14
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST





All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







RCS212 Remote Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



KOLA

Cmooth lines with a sleek blade iron design and a robust body make the KOLA a perfect complement to any home décor.

Features

12° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- · Universal Light Kit Adaptable (pg. 403) Sold Separately
- · 3-Speed Pull Chain
- Maximum CFM High Speed 4,901/Low Speed 1,401

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,314	43	77	\$12



F688-DBB Dark Brushed Bronze Finish • Reversible Dark Maple/Dark Walnut Blades



F688-WH White Finish • White Blades





KAFÉ-XL

Cimple elegance defined in rich finishes, the KAFÉ-XL brings an exciting look with enhanced features to our value collection.

Features

12° Blade Pitch

5-Blades 60" Sweep

6" Downrod

- · Universal Light Kit Adaptable (pg. 396) Sold Separately
- Full Function Hand Held Remote Control System Included (pg. 404)
- Maximum CFM High Speed 6,305/Low Speed 1,457

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
4,033	50	81	\$14











RCS212 Remote Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



KAFÉ-XL

Cimple elegance defined in rich finishes, the KAFÉ-XL brings an exciting look with enhanced features to our value collection.

Features

12° Blade Pitch

5-Blades 60" Sweep

6" Downrod

- · Universal Light Kit Adaptable (pg. 396) Sold Separately
- Full Function Hand Held Remote Control System Included (pg. 404)
- · Maximum CFM High Speed 6,305/Low Speed 1,457

Energy Guide (Excluding Lights)

(CFM)	(WATTS)	EFFICIENCY (CFM Per Watt)	YEARLY ENERGY COST
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED VEARLY ENERGY









RCS212 Remote Control

· 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



KAFÉ

cimple yet elegant in several finishes, the KAFÉ brings a refreshing look to our transitional collection.

Features

12° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- · Universal Light Kit Adaptable (pg. 396) Sold Separately
- · 3-Speed Pull Chain
- Maximum CFM High Speed 4,766/Low Speed 1,213

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,131	41	76	\$12







KAFÉ

Cimple yet elegant in several finishes, the KAFÉ brings a refreshing look to our transitional collection.

Features

12° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- · Universal Light Kit Adaptable (pg. 396) Sold Separately
- · 3-Speed Pull Chain
- Maximum CFM High Speed 4,766/ Low Speed 1,213

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,131	41	76	\$12





our of our best selling finishes accent this fan, creating a decorative alternative to an everyday need. Includes glass bowl light kit and remote control system.

Features

14° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- Bowl Light Kit Uses 3-60W Candelabra Bulbs (Included)
- · Cap for Non-Light Use (Included)
- · Hand Held Remote Control System Included (pg. 404)
- Maximum CFM High Speed 4,588/Low Speed 2,022

Energy Guide (Excluding Lights)

3,389	(WATTS)	(CFM Per Watt)	COST \$13
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY













RCS213 Remote Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer



Features

14° Blade Pitch • 5-Blades 56" Sweep • 12" Downrod

- Integrated Light Uses 2-50W Mini-Can Halogen Bulbs (Included)
- Full function Wall Control System Included (pg. 404)
- Maximum CFM High Speed 5,609/Low Speed 2,370



CM7022-STW 22"

Sterling Walnut™ Finish Matching Ceiling Medallion © 2005 Minka Lighting, Inc.

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
4,006	54	75	\$15

All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day - Your cost depends on rates and use - The higher the airflow, the more air the fan will move







U.S. Patent(s): D513,532; D514,685; D514,690; D516,702; D521,627; D522,122



NAPOLI™II

Features

14° Blade Pitch • 5-Blades 56 or 68" Sweep • 12" Downrod

- Integrated Light Uses 2-50W Mini-Can Halogen Bulbs (Included)
- Full function Wall Control System Included (pg. 404)
- Maximum CFM High Speed 6,238/Low Speed 1,589



CM7038-STW 38"

Sterling Walnut™ Finish Matching Ceiling Medallion © 2005 Minka Lighting, Inc.

Energy Guide (Excluding Lights)

4,065	69	59	\$19
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







U.S. Patent(s): D513,532; D514,685; D514,690; D516,702; D521,627; D522,122





Id world hand-painted finishes accentuate the hand-carved details to create a traditional European style fan.

Features

14° Blade Pitch

5-Blades 54" Sweep

6" Downrod

- Integrated 3-Light Uses 60W Candelabra Bulbs (Included)
- Hand Held Remote Control System Included (pg. 404)
- Maximum CFM High Speed 4,878/Low Speed 1,892

Energy Guide (Excluding Lights)

(CFM)	USE (WATTS)	(CFM Per Watt)	YEARLY ENERGY COST
3,479	46	76	\$13

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move





© 2009 Minka Lighting, Inc.





CLASSICA

Id world hand-painted finishes accentuate the hand-carved details to create a traditional European style fan.

Features

14° Blade Pitch

5-Blades 54" Sweep

6" Downrod

- · 3-Speed Pull Chain
- · Universal Light Kit Adaptable (pg. 396) Sold Separately
- · Custom Light Kit K9659 Available (pg. 396) Sold Separately
- Maximum CFM High Speed 4,389/Low Speed 1,796

Energy Guide (Excluding Lights)

3,394	41	83	\$12
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move

© 2009 Minka Lighting, Inc.





CLASSICA

Id world hand-painted finishes accentuate the hand-carved details to create a traditional European style fan.

Features

14° Blade Pitch

5-Blades 54" Sweep

6" Downrod

- · 3-Speed Pull Chain
- · Universal Light Kit Adaptable (pg. 396) Sold Separately
- · Custom Light Kit K9659 Available (pg. 403) Sold Separately
- Maximum CFM High Speed 4,389/Low Speed 1,796

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,394	41	83	\$12

All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day - Your cost depends on rates and use - The higher the airflow, the more air the fan will move

© 2009 Minka Lighting, Inc.







VOLTERRA™

/OLTERRA™ is a neo-classical inspiration, incorporating an uplight with an integrated halogen downlight.

Features

14° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- Integrated Uplight Uses 6-15W Candelabra Bulbs (Included)
- Integrated Downlight Uses 2-50W Mini-Can Halogen Bulbs (Included)
- · Wall Control System Independent Up/Downlight Included (pg. 404)
- · Maximum CFM High Speed 5,243/Low Speed 1,868

Energy Guide (Excluding Lights)

AIRFLOW (CFM) USE (CFM Per Watt) COST ENERGY (CFM Per Watt) COST	3,652	47	78	\$13
		USE	EFFICIENCY	YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







© 2002 Minka Lighting, Inc.



CALAISTM

Elegance, style and performance for low ceiling applications, this fan has less than an 11-inch drop from ceiling to cap.

Features

14° Blade Pitch • 5-Blades 52" Sweep • Flush Mount

- · Ideal for Low Ceilings Less than 11" Drop from Ceiling
- Integrated Light Uses 2-60W Candelabra Bulbs (Included)
- $\cdot \, \text{Hand Held Control System Independent Up/Downlight Included (pg. \, 404)}$
- Maximum CFM High Speed 3,955/Low Speed 1,345

Energy Guide (Excludes Lighting)

2,854	(WATTS)	(CFM Per Watt)	COST \$14
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move







U.S. Patent(s): D526,714; D527,094; D530,415; D532,896; D536,777



CRISTAFANO™

Features

14° Blade Pitch

5-Blades 68" Sweep

• 16" Downrod

- Precision Machine Cut and Polished Lead-Free SPECTRA® CRYSTAL
- Integrated Uplight Uses 5-15W Candelabra Bulbs (Included)
- Integrated Downlight Uses 2-50W Mini-Can Halogen Bulbs (Included)
- Full Function Wall Control System Included (pg. 404)
- Maximum CFM High Speed 7,885/Low Speed 3,038

Energy Guide (Excluding Lights)

5.438	63	86	\$18
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







© 2005 Minka Lighting, Inc.



SPECTRA CRYSTAL





WCS212 Wall Control


- · 3 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer

68 INCH SWEEP

OUTDOOR COLLECTION

√inka-Aire® recognizes a need in today's al fresco lifestyle by offering an Outdoor Series of ceiling fans. All are UL or ETL Listed for wet location usage, making these fans perfect for patios, porches, and other exposed areas. Motor housings and blades are fully protected against water and all weather conditions. Particular models have a combined waterproof light kit to provide additional lighting outdoors. These fans feature various designer finishes to complement your patio furniture.

Now you are able to enjoy a wonderful breeze on your patio, in your gazebo, or over your outdoor spa! Of course, you may use all of these models indoors as well.









ANYWHERE

he first wall mount fan in the industry to be wet-rated brings a contemporary look and feel to any indoor or outdoor environment. ANYWHERE can be mounted to a standard electrical box or plugged in to an outlet. ANYWHERE is designed to conform to any décor and to any climate. Oscillating cool comfort where a ceiling fan may not be an option.

Features

15" Diameter · 3-Blade Turbo Fan · Oscillates 45° Side to Side

- · 3 Speeds: 491, 650 and 985 R.P.M. · Steel Construction
- Manual Tilt 118" Heavy Duty Cord Length 3 Speed Pull Chain
- · Convertible to hardware or wall plug · One Year Limited Warranty
- · Indoor/Outdoor Use UL Listed for Wet Locations
- Maximum CFM High Speed 1,122/Low Speed 605



Product Video Available on MinkaAire.com



U.S. Patent(s): D835,252-D835,256-D835,253





XTREME H₂O 84"

n outdoor version of one of our most popular large fan introductions, this industrial sized fan lends itself to any setting. Xtreme H2O's clean, sleek, contemporary design, complete with a DC motor and a choice of sizes, makes it perfect for large areas indoor or outdoor.

Features

9° Blade Pitch

8-Blades 84" Sweep

6" Downrod

- DC 123 x 30mm Motor ABS Blades
- · Custom 20W LED Light Kit K9886L Available (pg. 403) Sold Separately
- · Hand Held Remote Control System Included (pg. 404)
- · Indoor/Outdoor Use ETL Rated for Wet Locations
- Maximum CFM High Speed 10,988/Low Speed 5,150

Energy Guide (Excluding Lights)


8,252	1	262	\$9
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST















RC400 Remote Control

6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer

84 INCH S W E E P



XTREME H₂O 84"

n outdoor version of one of our most popular large fan introductions, this industrial sized fan lends itself to any setting. Xtreme H2O's clean, sleek, contemporary design, complete with a DC motor and a choice of sizes, makes it perfect for large areas indoor or outdoor.

Features

9° Blade Pitch

8-Blades 84" Sweep

6" Downrod

- DC 123 x 30mm Motor ABS Blades
- · Custom 20W LED Light Kit K9886L Available (pg. 403) Sold Separately
- · Hand Held Remote Control System Included (pg. 404)
- · Indoor/Outdoor Use ETL Rated for Wet Locations
- Maximum CFM High Speed 10,988/Low Speed 5,150

Energy Guide (Excluding Lights)


8,252	(WATTS)	(CFM Per Watt)	cost \$9
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY












F896-84-WHF Flat White Finish · Flat White Blades





RC400 Remote Control

6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer

84 INCH SWEEP



XTREME H₂O 65"

n outdoor version of one of our most popular large fan introductions, this industrial sized fan lends itself to any setting. XTREME H2O's clean, sleek, contemporary design, complete with a DC motor and a choice of sizes, makes it perfect for large areas indoor or outdoor.

Features

9° Blade Pitch

8-Blades 65" Sweep

6" Downrod

- DC 123 x 30mm Motor ABS Blades
- · Custom 20W LED Light Kit K9886L Available (pg. 403) Sold Separately
- · Hand Held Remote Control System Included (pg. 404)
- · Indoor/Outdoor Use ETL Rated for Wet Locations
- · Maximum CFM High Speed 9,036/Low Speed 3,764

Energy Guide (Excluding Lights)

6,565	32	205	\$9
AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST















RC400 Remote Control

6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer

65 INCH S W E E P



XTREME H₂O 65"

n outdoor version of one of our most popular large fan introductions, this industrial sized fan lends itself to any setting. XTREME H2O's clean, sleek, contemporary design, complete with a DC motor and a choice of sizes, makes it perfect for large areas indoor or outdoor.

Features

9° Blade Pitch

8-Blades 65" Sweep

6" Downrod

- DC 123 x 30mm Motor ABS Blades
- · Custom 20W LED Light Kit K9886L Available (pg. 403) Sold Separately
- · Hand Held Remote Control System Included (pg. 404)
- · Indoor/Outdoor Use ETL Rated for Wet Locations
- · Maximum CFM High Speed 9,036/Low Speed 3,764

Energy Guide (Excluding Lights)

6,565	32	205	\$9
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST











F896-65-WHF Flat White Finish • Flat White Blades





RC400 Remote Control

· 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

65 INCH SWEEP



GYRO™ WET

apturing the design elements of the original GYRO™, the GYRO™ WET provides unsurpassed performance and comfort levels in the toughest environments. Rotating 360° and controlled by a wall control system, it offers wonderful cooling in any area and the option to stop and redirect air for maximum benefit.

Features

20° Blade Pitch • Twin Turbo Fans Total Sweep 42" • 6" Downrod

- 720-1,350 R.P.M Fan Speeds Turbo Fan Heads Adjustable Up and Down
- · Complete Assembly Rotates 360° at 2 R.P.M
- Integrated Light Uses 1-100W Mini-Can Halogen Bulb (Included)
- Full Function Wall Control System Incorporating Fully Independent Fan Head Speeds and Lighting Fixture (pg. 404)
- · Cap for Non-Light Use (Included) · Galvenized Steel Downrod
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 1,580/Low Speed 1,059

Energy Guide (Excluding Lights)

1,297	35	38	\$10
AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









U.S. Patent(s): D489,443; D489,809; D490,146; 6,832,902; 7,183,680; 7,229,255





SIMPLE 52"

Co simple! We gave this wonderful design a name that best denotes it's spirit! Incredibly delicate and nearly invisible. This design best displays the advancement in technology with indoor/outdoor use, DC motor, optional LED light kit and a hand held remote.

Features

14° Blade Pitch

3-Blades 52" Sweep

6" Downrod

- DC 123 x 30mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- · Custom 20W LED Light Kit K9787L Available (pg. 403) Sold Separately
- ·Indoor/Outdoor Use ETL Listed for Wet Locations
- Maximum CFM High Speed 7,051/Low Speed 2,032

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
4,310	16	277	\$4

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move













o simple! We gave this wonderful design a name that best denotes it's spirit! Incredibly delicate and nearly invisible. This design best displays the advancement in technology with indoor/outdoor use, DC motor, optional LED light kit and a hand held remote.

Features

26° Blade Pitch

3-Blades 44" Sweep

6" Downrod

- DC 123 x 30mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- Custom 20W LED Light Kit K9787L Available (pg. 403) Sold Separately
- · Indoor/Outdoor Use ETL Listed for Wet Locations
- · Maximum CFM High Speed 5,289/Low Speed 1,626

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,572	29	122	\$8

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move













RC400 Remote Control

- 6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer



GROTON

Inspired by the clear Fresnel lens used in lighthouses along the coast of Connecticut, we are introducing our GROTON collection. Classic design combined with nautical spirit in various finishes. All of which will suit both indoor and outdoor locations, as this fan has a UL wet rating.

Features

12° Blade Pitch

5-Blades 56" Sweep

10" Downrod

- Integrated Light Uses 2-50W Mini-Can Halogen Bulbs (Included)
- · Hand Held Remote Control System Included (pg. 404)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 5,722/Low Speed 1,912

Energy Guide (Excluding Lights)

3.952	36	108	\$10
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







U.S. Patent(s):D808,512; D812,215; D812,217; D821,559; Additional U.S. Patent(s) Pending



NAUTICAL SPIRIT



F681-SDBK/WS Sand Black/Weathered Steel Finish · Charcoal Driftwood Blades · Clear Fresnel Lens





RCS212 Remote Control

3 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer



GROTON

Inspired by the clear Fresnel lens used in lighthouses along the coast of Connecticut, we are introducing our GROTON collection. Classic design combined with nautical spirit in various finishes. All of which will suit both indoor and outdoor locations, as this fan has a UL wet rating.

Features

12° Blade Pitch 5-Blades 56" Sweep 10" Downrod

- Integrated Light Uses 2-50W Mini-Can Halogen Bulbs (Included)
- · Hand Held Remote Control System Included (pg. 404)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 5,722/Low Speed 1,912

Energy Guide (Excluding Lights)

3,952	36	108	\$10
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move







U.S. Patent(s):D808,512; D812,215; D812,217; D821,559; Additional U.S. Patent(s) Pending



F681-WA/PW Weathered Aluminum/Pewter Finish • Dark Pine Blades • Clear Fresnel Lens



F681-PN Polished Nickel Finish • Silver Blades • Clear Fresnel Lens





RCS212 Remote Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



he CONE lends an iconic presence to both indoor and outdoor settings for those who are looking for a blast from the past. This standard amongst designs offers a three, four and five blade option to suit everyone's preference as well as a clear and hooded light shade to create different lighting options.

Features

14° Blade Pitch 5-Blades 54" Sweep 6" Downrod

- Integrated Light Uses 20W Dimmable LED (Included) 3 Year Warranty
- 1,080LM 3,000K CRI 90 DC 123 x 30mm Motor
- · Removable Metal Ring around LED Light
- Optional Clear Lens in box Convertible into 3, 4 or 5 Blade
- · Hand Held Remote Control System Included (pg. 404)
- · Indoor/Outdoor Use ETL Listed for Wet Locations
- · Maximum CFM High Speed 8,250 / Low Speed 2,651

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
5,625	29	194	\$8

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move











U.S. Patent(s): Pending









RC400 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



OTO XL features a sleek and contemporary design with a classic Kindustrial look. Well edited; an impeccably executed design features a slight "fold" construction along the length of the blades to increase the flow of air. A perfect marriage of form and function. ROTO XL features a full 62-inch spread combined with a wet location specification use for indoor or outdoors.

Features

20° Blade Pitch

3-Blades 62" Sweep

6" Downrod

- Aluminum Construction
- · 2-Wire Wall Control System Included (pg. 404)
- · Convertible to Electronic Control System
- · Indoor/Outdoor Use ETL Listed for Wet Locations
- · Maximum CFM High Speed 6,576/Low Speed 2,637

Energy Guide (Excluding Lights)

(CFM)	USE (WATTS)	EFFICIENCY (CFM Per Watt)	YEARLY ENERGY COST
4.730	45	106	\$13

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move





Additional U.S. Patent(s) Pending









WC115 Wall Control

- · 4 Speed Fan Control
- · 2-Wire Installation



L listed for use indoors and outdoors, furthering the versatility and timeless perfection that is the CONCEPT[™] I series. CONCEPT[™] I WET is constructed of marine grade stainless steel to ensure long lasting appearance and function in the toughest environments.

Features

14° Blade Pitch

3-Blades 58" Sweep

• 6" Downrod

- · Marine Grade Stainless Steel Construction
- Integrated Light Uses 14W LED (Included) 3 Year Warranty
- 601LM 3,000K CRI 80 Cap for Non-Light Use Included
- Full Function Wall Control System Included (pg. 404)
- · Indoor/Outdoor Use UL Listed for Non-Light Use
- Maximum CFM High Speed 5,434/Low Speed 2,595



Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

(CFM)	(WATTS)	(CFM Per Watt)	YEARLY ENERGY COST
4.103	44	93	\$12

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









U.S. Patent(s): 7008 192

MARINE GRADE STAINLESS STEEL







WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



The CONCEPTTM I ceiling fan collection is the most successful series in the history of Minka-Aire®. It is only natural that we would produce a new version that is UL listed for use indoors and outdoors, furthering the

versatility and timeless perfection that is the CONCEPT™ I series.

Features

14° Blade Pitch

3-Blades 52" Sweep

6" Downrod

- · Construction Grade Polymer
- Integrated Light Uses 14W LED (Included) 3 Year Warranty
- 620LM 3,000K CRI 80 Cap for Non-Light Use Included
- Full Function Wall Control System Included (pg. 404)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- Maximum CFM High Speed 5,389/Low Speed 3,262



Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

4,108	37	112	\$10
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









LLS Patent(s): 7008 192







WCS212 Wall Control


- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

CONCEPTTM II

As the name implies, the CONCEPT™II Wet ceiling fan is "a taste of things to come." Simple in style, yet ingenious by design and UL Listed for wet locations.









s the name implies, the CONCEPTTM II Wet ceiling fan is "a taste of things to come." Simple in style, yet ingenious by design and UL Listed for wet locations.

Features

14° Blade Pitch

3-Blades 52" Sweep

Flush Mount

- Construction Grade Polymer
- · Ideal for Low Ceilings Total Hanging Depth 12" Drop from Ceilings
- Integrated Light Uses 14W LED (Included) 3 Year Warranty
- 620LM 3,000K CRI 80 Cap for Non-Light Use Included
- Full Function Wall Control System Included (pg. 404)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- Maximum CFM High Speed 5,363/Low Speed 2,394



Energy Guide (Excluding Lights)

3,990	37	107	\$10
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









U.S. Patent(s): 7,008,192







WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



TRADITIONAL CONCEPT™ 52"

variation on our best selling contemporary CONCEPT™ II fan, this fan provides the same superb styling for your more traditional indoor and outdoor settings.

Features

14° Blade Pitch

3-Blades 52" Sweep

Flush Mount

- Integrated LED Light Uses 14W LED (Included) 3 Year Warranty
- 786LM 3,000K CRI 80 Total Hanging Depth 1034" Drop From Ceiling
- Full Contol Wall Control System Included (pg. 404)
- · Cap for Non-Light Use (included)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 5,203/Low Speed 2,116

Energy Guide (Excluding Lights)

3,638	40	91	\$11
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST









and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



TRADITIONAL CONCEPT™ 44"

variation on our best selling contemporary CONCEPT™ II fan, this fan provides the same superb styling for your more traditional indoor and outdoor settings.

Features

14° Blade Pitch

3-Blades 44" Sweep

- Flush Mount
- Integrated LED Light Uses 14W LED (Included) 3 Year Warranty
- \cdot 786LM \cdot 3,000K \cdot CRI 80 \cdot Total Hanging Depth 10¾" Drop From Ceiling
- Full Function Wall Control System Included (pg. 404)
- · Cap for Non-Light Use (included)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 3,959/Low Speed 1,500

Energy Guide (Excluding Lights)

(CFM)	USE	EFFICIENCY	YEARLY ENERGY
	(WATTS)	(CFM Per Watt)	COST
2,682	35	77	\$10

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move













F593L-ORB

Oil Rubbed Bronze Finish Medium Maple Blades Tinted Opal Glass





WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



⚠ inka-Aire's "everywhere" fan with a unique contemporary twist that is suitable for all indoor or outdoor environments. The JAVA LED features an integrated 17 watt LED light.

Features

14° Blade Pitch

3-Blades 54" Sweep

6" Downrod

- Integrated Light Uses 17W LED (Included) 3 Year Warranty
- 623LM 3,000K CRI 80
- · Hand Held Remote Control System Included (pg. 404)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- Maximum CFM High Speed 5,771/Low Speed 2,834

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
4,394	34	131	\$9

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move

















RCS213 Remote Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer



⚠ inka-Aire's "everywhere" fan with a unique contemporary twist that is suitable for all environments.

Features

14° Blade Pitch

3-Blades 54" Sweep

- 6" Downrod
- · Hand Held Remote Control System Included (pg. 404)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 5,314/Low Speed 2,751

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	YEARLY ENERGY COST
4,113	32	128	\$9

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move















RCS213 Remote Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer



LUMA WET is our answer to the fan that goes anywhere and has everything. For use indoors and outdoors, ALUMA WET is UL listed for use in wet locations. Produced from weather resistant materials, the ALUMA WET provides air circulation for every location including patio, porch and pergola.

Features

12° Blade Pitch

4-Blades 52" Sweep

6" Downrod

- Integrated Light Uses 1-100W Mini-Can Halogen Bulb (Included)
- · Aluminum Construction · Cap for Non-Light Use Included
- · Hand Held Remote Control System Included (pg. 404)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 4,318/Low Speed 1,353

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST		
2,925	34	85	\$10		
All estimates based on typical use • Based on 12 cents per kWh					







and 6.4 hours use per day · Your cost depends on rates and use · The higher the airflow, the more air the fan will move









RCS213 Remote Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer



he STRATA with its Smoked Iron or Galvanized finishes adds a rustic yet contemporary style to your home.

Features

12° Blade Pitch

4-Blades 52" Sweep

6" Downrod

- Galvenized Steel 6" Downrod (Uses ¾" I.D. DR5 Series Downrod)
- Integrated Light Uses 1-75W Mini-Can Halogen Bulb (Included)
- · Cap for Non-Light Use Included
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Hand Held Remote Control System Included (pg. 404)
- · Maximum CFM High Speed 4,648/Low Speed 1,925

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,365	34	98	\$10

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move















RCS213 Remote Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer

SHADE

Illumination even in the harshest of environments. SHADE provides unmatched performance and comfort in the toughest conditions. Incorporating a DC motor for high efficiency with an integrated 15 watt LED light and a UL wet rating, SHADE meets both your indoor and outdoor location requirements.











Illumination even in the harshest of environments. SHADE provides unmatched performance and comfort in the toughest conditions. Incorporating a DC motor for high efficiency with an integrated 15 watt LED light and a UL wet rating, SHADE meets both your indoor and outdoor location requirements.

Features

14° Blade Pitch

- 4-Blades 56" Sweep
- 6" Downrod
- Integrated Light Uses 15W LED (Included) 3 Year Warranty
- •1,285LM •2,700K CRI 90 DC 168 x 12mm Motor
- · Hand Held Remote Control System Included (pg. 404)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 8,077/Low Speed 2,348

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
5,303	20	264	\$6











U.S. Patent(s): D833,597





Optional Shade



Green Shade FS683L-GRN



Red Shade FS683L-RD



White Shade FS683L-WH



Tarnished Copper Shade FS683L-TRN



RC400 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



RAINMAN™

eminiscent of lighting often found along shoreline walkways, the RAINMAN™, as the name suggests, is an excellent choice for exterior as well as interior use.

Features

14° Blade Pitch

5-Blades 54" Sweep

6" Downrod

- Integrated Caged Light Uses 1-100W Mini-Can Halogen Bulb (Included)
- Galvanized Steel Downrod and Hardware All Weather Blades
- · Wall Control System Included (pg. 404)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- Maximum CFM High Speed 4,933/Low Speed 1,957

Energy Guide (Excluding Lights)

(CFM) 3.495	(WATTS)	(CFM Per Watt)	COST \$11
(CFM)	USE	AIRFLOW EFFICIENCY	YEARLY ENERGY







All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









WCS213 Wall Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer



Cleek industrial styling destines this 8-bladed wonder to make a cool statement in any indoor or outdoor setting.

Features

14° Blade Pitch

8-Blades 65" Sweep

- 6" Downrod
- Integrated Light Uses 18W LED (Included) 3 Year Warranty 875 Lumens
- Galvanized Steel 6" Downrod Stainless Steel Hardware All Weather Blades
- DC 165 x 25mm Motor Cap for Non-Light Use (Included)
- · Hand Held Remote Control System Included (pg. 404)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 8,263/Low Speed 3,916

Energy Guide (Excluding Lights)

6,216	22	285	\$6
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









U.S. Patent(s): D715,917





DISTINCT PROFILE





RC400 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer
- 65 INCH SWEEP



SLIPSTREAM with LED Light

Cleek industrial styling destines this 8-bladed wonder to make a cool statement in any indoor or outdoor setting.

Features

14° Blade Pitch

8-Blades 65" Sweep

- 6" Downrod
- Integrated Light Uses 18W LED (Included) 3 Year Warranty 875 Lumens
- Galvanized Steel 6" Downrod Stainless Steel Hardware All Weather Blades
- DC 165 x 25mm Motor Cap for Non-Light Use (Included)
- · Hand Held Remote Control System Included (pg. 404)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 8,263/Low Speed 3,916

Energy Guide (Excluding Lights)

6,216	(WATTS)	(CFM Per Watt)	¢6
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)		EFFICIENCY	YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









U.S. Patent(s): D715,917









RC400 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

65 INCH SWEEP



SUNSEEKER

he SUNSEEKER features a 60-inch sweep, stylish transitional design and superb value. These elements make it an ideal choice for enjoying hot summer days outdoors.

Features

14° Blade Pitch

5-Blades 60" Sweep

6" Downrod

- · Galvanized Steel 6" Downrod · Stainless Steel Hardware
- · All Weather Blades · 3-Speed Pull Chain
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · UL Wet Location Light Kits (K9401) Available (pg. 401) Sold Separately
- Maximum CFM High Speed 5,747/Low Speed 1,851

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,872	39	98	\$11



All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









SUNDOWNER®

Jighly recommended for the most challenging environments, the ${f 1}$ SUNDOWNER $^{\it ®}$ combines superior performance with weatherproof components designed to withstand all outdoor conditions.

Features

16° Blade Pitch

5-Blades 54" Sweep

6" Downrod

- · Galvanized Steel 6" Downrod · Stainless Steel Hardware
- · All Weather Blades · 3-Speed Pull Chain
- Poly Molded and ABS Components
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · UL Wet Location Light Kits (K9401) Available (pg. 401) Sold Separately
- Maximum CFM High Speed 6,401/Low Speed 1,747
- *Accessory Blades Available (pg. 420)

Energy Guide (Excluding Lights)

4.217	(WATTS)	(CFM Per Watt)	COST \$13
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move



Optional Blade Finishes

FB107P-DM FB107P-DW FB107P-MM









SUNDOWNER®

lighly recommended for the most challenging environments, the SUNDOWNER® combines superior performance with weatherproof components designed to withstand all outdoor conditions.

Features

16° Blade Pitch

5-Blades 54" Sweep

6" Downrod

- · Galvanized Steel 6" Downrod · Stainless Steel Hardware
- · All Weather Blades · 3-Speed Pull Chain
- · Poly Molded and ABS Components
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · UL Wet Location Light Kits (K9401) Available (pg. 401) Sold Separately
- · Maximum CFM High Speed 6,401/Low Speed 1,747
- *Accessory Blades Available (pg. 420)

Energy Guide (Excluding Lights)

4,217	46	92	\$13
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST



All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move

Optional Blade Finishes

FB107P-DM FB107P-DW FB107P-MM







SUNDANCE™

 $oldsymbol{\bigcap}$ erfect for the porch, patio, gazebo or courtyard, the SUNDANCETM was designed to withstand all of the elements.

Features

12° Blade Pitch • 5-Blades 42" or 52" Sweep • 6" Downrod

- · Galvanized Steel 6" Downrod · Stainless Steel Hardware
- · All Weather Blades · 3-Speed Pull Chain
- · Indoor/Outdoor Use UL Listed for Wet Locations
- UL Wet Location Light Kits (K9401) Available (pg. 401) Sold Separately
- · Maximum CFM 42"- High Speed 3,342/Low Speed 1,239
- Maximum CFM 52"- High Speed 5,832/Low Speed 1,808

Energy Guide (Excluding Lights)

	AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
-2"	2,388	33	73	\$9
2"	3,946	40	99	\$11

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









GAUGUIN™

ropical style influences the GAUGUIN™ by incorporating a remarkable combination of performance and unique design elements.

Features

14° Blade Pitch

4-Blades 52" Sweep

6" Downrod

- Galvanized Steel 6" Downrod (Uses ¾" I.D. DR5 Series Downrod)
- · Stainless Steel Hardware and All Weather Blades
- Integrated Light Uses 1-50W MR16 120V 2-Pin Halogen Bulb (Included)
- · Cap for Non-Light Use Included
- Full Function Wall Control System Included (pg. 404)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 5,297/Low Speed 2,503

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,945	38	103	\$11

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







U.S. Patent(s): D513,319; D514,691; D514,692;

F581-BG Shown with Optional A581-BG Ceiling Adapter For Flush Mount Applications












WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

VALUE

With the Minka-Aire® Value Collection, one need not sacrifice style and performance for affordability.

Choose from several finishes and light kit options to find the right Minka-Aire® ceiling fan with timeless style and design for the budget-conscious customer.









Chining as one of our brightest stars in our value collection, this transitional five blade design lends itself to larger living spaces. ESPACE provides a simplicity and refinement that inspires superior performance. It is equipped with an 18 watt AC LED light and includes a hand held remote.

Features

14° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- Integrated Light Uses 18W Dimmable LED (Included) 3 Year Warranty
- 618LM 3,000K CRI 90
- · Hand Held Remote Control System Included (pg. 404)
- · Maximum CFM High Speed 5,124/Low Speed 1,732

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,514	45	78	\$13

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









F690L-ORB/MM Oil Rubbed Bronze Finish • Medium Maple Blades • Etched Opal Glass



F690L-WH White Finish • White Blades • Etched Opal Glass





RCS213 Remote Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer



_UN-AIRE with LED Light

versatile, all-in-one "everything" fan, LUN-AIRE, with its five blades and three speeds, will be the hardest worker in the room. A simplistic, yet sophisticated design, combined with a cost efficient motor and inspired engineering for superior performance, LUN-AIRE is destined to become the smartest, most dynamic orb for any room

Features

12° Blade Pitch

5-Blades 54" Sweep

6" Downrod

- Integrated Light Uses 17W LED (Included) 3 Year Warranty
- ·800LM · 3,000K · CRI 80 · 3-Speed Pull Chain
- · Maximum CFM High Speed 5,364/Low Speed 2,198

Energy Guide (Excluding Lights)

3,781	(WATTS)	(CFM Per Watt)	COST \$11
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY



All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move

U.S. Patent(s): D833,596



F534L-WH White Finish • White Blades • Etched Opal Glass



RUDOLPH

Inspired by a contemporary architect of the 50's, this clean three blade design best exemplifies today's trend in home furnishings. Included is a wall control, cast blade holders and a 172 x 16mm motor for great air movement.









RUDOLPH

nspired by a contemporary architect of the 50's, this clean three blade design best exemplifies today's trend in home furnishings. Included is a wall control, cast blade holders and a 172 x 16mm motor for great air movement.

Features

14° Blade Pitch

3-Blades 52" Sweep

6" Downrod

- · Wall Control System Included (pg. 396)
- Convertible to Electronic Control System
- · Universal Light Kit Adaptable (pg. 404) Sold Separately
- · Custom LED Light Kit K9727L Available (pg.405) Sold Separately
- · Maximum CFM High Speed 5,757/Low Speed 1,554

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,810	48	79	\$13



All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day - Your cost depends on rates and use - The higher the airflow, the more air the fan will move

CLEAN DESIGN





WC116 Wall Control

- · 4 Speed Fan Control
- · 2-Wire Installation



RUDOLPH

nspired by a contemporary architect of the 50's, this clean three blade design best exemplifies today's trend in home furnishings. Included is a wall control, cast blade holders and a 172 x 16mm motor for great air movement.

Features

14° Blade Pitch

3-Blades 52" Sweep

6" Downrod

- · Wall Control System Included (pg. 404)
- · Convertible to Electronic Control System
- · Universal Light Kit Adaptable (pg. 396) Sold Separately
- Custom LED Light Kit K9727L Available (pg.405) Sold Separately
- · Maximum CFM High Speed 5,757/Low Speed 1,554

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,810	48	79	\$13



All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move










WC116 Wall Control

- · 4 Speed Fan Control
- · 2-Wire Installation

DYNO

Avery sylish addition to our Value Collection, displaying performance and design features at an affordable price. For the first time in our Value offerings, we introduce a fan with an integrated LED light source. Generous in size, style, adaptability and function, DYNO becomes one of our core fan offerings.









very stylish addition to our Value Collection, displaying performance and design features at an affordable price. For the first time in our Value offerings, we introduce a fan with an integrated LED light source. Generous in size, style, adaptability and function, DYNO becomes one of our core fan offerings.

Features

12° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- Integrated Light Uses 16W Dimmable LED (Included) 3 Year Warranty
- •965LM 2.700K CRI 80
- · Hand Held Remote Control System Included (pg. 404)
- Replacement LED Assembly (Part #6F1000LK01)
- · Maximum CFM High Speed 4,184/Low Speed 1,534

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
2,942	40	73	\$11

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







U.S. Patent(s): D762,836; D762,839; D780,905; Additional U.S. Patent(s) Pending







RCS213 Remote Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer



very stylish addition to our Value Collection, displaying performance and design features at an affordable price. For the first time in our Value offerings, we introduce a fan with an integrated LED light source. Generous in size, style, adaptability and function, DYNO becomes one of our core fan offerings.

Features

12° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- Integrated Light Uses 16W Dimmable LED (Included) 3 Year Warranty
- 965LM 2,700K CRI 80
- · Hand Held Remote Control System Included (pg. 404)
- Replacement LED Assembly (Part #6F1000LK01)
- Maximum CFM High Speed 4,184/Low Speed 1,534

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
2,942	40	73	\$11

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







U.S. Patent(s): D762,836; D762,839; D780,905; Additional U.S. Patent(s) Pending







RCS213 Remote Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer



n addition to our Value Collection, featuring performance and design features at an affordable price. This WiFi enabled Smart Fan is generous in size, style, adaptability and function, Dyno XL is the evolution of one of our core fan offerings.

Features

12° Blade Pitch

5-Blades 60" Sweep

6" Downrod

- · Integrated Light Uses 24W LED (Included) 3 Year Warranty
- DC 172 x 12 mm Motor
- •1,498LM 3,000K CRI 90
- · Hand Held Remote Control System Included (pg. 404)
- Maximum CFM High Speed 5,987/Low Speed 1,807

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
4,028	22	183	\$6

















n addition to our Value Collection, featuring performance and design 1 features at an affordable price. This WiFi enabled Smart Fan is generous in size, style, adaptability and function, Dyno XL is the evolution of one of our core fan offerings.

Features

12° Blade Pitch

5-Blades 60" Sweep

6" Downrod

- Integrated Light Uses 24W LED (Included) 3 Year Warranty
- DC 172 x 12 mm Motor
- •1,498LM 3,000K CRI 90
- · Hand Held Remote Control System Included (pg. 404)
- Maximum CFM High Speed 5,987/Low Speed 1,807

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
4,028	22	183	\$6















RC600 Remote Control

- 6 Speed Fan Control in Fwd and Rev On/Off Plus Full Range Light Dimmer





STEAL

Inspired by the revolution that moved us from hand production methods to machines, and drove new manufacturing processes and iron production, STEAL marks a major turning point in industrial style and design.

Features

5° Blade Pitch

3-Blades 54" Sweep

6" Downrod

- \cdot 188 x 15mm Motor \cdot Install with Blades at least 10' above the Floor
- · 2-Wire Installation Wall Control Included (pg. 404)
- · Universal Light Kit Adaptable (pg. 396) Sold Separately
- · Maximum CFM High Speed 6,093/Low Speed 1,498

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,939	37	107	\$10









WC105-WH Wall Control

- · 4 Speed Fan Control
- · 2-Wire Installation



Features

12° Blade Pitch

- 5-Blades 52" Sweep
- 6" Downrod

- Warp Resistant Plywood Blades
- · 3-Speed Pull Chain · Cap for Non-Light Use Included
- Low Profile Light Kit Uses 3-60W Candelabra Bulbs (Included)
- Solid Cap and Finial Adaptation for Remote Control Use Included
- Maximum CFM High Speed 4,168/Low Speed 2,055

Energy Guide (Excluding Lights)

3,17	78	(WATTS)	(CFM Per Watt)	COST
AIRFL		ENERGY	AIRFLOW	ESTIMATED
(CFI		USE	EFFICIENCY	YEARLY ENERGY



F522L-CL Coal Finish • Coal Blades • Frosted White Glass

F522-ORB Oil Rubbed Bronze Finish \cdot Reversible Medium Maple/Dark Walnut Blades \cdot Frosted White Glass





Features

12° Blade Pitch

- 5-Blades 52" Sweep
- 6" Downrod

- · Warp Resistant Plywood Blades
- 3-Speed Pull Chain Cap for Non-Light Use Included
- Low Profile Light Kit Uses 3-60W Candelabra Bulbs (Included)
- · Solid Cap and Finial Adaptation for Remote Control Use Included
- Maximum CFM High Speed 4,168/Low Speed 2,055

Energy Guide (Excluding Lights)

,	AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
-	3,178	42	75	\$12







he MOJO II is another addition to our Value Collection featuring a wealth of performance and an integrated light source. A great value for low ceiling applications.

Features

14° Blade Pitch

4-Blades 52" Sweep

Flush Mount

- · Ideal for Low Ceilings Total Hanging Depth 13" with Light
- Integrated Downlight Uses 3-60W Candelabra Bulbs (Included)
- · 3-Speed Pull Chain
- · Solid Cap and Finial Adaptation for Remote Control Use Included
- · Maximum CFM High Speed 3,504/Low Speed 933

Energy Guide (Excluding Lights)

2,768	(WATTS)	(CFM Per Watt)	cost \$12
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY











SPACESAVER with LED Light

ontemporary styling and superb air circulation for those smaller spaces in your home; perfect for kitchens and food preparation areas, bathrooms, walk-in closets and hallways.

Features

14° Blade Pitch

3-Blades 26" Sweep

- Flush Mount
- · Ideal for Low Ceilings Total Hanging Depth 10¾" Drop From Ceiling
- Integrated Light Uses 15W Dimmable LED (Included) 3 Year Warranty
- 601LM 3,000K CRI 90
- · 3-Wire Installation Wall Control Included (pg. 404)
- · Converts to Electronic Control
- · Maximum CFM High Speed 1,992/Low Speed 459

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
1,223	20	61	\$6











WC110L Wall Control

- · 4 Speed Fan Control · Full Range Light Dimmer

CONTRACTOR SERIES

By MinkaAire®

Minka AIRE began developing a more extensive professional program in 2015. Our designers worked together with home builders, project managers, specifiers, and hospitality pros to create fans that meet the high demands and needs of those in the field.

The Minka AIRE Contractor Series is inspired by classic Minka AIRE styling where the form and function demands of the builder and project business stand at attention. Designed to provide long time comfort and durability while incorporating everything that comes with Minka AIRE.

Precision engineered from modern materials, and crafted with input from contractors on the ground, you can count on the craftsmanship, quality, and utility of the Minka AIRE Contractor Series. Your job is hard enough – don't settle for second rate ceiling fans.



CONTRACTOR SERIES By MinkaAire®

TACTICAL TO PRACTICAL

Purpose built ceiling fans. Always ready to perform.

CONTRACTOR DNA

Design Durable High Quality Innovation Price/Value All purpose

We recognize that in the field, when you need ceiling fans for the job, you need it fast. That's why most orders are picked, packed, and shipped within two business days.





CONTRACTOR UNI-PACK

with LED Light

Afull feature LED CONTRACTOR 52-inch fan. Featuring the incredible 26 watt LED, 1,647 Lumens, 3,000 Kelvin light source and a 172 x 14mm heavy duty motor.

Features

12° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- · Low Profile LED Light Uses 26W LED (Included) 3 Year Warranty
- \cdot 1,647 Lumens \cdot 3,000K \cdot CRI 82 \cdot 3-Speed Pull Chain
- · Solid Cap and Finial Adaptation for Remote Control Use Included
- · Maximum CFM High Speed 5,089/Low Speed 1,435

Energy Guide (Excluding Lights)

(CFM) 3,392	(WATTS)	(CFM Per Watt)	COST \$12
(CFM)	USE	AIRFLOW EFFICIENCY	YEARLY ENERGY





F656L-HBZ Heirloom Bronze Finish • Barnwood Blades • Frosted White Glass



F656L-PN Polished Nickel Finish • Silver Blades • Frosted White Glass



F656L-WH White Finish • White Blades • Frosted White Glass





CONTRACTOR UNI-PACK

with LED Light

Afull feature LED CONTRACTOR 52-inch fan. Featuring the incredible 26 watt LED, 1,647 Lumens, 3,000 Kelvin light source and a 172 x 14mm heavy duty motor.

Features

12° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- · Low Profile LED Light Uses 26W LED (Included) 3 Year Warranty
- •1,647 Lumens 3,000K CRI 82 3-Speed Pull Chain
- · Solid Cap and Finial Adaptation for Remote Control Use Included
- · Maximum CFM High Speed 5,089/Low Speed 1,435

Energy Guide (Excluding Lights)

3,392	(WATTS)	(CFM Per Watt)	COST
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)		EFFICIENCY	YEARLY ENERGY









CONTRACTOR With LED Light

 $S_{\text{performance and offers energy efficiency through the use of the latest LED technology.}$

Features

12° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- Integrated Light Uses 16W LED (Included) 3 Year Warranty
- 896 Lumens 3,000K CRI 80 Hand Held Remote Control Included
- Replacements LED Assembly (Part #6F844LK01)
- · Maximum CFM High Speed 5,314/Low Speed 1,756

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,646	41	89	\$12









Oil Rubbed Finish • Reversible Medium Maple/Dark Walnut Blades • Etched Lens



F556L-BN/DW

Brushed Nickel Finish • Reversible Medium Maple/Dark Walnut Blades • Etched Lens



F556L-BN Brushed Nickel Finish · Silver Blades · Etched Lens





RCS213 Remote Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer



CONTRACTOR
with LED Light

 $S_{\text{performance and offers energy efficiency through the use of the latest LED technology.}$

Features

12° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- Integrated Light Uses 16W LED (Included) 3 Year Warranty
- 896 Lumens 3,000K CRI 80 Hand Held Remote Control Included
- Replacements LED Assembly (Part #6F844LK01)
- · Maximum CFM High Speed 5,314/Low Speed 1,756

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,646	41	89	\$12









F556L-BNK Burnished Nickel Finish • Savannah Gray Blades • Etched Lens



F556L-BWH Bone White Finish • Bone White Blades • Etched Lens



F556L-WH White Finish • White Blades • Etched Lens





RCS213 Remote Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer



CONTRACTOR PLUS

our CONTRACTOR PLUS fan continues our tradition of offering design and reliability in several finishes.

Features

12° Blade Pitch


5-Blades 52" Sweep

6" Downrod

- 3-Speed Pull Chain Universal Light Kit Adaptable (pg. 396) Sold Separately
- · Maximum CFM High Speed 5,314/Low Speed 1,756

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,646	41	89	\$12





CONTRACTOR PLUS

our CONTRACTOR PLUS fan continues our tradition of offering design and reliability in several finishes.

Features

12° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- 3-Speed Pull Chain Universal Light Kit Adaptable (pg. 396) Sold Separately
- · Maximum CFM High Speed 5,314/Low Speed 1,756

Energy Guide (Excluding Lights)

(CFM)	USE (WATTS)	EFFICIENCY (CFM Per Watt)	YEARLY ENERGY COST
3,646	41	89	\$12







$ULTRA-MAX^{TM}$

Features

14° Blade Pitch

5-Blades 54" Sweep

6" Downrod

- Full Function Wall Control and Hand Held Remote Control Included
- · Quick Connect Detachable Switch Cup
- · Universal Light Kit Adaptable (pg. 396) Sold Separately
- Maximum CFM High Speed 6,121/Low Speed 1,416

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,916	50	78	\$14













Atruly exceptional value! All the benefits of the SUPRA® 52" packaged with additional bells and whistles including a matching light kit and RCS223 Remote Control System.

Features

14° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- 6-Ply Warp Resistant Blades
- Halogen Light Kit Uses 1-100W Mini-Can Bulb (Included)
- · Hand Held Remote Control System Included
- Maximum CFM High Speed 5,563/Low Speed 1,410

Energy Guide (Excluding Lights)

3,792	(WATTS)	(CFM Per Watt)	cost \$14
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)		EFFICIENCY	YEARLY ENERGY







F569-ORB Oil Rubbed Bronze Finish • Medium Maple Blades • Opal Glass



F569-BS Brushed Steel Finish · Silver Blades · Opal Glass



F569-WH White Finish • White Blades • Opal Glass





RCS223 Remote Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer



SUPRA® 52"

The SUPRA® 52" offers decorative versatility in multiple finishes. It has clean, modern styling and uncompromising quality with superior performance.

Features

14° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- 6-Ply Warp Resistant Blades 3-Speed Pull Chain
- · Quick Connect Detachable Switch Cup
- · Universal Light Kit Adaptable (pg. 396) Sold Separately
- Maximum CFM High Speed 4,907/Low Speed 1,362

Energy Guide (Excluding Lights)

3.246	(WATTS)	(CFM Per Watt)	COST \$13
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)		EFFICIENCY	YEARLY ENERGY

^{*}Accessory Blades Available (pg. 420)





Optional Blade Finishes

FB424-DC	FB424-NW
FB424-DM	FB424-WO
FB424-LC	FB424-WP
FR424-I M	



SUPRA® 52"

The SUPRA® 52" offers decorative versatility in multiple finishes. It has clean, modern styling and uncompromising quality with superior performance.

Features

14° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- \cdot 6-Ply Warp Resistant Blades \cdot 3-Speed Pull Chain
- · Quick Connect Detachable Switch Cup
- · Universal Light Kit Adaptable (pg. 396) Sold Separately
- Maximum CFM High Speed 4,907/Low Speed 1,362

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,246	45	73	\$13

^{*}Accessory Blades Available (pg. 420)





SUPRA® 44"

The SUPRA® 44", model F563-SP is a great economical option, packaged with a light kit to meet every need.

Features

14° Blade Pitch

5-Blades 44" Sweep

6" Downrod

- 6-Ply Warp Resistant Blades 3-Speed Pull Chain
- · Halogen Light Kit Uses 1-100W Mini-Can Bulb (Included)
- · Maximum CFM High Speed 5,322/Low Speed 1,619

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,504	48	73	\$13





SUPRA® 44"

Designed with superior performance and all of the features found in full-size fans made available for mid-size rooms.









SUPRA® 44"

Designed with superior performance and all of the features found in full-size fans made available for mid-size rooms.

Features

14° Blade Pitch

5-Blades 44" Sweep

6" Downrod

- · 6-Ply Warp Resistant Blades · Quick Connect Detachable Switch Cup
- 3-Speed Pull Chain Universal Light Kit Adaptable (pg. 396) Sold Separately
- \cdot Maximum CFM High Speed 5,207/Low Speed 1,520
- *Accessory Blades Available (pg. 420)

Energy Guide (Excluding Lights)

3,360	(WATTS)	(CFM Per Watt)	cost
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY









Optional Blade Finishes

FB423-DC	FB423-NW
FB423-DM	FB423-WO
FB423-LC	FB423-WP
EB/127-1 M	



SUPRA® 32"

ashion, form and function for the smallest areas are highlighted in the SUPRA® 32". The perfect choice for bathrooms, hallways, entries and walk-in closets.

Features

22° Blade Pitch

6-Blades 32" Sweep

6" Downrod

- \cdot 6-Ply Warp Resistant Blades \cdot Quick Connect Detachable Switch Cup
- 3-Speed Pull Chain Universal Light Kit Adaptable (pg. 396) Sold Separately
- Maximum CFM High Speed 2,944/Low Speed 917
- *Accessory Blades Available (pg. 420)

Energy Guide (Excluding Lights)

2,034	39	(CFM Per Wall)	\$11
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

SMALL AREA

F562-ORB Oil Rubbed Bronze Finish • Medium Maple Blades



F562-WH White Finish • White Blades



Optional Blade Finishes

FB422-DC	FB422-LM
FB422-DM	FB422-NW
FB422-DW	FB422-WC
FB422-LC	FB422-WP



The most economical and efficient fan and light combination for the secondary rooms in the house.

Features

12° Blade Pitch

4 or 5-Blades 52" Sweep

• 6" Downrod

- Integrated Light Uses 9W LED (Included) 3 Year Warranty
- · 3-Speed Pull Chain · Cap for Non-Light Use (Included)
- Pre-Installed One-Piece Motor Blade Iron Gasket
- Maximum CFM High Speed 4,276/Low Speed 1,569 1302 Lumens
- *Accessory Blades Available (pg. 420)

Energy Guide (Excluding Lights)

3,007	(WATTS)	(CFM Per Watt)	cost \$10
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)		EFFICIENCY	YEARLY ENERGY



VERSATILE DESIGN





The most economical and efficient fan and light combination for the secondary rooms in the house.

Features

12° Blade Pitch

4 or 5-Blades 52" Sweep

• 6" Downrod

- Integrated Light Uses 9W LED (Included) 3 Year Warranty
- · 3-Speed Pull Chain · Cap for Non-Light Use (Included)
- Pre-Installed One-Piece Motor Blade Iron Gasket
- Maximum CFM High Speed 4,276/Low Speed 1,569 1302 Lumens
- *Accessory Blades Available (pg. 420)

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,004	37	81	\$10







CONTRACTOR 52"

our CONTRACTOR series offers affordable performance and reliability. Designer finishes have been made available to match current trends and demands.

Features

12° Blade Pitch •

4 or 5-Blades 52" Sweep

4" Downrod

- 4" Downrod (Uses ¾" I.D. DR5 Series Downrod)
- · 3-Speed Pull Chain · Quick Connect Detachable Switch Cup
- Pre-Installed One-Piece Motor/Blade Iron Gasket
- · Universal Light Kit Adaptable (pg. 396) Sold Separately
- Maximum CFM High Speed 3,807/Low Speed 1,488
- *Accessory Blades Available (pg. 420)

Energy Guide (Excluding Lights)

2,658	(WATTS)	(CFM Per Watt)	S10
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY







F547-WH White Finish • White Blades



Optional Blade Finishes

FB103S-DM	FB103S-NW
FB103S-LC	FB103S-RW
FB103S-LM	FB103S-WO
FB103S-ML	FB103S-WP
FB103S-NM	



CONTRACTOR 42"

Our CONTRACTOR 42" series offers affordable performance and reliability Designer finishes have been made available to match current trends and demand.

Features

12° Blade Pitch

5-Blades 42" Sweep

4" Downrod

- $\cdot\, \text{3-Speed Pull Chain} \cdot \text{Quick Connect Detachable Switch Cup}$
- Pre-Installed One-Piece Motor/Blade Iron Gasket
- · Universal Light Kit Adaptable (pg. 396) Sold Separately
- · Maximum CFM High Speed 2,718/Low Speed 1,393

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
2,067	31	67	\$9

^{*}Accessory Blades Available (pg. 420)











MESA

Our close-to-ceiling economy model in two sizes will move air in the tightest places.

Features

12° Blade Pitch • 5-Blades 42" or 52" Sweep • Flush Mount

- Flush Mount 8¾" Overall Ceiling Drop
- · 3-Speed Pull Chain · One-Piece Stamped Body
- · Quick Connect Detachable Switch Cup
- · Universal Light Kit Adaptable (pg. 396) Sold Separately
- Maximum CFM 42" High Speed 2,388/Low Speed 487
- \cdot Maximum CFM 52" High Speed 2,999/Low Speed 403

Energy Guide (Excluding Lights)

	AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
42"	1,469	30	49	\$8
52"	2,558	38	67	\$11





WATT

Features

13° Blade Pitch

5-Blades 60" Sweep

6" Downrod

- DC 125 x 30mm Motor
- 4-Speed Pull Chain DC Motor
- · Universal Light Kit Adaptable
- Maximum CFM High Speed 5,800/Low Speed 2,500 Estimated

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
5,800	30	233
*Estimated		











WATT

Features

13° Blade Pitch

5-Blades 60" Sweep

6" Downrod

- DC 125 x 30mm Motor
- 4-Speed Pull Chain DC Motor
- · Universal Light Kit Adaptable
- Maximum CFM High Speed 5,8000 /Low Speed 2,500 Estimated

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
5,800	30	233
*Estimated		











Features

13° Blade Pitch

5-Blades 60" Sweep

6" Downrod

- · Light Uses 2-9W LED (Included) 3 Year Warranty
- · DC 125 x 30mm Motor
- 4-Speed Pull Chain DC Motor
- Maximum CFM High Speed 5,800 /Low Speed 2,500 Estimated

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
5,800	30	233

















Features

13° Blade Pitch

5-Blades 60" Sweep

6" Downrod

- · Light Uses 2-9W LED (Included) 3 Year Warranty
- · DC 125 x 30mm Motor
- · 4-Speed Pull Chain DC Motor
- Maximum CFM High Speed 5,800 /Low Speed 2,500 Estimated

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
5,800	30	233
*Estimated		













MINUTE with LED Light

Features

12° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- •26W LED (Included) 3 Year Warranty
- DC 145 x 20mm Motor
- · 3-Speed Pull Chain DC Motor
- Maximum CFM High Speed 5,000 /Low Speed 2,300 Estimated

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
5,000	26	192

















Features

12° Blade Pitch

3-Blades 48" Sweep

Flush Mount

- Integrated Light Uses 16W LED (Included) 3 Year Warranty
- 3-Wire Installation Wall Control Inluded
- · Converts to Electronic Control
- Maximum CFM High Speed 4,300/Low Speed 2,000 Estimated
- •10' Drop from Ceiling

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
4,300	55	78
*Estimated		





F671L-CL Coal Finish · Coal Blades · Etched White Lens



F671L-WHF Flat White Finish • Flat White Blades • Etched White Lens





WC116L Wall Control

- 4 Speed Fan ControlFull Range Light Dimmer



AIRETOR with LED Light

Features

12° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- Integrated Light Uses 16W LED (Included) 3 Year Warranty
- · 3-Speed Pull Chain
- Maximum CFM High Speed 5,000/Low Speed 2,300 Estimated

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
5,000	55	90
*Estimated		













Features

12 ° Blade Pitch

3-Blades 44" Sweep

6" Downrod

- Integrated Light Uses 16W LED (Included) 3 Year Warranty
- · 3-Speed Pull Chain
- \bullet Maximum CFM High Speed 3,400/ Low Speed 1,500 Estimated

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
3,400	62	54
*Estimated		











LED K9110L **Etched White Glass** 26W LED 1647 Lumens 12 ¼"Dia. x 3 ¾"H Includes Brushed Nickel, Oil Rubbed Bronze & White Caps LED Receiver Required*



LED K9120L **Etched White Glass** 26W LED 1647 Lumens 12 ¼"Dia. x 3 ¾"H Includes Brushed Nickel, Oil Rubbed Bronze & White Caps LED Receiver Required* Dimmable via pull chain only



K9115L **Etched White Glass** 26W LED 1647 Lumens 12 ¼"Dia. x 2 ½"H Includes Brushed Nickel, Oil Rubbed Bronze & White Caps LED Receiver Required*

*For remote control use model number #RCS223L. Must be ordered separately.



LED

*K9448L Three Light Etched Swirl 9W LED (Incl.) 12"Dia. x 5"H



K9515L-1 **LED** Three Light Frosted White 40W LED(Incl.) 12 ¼"Dia. x 2 ½"H Includes Brushed Nickel & White Caps



K9525L-1 **LED** Three Light Frosted White 40W LED (Incl.) 12 ¼"Dia. x 2 ½"H Includes Brushed Nickel & White Caps



K9525-2 Three Light Tea Stain 40W Candelabra Base (Incl.) 12 ¼"Dia. x 2 ½"H Includes Dark Brushed Bronze & Oil Rubbed Bronze Caps



K9380-1 Two Light French Scavo 13W GU24 Spiral CFL Base (Incl.) 11 ½"Dia. x 5 ½"H



K9515-2 Three Light Tea Stain 40W Candelabra Base (Incl.) 12 ¼"Dia. x 2 ½"H Includes Dark Brushed Bronze & Oil Rubbed Bronze Caps



K9500 Two Light Belcaro Walnut™ 60W Candelabra Base (Incl.) 11 ¼"Dia. x 6 ½"H



* K9369-L Three Light Etched Swirl 60W Candelabra Base (Incl.)



K9372-3 Three Light Parchment 60W Candelabra Base (Incl.) 13 ¼"Dia. x 6 ¾"H



K9372-1 Three Light Caspian™ 60W Candelabra Base (Incl.) 13 ¼"Dia. x 6 ¾"H



* K9376-2 Three Light Excavation 60W Candelabra Base (Incl.) 16"Dia. x 7 ½"H



Three Light Excavation 60W Candelabra Base (Incl.) 13 ¼"Dia. x 6 ¾"H



K9372-5 Three Light Alabaster Dust™ 60W Candelabra Base (Incl.) 13 ¼"Dia. x 6 ¾"H



* K9363-L Three Light Etched Marble 60W Candelabra Base (Incl.) 13 ¼"Dia. x 6 ¾"H



AC100	Swirled Glass
AC100-BCW	Belcaro Walnut™
AC100-BS	Brushed Steel
AC100-BWH	Bone White
AC100-CT	Cattera Bronze™
AC100-DBB	Dark Brushed Bronze
AC100-EX	Excavation
AC100-FB	French Beige
AC100-KA	Косоа

AC100-FPWH	Frosted White
AC100-MCG	Mottled Copper with Gold Highlights
AC100-ORB	Oil Rubbed Bronze
AC100-PBL	Provencal Blanc
AC100-PI	Patina Iron
AC100-PW	Pewter
AC100-STW/ GOW	Sterling Walnut [™] / Golden Walnut
AC100-SWH	Shell White
AC100-VRT	Vintage Rust™

K9373 One Light Opal Glass 50W Mini-Can Xenon (Incl.) 9 ½"Dia. x 5 ½"H For 30" or 32" Sweep Fans





K9373-L-BS

K9373-L-ORB

K9373-L-WH

K9374 One Light Opal Glass 50W Mini-Can Xenon (Incl.) 10 ½"Dia. x 5 ½"H For 40" or 44" Sweep Fans





K9374-L-BS

K9374-L-WH

K9375 One Light Opal Glass 50W Mini-Can Xenon (Incl.) 11 ½" Dia. x 5 ¾"H For 50" or 56" Sweep Fans









K9375-L-BS

K9375-L-BWH

K9375-L-ORB

K9375-L-WH

Wet Location K9401

Two Light Opal Glass 13W GU24 Spiral CFL Bulbs (incl) 10 ½"Dia. x 5 ½"H









K9401-L-MW

K9401-L-BWH

K9401L-DRF

K9401L-TCL











K9401L-ORB

K9401-L-VRT

K9401L-WH

K9402 One Light Opal Glass 60W Candelabra Base (Incl) 7 34"Dia. x 8 ½"H





K9402L-ORB

K9402L-44

K1 Four Light 40W Candelabra Base (Incl.) 2 ¼"Side Fitter 11 ¾"Dia. x 3"H



K1-L-BS

K1-L-44

K1099 One Light Opal Glass 60W Candelabra Base (Incl.) 8 ½"Dia. x 6 ¾"H



K1099-1-L-44



K9365-L-44 (Low Profile) Three Light Etched Marble 60W Candelabra Base (Incl.) 12 ½"Dia. x 4 ½"H



GC900 SET Optional Crystal Set Available Only for the F900 Fan



K33 Three Light 60W Candelabra Base (Incl.) 2 ¼"Side Shade 6 ¼"Dia. x 3 ½"H



K33-L-BS



K33-L-MCG



K33-L-ORB



K33-L-44

Finish Codes

K35 Three Light 13W Spiral Medium Base (Incl.) 2 ¼"Side Shade 7 ¼"Dia. x 3 ½"H





K35L-KA

K35-MCG

K35-SWH

K35L-PW

9W 3000K LED Bulb (incl) 2 ¼"Side Shade 7 ¼"Dia. x 3 ½"H









K35L-ORB


K35L-44

K35L-BNK

K35L-HBZ

K34
Four Light
13W Spiral Medium
Base (Incl.)
2 1/4" Side Shade

11 ¾"Dia. x 2 ¾"H







K34-PI

K34-BN

K34-SWH



9W 3000K LED Bulb (incl) 2 ¼" Side Shade 11 ¾"Dia. x 2 ¾"H







K34L-DBB

K34L-KA

K34L-ORB







K34L-BCW

K34L-PW

K34L-BS







K34L-44

K34L-BNK

K34L-HBZ

Finish Codes

CUSTOM LIGHT KITS

K9614 Three Light 60W Candelabra Base (Incl.) 2 ¼" Side Shade 8 ½"Dia. x 3 ¼"H

Compatible with the F614 Timeless Fans Only



K9614-DBB



K9614-FB



K9614-MCG



K9614-PW



K9614L-BNK



K9614L-HBZ

K9659 Three Light 60W Candelabra Base (Incl.) 2 ¼" Side Shade 7 ½"Dia. x 3 ½"H

Compatible with the F659 Classica Fans Only



K9659L-BCW



K9659L-DRF



K9659L-FB





K9659-MCG



K9659L-PBL



K9659-PI

24-INCH GLASS SHADES



2018A Opal 4 ¾"Dia. x 4 ½"H



* 2548 Etched Opal 5 ¾"Dia. x 4 ½"H



* 2549 Etched Marble 5 ¾"Dia. x 4 ½"H



* 2560 Frosted/Clear5"Dia. x 4 ¾"H



2565 Etched Seeded 4 ¾"Dia. x 4 ¾"H



* 2593-1 Aged Champagne 5"Dia. x 5 ¼"H



* 2593-2 Excavation 5"Dia. x 5 1/4"H



* 2593-4 Venetian Scavo 5"Dia. x 5 1/4"H



* 2593-5 French Cream 5"Dia. x 5 ¼"H



2636 Tuscan Scavo 5"Dia. x 4 ¾"H



2645 Linen 5"Dia. x 5 ¼"H



2646 Tuscan Scavo 5"Dia. x 5 ¼"H



2652 Etched Marble 5"Dia. x 4¾"H



4099 4" Opal Glass Shade 8 ½"Dia. x 5 ½"H

CUSTOM **LED** LIGHT KITS

K9838L

LED Light 20W LED (Incl.) 6 ½"Dia. x 1 ¾"H 1,300 Lumens 3,000 Kelvin CRI 90







K9838L-SL



K9838L-DK

K9886L

LED Light 20W Dimmable LED (Incl.) 6 ½"Dia. x 1 ¾"H 1,430 Lumens 3,000 Kelvin CRI 90 Etched Lens





K9886L-BNW



K9886L-CL



K9886L-ORB



K9886L-SI



K9886L-WHF

K9787L

LED Light 20W Dimmable LED (Incl.) 5"Dia. x 1 ½"H 1,300 Lumens 3,000 Kelvin CRI 90 Etched Lens





K9787L-BNW



K9787L-CL



K9787L-ORB



K9787L-SL



K9787L-WHF



K9727L

LED Light 17W LED (Incl.) 6 3/4"Dia. x 5"H 500 Lumens 2,700 Kelvin CRI 90 **Etched Glass**



K9727L-BN



K9727L-CL



K9727L-DK

Compatible with the F727 Rudolph Fans Only

Includes WC116L wall control.



K9727L-ORB



K9727L-WHF



FULL FUNCTION HAND HELD REMOTE CONTROL

An ultra-thin design exclusive to Minka-Aire®, the remote enables the user with one finger to control all functions of Minka-Aire® ceiling fans.

AireControl® by Minka-Aire® controls all functions: reverse, uplight (where applicable), fan light, speed control, as well as off-on (RCS212 & WCS212)

RCS213, RCS223, WCS213 and WCS223 controls do not include the reverse function.

Included is a holster if you want to wall mount the control for your convenience.







RC400 AireControl® Remote System

- Six Speed Fan Control in Forward and Reverse
- On/Off Plus Full Range Light Dimmer
- Includes One (1) Hand Held Remote Control, Wall Holster
- Operates at Distance of 23' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with WC400 Wall Mount AireControl®

U.S. Patent(s): D533.514: D551.008





RC500 AireControl® Remote System

- Six Speed Fan Control in Forward and Reverse
- On/Off Plus Full Range Light Dimmer
- Includes One (1) Hand Held Remote Control, Wall Holster
- Operates at Distance of 23' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with WC500 Wall Mount AireControl®

U.S. Patent(s): D533.514: D551.008





RC600 AireControl® Remote System

- Six Speed Fan Control in Forward and Reverse
- · On/Off Plus Full Range Light Dimmer
- Includes One (1) Hand Held Remote Control,
- Operates at Distance of 23' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with WC600 Wall Mount AireControl®

U.S. Patent(s): D533.514: D551.008





RCS212

Full Function Hand Held AireControl® **Remote System** 256 Bit

- Three Speed Fan Control in Forward and Reverse
- On/Off Plus Full Range Light Dimmer with Independent Up/Downlight Control
- Includes One (1) Hand Held Remote Control, Wall Holster
- Operates at Distance of 20-40' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with WCS212 Wall Mount AireControl®

U.S. Patent(s): D533,514; D551,008; 8,253,272





• Three Speed Fan Control

Remote System

- · On/Off Plus Full Range Light Dimmer
- Includes One (1) Hand Held Remote Control, Wall Holster
- Operates at Distance of 20-40' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is
- · Can be Used in Conjunction with WCS213 Wall AireControl®

U.S. Patent(s): D533,514; D551,008; 8.253.272





RCS223 Hand HeldAireControl® Remote System 256 Bit

- Three Speed Fan Control
- On/Off Plus Full Range Light Dimmer
- Includes One (1) Hand Held Remote Control, Wall Holster and Canopy Mounted Receiver
- Operates at Distance of 20-40' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is
- Can be Used in Conjunction with WCS213 Wall AireControl®

U.S. Patent(s): D533,514; D551,008; 8.253.272





RCS223L Hand HeldAireControl® **Remote System for LED** 256 Bit

- Three Speed Fan Control
- · On/Off Light Control
- Includes One (1) Hand Held Remote Control, Wall Holster and Canopy Mounted Receiver
- Operates at Distance of 20-40' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with WCS213 Wall AireControl®

U.S. Patent(s): D533.514: D551.008: 8,253,272





WCS212 Full Function AireControl® 256 Bit

- Three Speed Fan Control in Forward and
- On/Off Plus Full Range Light Dimmer with Independent Up/Downlight Control
- Operates at Distance of 20-40' Distance: Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with RCS212 Wall Mount AireControl®
- Includes Brown, Ivory and White Finish Inner/Outer Plates

U.S. Patent(s): D533,514; 8,253,272





WCS213 AireControl® 256 Bit

- Three Speed Fan Control
- On/Off Plus Full Range Light Dimmer
- Operates at Distance of 20-40' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with RCS213 Hand Held AireControl®
- Includes Brown, Ivory and White Finish Inner/Outer Plates

U.S. Patent(s): D533.514: 8.253.272

Please Note:





WCS223 AireControl® 256 Bit

- · Three Speed Fan Control
- On/Off Plus Full Range Light Dimmer
- Operates at Distance of 20-40' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with RCS213 Hand Held AireControl®
- Includes Brown, Ivory and White Finish Inner/Outer Plates

U.S. Patent(s): D533,514; 8,253,272





WC400 AireControl*

- Six Speed Fan Control in Forward and Reverse
- On/Off Plus Full Range Light Dimmer
- Operates at Distance of 23' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is
- Can be Used in Conjunction with RC400 Hand Held AireControl®
- Includes Brown, Ivory and White Finish Inner/Outer Plates

U.S. Patent(s): D533,514





WC500

- Six Speed Fan Control in Forward and Reverse
- On/Off Plus Full Range Light Dimmer
- Operates at Distance of 23' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is
- Can be Used in Conjunction with RC500 Hand Held AireControl®
- Includes Brown, Ivory and White Finish Inner/Outer Plates

U.S. Patent(s): D533,514





WC600 AireControl®

- Six Speed Fan Control in Forward and Reverse
- On/Off Plus Full Range Light Dimmer
- Operates at Distance of 23' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is
- Can be Used in Conjunction with RC600 Hand Held AireControl®
- · Includes Brown, Ivory and White Finish Inner/Outer Plates

U.S. Patent(s): D533,514



WC105-WH **Speed Control**

- Four Speed Fan Control
- 2-Wire Installation



WC115 Speed Control

- For F624 Fans Only
- Four Speed Fan Control
- 2-Wire Installation



WC106-WH **Speed Control**

- Four Speed Fan Control
- 3-Wire Installation



WC110L **Speed Control**

- For F510L LED Fans Only
- Four Speed Fan Control
- Full Range Dimmer
- 3-Wire Installation



WC116 **Speed Control**

- For F727 Fans Only
- Four Speed Fan Control
- 2-Wire Installation



WC116L Speed Control

- For K9727L Light kits (Included in the Light Kit)
- Four Speed Fan Control
- 3-Wire Installation
- Dimming Capable



BD-1000 BOND Bridge Wi-Fi Control System

See Icon for Compatible Remotes

Bulb Reference



Watts: 10W / 20W XENON JCX 12V G4 BI-PIN BASE

Frosted JX4-20 (20W) Clear JX4C-10 (10W)



Watts: 35W / 50W XENON JCX 12V GY6.35 BI-PIN BASE

Frosted JX6-35 (35W) JX6-50 (50W)



Watts: 25W / 35W / 40W / 60W / 75W G9 XENON 120V G9 BASE

Clear JX9C-025 (25W)

JX9C-040 (40W)

Frosted JX9-025 (25W) JX9-035 (35W) JX9-060 (60W)




Watts: 20W / 50W XENON 120V DC (BAYONET) JXB15-20 (20W) JXB15-50 (50W)




Watts: 75W XENON 120V E12 (CANDELABRA) BASE

Frosted JDXF-12-075 (75W)



Watts: 50W / 75W / 100W MINI-CAN XENON 120V E11 (CANDELABRA) BASE

Frosted JDX-050 (50W) JDX-75 (75W)



Watts: 50W / 75W / 100W MINI-CAN HALOGEN 120V F11 (CANDFLABRA) BASE

 Frosted
 Clear

 JDC-50 (50W)
 JD-50 (50W)

 JDC-75 (75W)
 JD-75 (75W)

 JDC-100 (100W)
 JD-100 (100W)



Watts: 50W JDD XENON 120V E12 (CANDELABRA) BASE Frosted JDX2F-050 (50W)



Watts: 100W / 150W 78MM 120V DOUBLE ENDED HALOGEN (J-TYPE) R7S BASE JB-100 (100W)

JB-150 (150W)



Watts: 8W DC / 10W AC / 11W AC / 14W AC LED MODULE

L-L8-MD590 (8W) L-AC10-MODULF (10W) L-AC10-MD770 (11W) L-AC14-MD950 (14W)



Watts: 50W PAR16 HALOGEN E26 (MEDIUM) BASE

PAR16-50 (50W)



Watts: 35W / 50W HALOGEN MR16 120V **GU10 BASE**

JGU-035 (35W) JGU-50 (50W)



Watts: 20W / 35W / 50W HALOGEN MR16 GX5.3 BI-PIN BASE

Frosted JMR16-20 (20W 120V) JMR16-35 (35W 120V) JMR16-50/120V (50W 120V) JMR16-C-50 (50W 12V)

<u>Clear</u> JMR16-C-20 (20W 12V) JMR16-C-35 (35W 12V)



Watts: 13W / 26W E26 (MEDIUM) BASE FLB-13S (13W)



Watts: 13W / 26W SPIRAL CFL GU24 BASE

FLB-13M (13W) FLB-26M (26W)




Watts: 18W / GU24 BASE FLS-18M (18W) FLS-26M (26W)



LED FERRO SQUAT SPIRAL CFL E26 (MEDIUM) BASE L-LB06-FW58 (6W)



E26 (MEDIUM) BASE E26-FW1910-40W (40W)



100W

T10 120V E26 (MEDIUM) BASE

Frosted JT10-060F (60W)



Clear JT10-040C (40W)

JT10-060C (60W) JT10-100C (100W)



Clear E12-FW1910-60W (60W)




FULL 24 CFL GX10q-4 BASE JT4-27 (27W)



Watts: 27W GX10q-4 BASE JT2-27 (27W)



Watts: 13W 4-PIN (PL-C) G24q-1 BASE FLT-13Q (13W)



Watts: 32W FC12T9 T9 CIRCULINE G10Q FLC-22 (22W)

FLC-32 (32W) FLC-40 (40W)




Watts: 8W / 13W FLUORESCENT T5 G13 BI-PIN BASE Ballast: BLST08-T5 JT5-8 JT5-13



Watts: 7W C7 CFL E12 (CANDELABRA) BASE FLB-07C (7W)



Watts: 75W E17 BASE JDR-75 (75W)



L-LB04C-E12 (4W)



Watts: 40W / 60W



E12 (CANDELABRA) BASE E12 (CANDELABRA) BASE E12 (CANDELABRA) BASE ECCC-15 (15W)



E26 (MEDIUM) BASE



Watts: 40W / 60W E26 (MEDIUM) BASE



75W / 100W

E26 (MEDIUM) BASE



E26 (MEDIUM) BASE E12 (CANDELABRA) BASE







Watts: 60W / 100W

E26 (MEDIUM) BASE





K-L25A19D-9W E26 (MEDIUM) BASE

FAN MODEL	FAN NAME	RCS212	RCS213	RCS223	WC105-WH	WC106-WH	WCS212	WCS213	WCS223
F302	GYRETTE™	INCL.					•		
F304L	CAGE FREE GYRO™	•					INCL.		
F306L	ELEMENTAL GYRO™	٠					INCL.		
F307	ANYWHERE								
F402	GYRO [™] WET	•					INCL.		
F410L	SLANT			RC	C400 INCL., CO	MPATIBLE WITH	I WC400		
F474L	CONCEPT [™] II WET 52"	٠					INCL.		
F476L	CONCEPT [™] I WET 52"	•					INCL.		
F477L	CONCEPT [™] I WET 58"	•					INCL.		
F502	TRADITIONAL GYRO™	•					INCL.		
F510L	SPACESAVER				WALL CONTRO	DL INCLUDED W	C110L		
F513	NEW ERA	INCL.					•		
F516L	CONCEPT™ I 44"	INCL.					•		
F517L	CONCEPT [™] I 52"	INCL.					•		
F518L	CONCEPT™ II 44"	INCL.					•		
F519L	CONCEPT™ II 52"	INCL.					•		
F521	ALUMA			•		INCL.			•
F522	мојо			•		•			•
F523	ALUMA WET		INCL.					٠	
F524	ROTO			•	INCL.				•
F531	FLYTE®		•			•		INCL.	
F532	SUNSEEKER				•	•			
F533	мојо ІІ			•		•			•
F534L	LUN-AIRE					ITH WCS213 & F CEIVER L001041			
F539	GREAT ROOM TRADITIONAL	•					INCL.		
F541L	CONE			RC	C400 INCL., CO	MPATIBLE WITH	I WC400		
F543L	SWEPT			RC	C400 INCL., CO	MPATIBLE WITH	I WC400		
F544	CALAIS™		INCL.			•		•	
F546	CONTRACTOR 42"			•	•	•			•
F547	CONTRACTOR 52"			•	•	•			•

^{• =} Compatibility

PLEASE NOTE: 256 Bit remote systems are not compatible with 32 Bit remote systems.

^{- 256} Bit systems have a Green LED and Green receiver boxes.

^{- 32} Bit systems have a Red LED and Black receiver boxes.

FAN MODEL	FAN NAME	RCS212	RCS213	RCS223	WC105-WH	WC106-WH	WCS212	WCS213	WCS223
F548	CONTRACTOR UNI-PACK			•		•			•
F556	CONTRACTOR PLUS			٠		•			•
F556L	CONTRACTOR LED		INCL.					٠	
F562	SUPRA® 32"			•	•	•			•
F563	SUPRA® 44"			•	•	•			•
F563-SP	SUPRA [®] 44"			•		•			•
F565	MESA [™] 52"				•	•			
F566	MESA [™] 42"				•	•			
F568	SUPRA [®] 52"			٠	•	٠			•
F569	SUPRA® 52"		•	INCL.		•		•	
F571	SUNDANCE [™] 52"				•	٠			
F572	SUNDANCE [™] 42"				•	•			
F581	GAUGUIN™	•					INCL.		
F582	RAINMAN™		•			•		INCL.	
F588-SP	ULTRA-MAX [™]	INCL.					INCL.		
F589	SUNDOWNER®				•	•			
F593L	TRADITIONAL CONCEPT [™] 44"	•					INCL.		
F594L	TRADITIONAL CONCEPT [™] 52"	•					INCL.		
F596	CIRQUE™	•					INCL.		
F602	GYRO™	•					INCL.		
F603	COMO TM	•					INCL.		
F614	TIMELESS			•	•	•			•
F617L	RAPTOR			RO	C600 INCL., CO	MPATIBLE WITH	I WC600		
F620	BOLO™		INCL.			•		•	
F622	TRADITIONAL MOJO			•		•			•
F623L	ORB			RC	CS213 INCL., CO	MPATIBLE WITH	I WCS213		
F624	ROTO XL				WALL CONTR	OL INCLUDED V	VC115		
F647	CONTRACTOR UNI-PACK			•		٠			•
F648	CONTRACTOR UNI-PACK			•					•

FAN MODEL	FAN NAME	RCS212	RCS213	RCS223	WC105-WH	WC106-WH	WCS212	WCS213	WCS223
F656L	CONTRACTOR UNI-PACK LED				COMPATIBLE W				
F659	CLASSICA			٠	•	٠			•
F681	GROTON	INCL.					٠		
F683L	SHADE			R	C400 INCL., CO	MPATIBLE WITH	I WC400		
F684L	CLEAN			R	C400 INCL., CO	MPATIBLE WITH	l WC400		
F688	KOLA			•	•	•			•
F689	KOLA-XL	INCL.					•		
F690L	ESPACE		INCL.					•	
F695	KAFÉ			•	•	•			•
F696	KAFÉ-XL	INCL.					•		
F701	DELANO®		•			•		INCL.	
F702	VOLTERRA™		•			•		INCL.	
F705	NAPOLI™	•					INCL.		
F711	DELANO [®] II	•					INCL.		
F715	NAPOLI™ II	•					INCL.		
F726	SPECTRE			SR	C400 INCL., CC	OMPATIBLE WIT	H WC400		
F727	RUDOLPH		WALL	CONTROL II	NCLUDED WC116	6, COMPATIBLE	WITH RCS22	23 & WCS223	
F729	STEAL			٠	INCL.				•
F734	STRATA		INCL.						
F736L	GEAR			R	C400 INCL., CO	MPATIBLE WITH	I WC400		
F738	PANCAKE	INCL.					•		
F739L	PANCAKE XL LED			R	C500 INCL., CO	MPATIBLE WITH	I WC500		
F745	SABOT			R	C600 INCL., CO	MPATIBLE WITH	I WC600		
F747L	TIMBER			R	C600 INCL., CO	MPATIBLE WITH	I WC600		
F753	JAVA		INCL.						
F753L	JAVA LED		INCL.						
F759	CLASSICA GALLERY EDITION		INCL.					•	
F786	SIMPLE 44"			R	C400 INCL., CO	MPATIBLE WITH	I WC400		
F787	SIMPLE 52"			R	C400 INCL., CO	MPATIBLE WITH	I WC400		
F788L	DREAM STAR			R	C400 INCL., CO	MPATIBLE WITH	I WC400		

^{• =} Compatibility

PLEASE NOTE: 256 Bit remote systems are not compatible with 32 Bit remote systems.

^{- 256} Bit systems have a Green LED and Green receiver boxes.

^{- 32} Bit systems have a Red LED and Black receiver boxes.

FAN CONTROL SYSTEMS COMPATIBILITY CHART


FAN MODEL	FAN NAME	RCS212	RCS213	RCS223	WC105-WH	WC106-WH	WCS212	WCS213	WCS223
F802	VINTAGE GYRO [™]	•					INCL.		
F803L	ARTEMIS [™]	•					INCL.		
F812	LINEAGE™	٠					INCL.		
F823	WING			R	C400 INCL., CO	MPATIBLE WITH	H WC400		
F828	SYMBIO			R	C400 INCL., CO	MPATIBLE WITH	H WC400		
F829L	MOJAVE			R	C400 INCL., CO	MPATIBLE WITH	H WC400		
F831L	TEAR			R	C500 INCL., CO	MPATIBLE WITH	H WC500		
F832L	TRIPLE			R	C400 INCL., CO	MPATIBLE WITH	H WC400		
F833	KEWL			•	INCL.				•
F834L	METROPOLIS	INCL.					٠		
F838L	FORCE			R	C400 INCL., CO	MPATIBLE WITH	H WC400		
F843	WAVE		INCL.					•	
F844	LIGHT WAVE		INCL.					•	
F846L	WAVE II			R	C400 INCL., CO	MPATIBLE WITH	H WC400		
F847L	TIMBER			R	C600 INCL., CO	MPATIBLE WITH	H WC600		
F849L	STACK			R	C400 INCL., CO	MPATIBLE WITH	H WC400		
F852L	ALVA			R	C500 INCL., CO	MPATIBLE WITH	H WC500		
F853	AVIATION			R	C500 INCL., CO	MPATIBLE WITH	H WC500		
F853L	AVIATION LED			R	C500 INCL., CO	MPATIBLE WITH	H WC500		
F864	BARN			R	C400 INCL., CO	MPATIBLE WITH	H WC400		
F868L	SLEEK			R	C600 INCL., CO	MPATIBLE WITH	H WC600		
F870	WINDMOLEN			R	C400 INCL., CO	MPATIBLE WITH	H WC400		
F887	XTREME			R	C400 INCL., CO	MPATIBLE WITH	H WC400		
F888	SLIPSTREAM			R	C400 INCL., CO	MPATIBLE WITH	H WC400		
F896-65	XTREME H ₂ O			R	C400 INCL., CO	MPATIBLE WITH	H WC400		
F896-84	XTREME H₂O			R	C400 INCL., CO	MPATIBLE WITH	H WC400		
F899L	NINETY-NINE			R	C600 INCL., CO	MPATIBLE WITH	H WC600		
F900	CRISTAFANO™	٠					INCL.		
F902L	BLING			R	C400 INCL., CO	MPATIBLE WITH	H WC400		
F903L	ARTEMIS [™] IV			R	C400 INCL., CO	MPATIBLE WITH	H WC400		

FAN MODEL	FAN NAME	RCS212 RCS213 RCS223 WC105-WH WC106-WH WCS212 WCS213 WCS223						
F905L	ARTEMIS [™] XL5	RC600 INCL., COMPATIBLE WITH WC600						
F988	GÉANT	RC400 INCL., COMPATIBLE WITH WC400						
F1000	DYNO	INCL.						
F1001	DYNO XL	RC600 INCL., COMPATIBLE WITH WC600						
F749L	SkyHawk	RC400 (INCLUDED), COMPATIBLE WITH WC400						
F771L	ELLIPSE	RC500 (INCLUDED), COMPATIBLE WITH WC500						
F467L	CONCEPT III	RC400 (INCLUDED), COMPATIBLE WITH WC400						
F465L	CONCEPT IV	RC400 (INCLUDED), COMPATIBLE WITH WC400						
F742L	MOLINO	RC400 (INCLUDED), COMPATIBLE WITH WC400						
F551	WATT	4 SPEED DC PULL CHAIN						
F552L	WATT II	4 SPEED DC PULL CHAIN						
F671L	PURE	WC116L (INCLUDED)						
F673L	AIRETOR	3 SPEED DC PULL CHAIN						
F676L	VITAL	3 SPEED DC PULL CHAIN						

^{• =} Compatibility

^{- 256} Bit systems have a Green LED and Green receiver boxes.

HANGING SYSTEMS



FINISH	ABDD	BCW	BG	ВІ	ВК	BN	BNK	BN/MG	BNW	BS	BWH	сс	СН	CL	CPBR	ст	DBB	DRB	DRFF	FB	GI	GL	GM	GS	HBZ	нт	Ю	КА	LN
DR5 Series Down	NROD A	RE 3/4"	I.D.																										
DR500-Coupler	•**	•	•	•	•	•	•	-	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR503	•	•	•	•	•	•	•	-	•	•	•	•	-	•	•	•	•	•	•	•	•	•	•	-	•	•	•	•	•
DR504	•	•	-	-	-	•	-	-	-	-	-	-	-		-	-	-	•	-	-	-	-	-	-	-	-	-	-	-
DR506	-	-	-	-	-	•	-	-	-	•	-	-	-		•	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DR512	•	•	•	•	•	•	•	-	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR518	•	•	•	•	•	•	•	-	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR524	•	•	•	•	•	•	•	-	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR536	•	•	•	•	•	•	•	-	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR548	•	•	•	•	•	•	•	-	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR560	•	•	•	•	•	•	•	-	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DOWNLINK™ KIT (For Us	SE WIT	н F53	31 On	LY)																								
DL06-6"	-	-	-	-	-	•	-	•	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DL15-15"	-	-	-	-	-	•	-	•	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DL27-27"	-	-	-	-	-	•	-	•	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DL39-39"	-	-	_	-	-	•	-	•	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DL51-51"	-	-	-	-	-	•	-	•	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DL63-63"	-	-	-	-	-	•	-	•	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DL75-75"	-	-	-	-	-	•	-	•	-	_	-	-	-		-	-	-	_	-	-	-	-	-	-	_	_	_	-	-
Minka-Aire® 45° S	SLOPE (CEILIN	g Ad	APTER	KITS	(SCA	4)																						
* A245 ¾" I.D.	•**	•	•	•	•	•	•	-	•	•		•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•
A180	-	•	-	•	•	•	-	_		•		•	-	•		•			•	•	-	•	-	-	-	•	-	•	•
*** A581	-	-		-	_	_	_	-	_	_	_	_	-		-	-	-	_	-	-	_	-	_	-	_	_	_	_	-

Minka-Aire® offers a full selection of downrods in 59 finishes and 8 lengths to complement any Minka-Aire® ceiling fan.

* A245 ¾" I.D. is also available in PR (Primer) finish.

*** For F524-ABD, only.

HANGING SYSTEMS



FINISH	мсg	MG	MP	MW	ODK	ORB	PBL	PI	PN	PW	RD	RRB	RW	SBR	SDBK	SI	SL	STW/GOW	SWH	TCL	ті	TSP	VB	VI	VP	VRT	WA	WH/44	WHF
DR5 Series Do	OWNR	DD AF	RE 3/4"	I.D.																									
DR500-Cou- PLER	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR503	•	•	•	•	•	•	•	•	•	•	•	•	•	-	-	•	•	•	•	•	•	•	•	-	•	•	-	•	•
DR504	-	-	-	-	-	•	-	-	•	-	-	•	-	-	-	-	-	-	-		-	-	•	-	-	-	-	•	-
DR506	-	-	-	-	•	•	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	•	•
DR512	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR518	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR524	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR536	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR548	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR560	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR572	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DOWNLINK [™] K	т (Fo	r Use	WITH	+ F531	ONLY	·)																							
DL06-6"	-	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-	-	-		-	-	-	_	-	-	-	•	-
DL15-15"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	•	-
DL27-27"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	•	-
DL39-39"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	•	-
DL51-51"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	•	-
DL63-63"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	•	-
DL75-75"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	•	-
Minka-Aire® 4	5° SL	OPE C	EILING	G Ada	PTER I	KITS (S	SCA)																						
* A245 ¾" I.D.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•
A180	•	•	•	•	•	•	•	•	•	•	•	-	-		-		-		•	•	-	•	-	•	•	•	-	•	•
*** A581	-	-	-	-	-	•	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	•

All component parts and hardware supplied with your Minka-Aire® ceiling fan have been designed and engineered to assure proper and safe installation of your new ceiling fan. Substituting parts or hardware, such as, but not limited to the hanger ball and the hanger bracket, not supplied with your ceiling fan by Minka-Aire®, will void the Minka-Aire® Warranty.

HANGING SYSTEMS



Low Ceiling Adapter A180

F513, F514, F522, F534L, F546, F547, F548, F562, F563, F568, F569, F588, F589, F596, F601, F603, F614, F620, F622, F647, F648, F656L, F659, F688, F689, F690L, F695, F696, F759,

Low Ceiling Adapter A581

For use on: F581







A581-BG

A581-ORB

A581-WHF

Downlink[™] Kit (for use on F531 only)



DL39

Downlink[™] Kit Maximum length is 72"

(Size and Finish: See Page 380)

NOTE: It is not possible to join Downbridge[™] or Downlink[™] kits together for hanging fans in excess of maximum kit lengths.



Downrod Coupler DR500

(¾" I.D.)

For those occasions when you need to hang your ceiling fan on a longer than 72" downrod, simply use one of our downrod couplers (DR500) available in finishes to match all our fans and downrods. The coupler enables you to couple our $^{3}\!\!/\!\!/^{\!\!\!/}$ downrods together and hang fans on total downrod lengths of up to 144".



Slope Ceiling Adapter Kit (SCA)

A245-BN (3/4" I.D.)

U.S. Patent(s): 7,510,160

Minka-Aire® 45° Slope Ceiling Adapter Kit (SCA)

Minka-Aire® SCA Kit was designed to meet Sloped Ceiling Application with the needs of the home building industry as demand increases for higher, more steeply angled ceilings. Minka-Aire® A245 SCA is used with 3/4" I.D. DR5 Series Downrod.

The above kit as shown includes the mounting bracket, the angled ball assembly and locking pin. For fans that weigh in excess of 35lbs, simply use the hanging bracket that comes with the fan in the box (75lbs rating standard) and the kit's angled ball assembly and locking pin. (Fan model numbers F528, F529 and F531 do not apply because of their unique Downbridge[™] hanging systems)

When ordering SCA specify finish to match vour needs.


(Size and Finish: See Page 380)

standard hanging systems for slopes up to a maximum of 21°



Sloped Ceiling Installation

Minka-Aire® ceiling fans equipped with universal hanging systems may be hung from standard or vaulted ceilings up to 21° pitch.



FINISHES



Hand-painted finishes and components made from natural material may reflect variations in color and texture. These are not imperfections and enhance the unique appearance of each and every Minka-Aire® fixture. Specifications are subject to change at any time.

FINISHES



Hand-painted finishes and components made from natural material may reflect variations in color and texture. These are not imperfections and enhance the unique appearance of each and every Minka-Aire® fixture. Specifications are subject to change at any time.

FINISHES



Hand-painted finishes and components made from natural material may reflect variations in color and texture. These are not imperfections and enhance the unique appearance of each and every Minka-Aire® fixture. Specifications are subject to change at any time.

Accessory Fan Blades

















Cherry Wood

DC Dark Cherry

DM Dark Maple

DW Dark Walnut

Light Cherry

LM Light Maple

MLReversible Medium Oak

MMMedium Maple

Fan Blade Compatibility Chart

Model	Fan Name	CW	DC	DM	DW	LC	LM	ML	MM	МО
F516L	Concept [™] I	N/A	N/A	FB216-DM	FB216-DW	N/A	N/A	N/A	N/A	N/A
F517L	Concept [™] I	N/A	N/A	FB217-DM	FB217-DW	N/A	N/A	N/A	N/A	N/A
F518L	Concept™II	N/A	N/A	FB216-DM	FB216-DW	N/A	N/A	N/A	N/A	N/A
F519L	Concept™II	N/A	N/A	FB217-DM	FB217-DW	N/A	N/A	N/A	N/A	N/A
F547	Contractor	N/A	N/A	FB103S-DM	N/A	FB103S-LC	FB103S-LM	FB103S-ML	N/A	N/A
F548L	Contractor Uni-Pack	N/A	N/A	FB103S-DM	N/A	FB103S-LC	FB103S-LM	FB103S-ML	N/A	N/A
F562	Supra® 32"	N/A	FB422-DC	FB422-DM	FB422-DW	FB422-LC	FB422-LM	N/A	FB422-MM	N/A
F563	Supra® 44"	N/A	FB423-DC	FB423-DM	N/A	FB423-LC	FB423-LM	N/A	N/A	N/A
F568	Supra® 52"	N/A	FB424-DC	FB424-DM	FB424-DW	FB424-LC	FB424-LM	N/A	N/A	N/A
F588	Ultra-Max™ 54"	FB107T-CW	N/A	N/A	FB107T-DW	FB107T-LC	N/A	N/A	FB107T-MM	N/A
F589	Sundowner®	N/A	N/A	FB107P-DM	FB107P-DW	N/A	N/A	N/A	FB107P-MM	N/A
F596	Cirque™		Optional E	Blades Sets are the	FB196-RYB (Multi-c	olored, Red, Yello	w, Blue) and the F	B196-MG (Mahog	any Finish)	
F647	Contractor Uni-Pack	N/A	N/A	FB103S-DM	N/A	FB103S-LC	FB103S-LM	FB103S-ML	N/A	N/A

Accessory Fan Blades



Medium Oak



Natural Maple



NW Natural Walnut



High Gloss Rosewood



SL Silver



SWH Shell White



WO Washed Oak



Weathered Pine

Fan Blade Compatibility Chart

Model	Fan Name	NM	NP	NW	ORB	RW	SL	SWH	WO	WP
F516L	Concept™I	N/A	N/A	N/A	FB216-ORB	N/A	N/A	N/A	N/A	N/A
F517L	Concept [™] I	N/A	N/A	N/A	FB217-ORB	N/A	N/A	N/A	N/A	N/A
F518L	Concept™II	N/A	N/A	N/A	FB216-ORB	N/A	N/A	N/A	N/A	N/A
F519L	Concept™∥	N/A	N/A	N/A	FB217-ORB	N/A	N/A	N/A	N/A	N/A
F547	Contractor	FB103S-NM	N/A	FB103S-NW	N/A	FB103S-RW	N/A	N/A	FB103S-WO	FB103S-WP
F548L	Contractor Uni-Pack	FB103S-NM	N/A	FB103S-NW	N/A	FB103S-RW	N/A	N/A	FB103S-WO	FB103S-WP
F562	Supra® 32"	N/A	N/A	FB422-NW	N/A	N/A	N/A	N/A	FB422-WO	FB422-WP
F563	Supra® 44"	N/A	N/A	FB423-NW	N/A	N/A	N/A	N/A	FB423-WO	FB423-WP
F568	Supra® 52"	N/A	N/A	FB424-NW	N/A	N/A	N/A	N/A	FB424-WO	FB424-WP
F588	Ultra-Max™ 54"	N/A	FB107T-NP	FB107T-NW	N/A	FB107T-RW	N/A	N/A	FB107T-WO	FB107T-WP
F589	Sundowner®	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F596	Cirque [™]		Optional E	Blades Sets are the	FB196-RYB (Multi	-colored, Red, Yello	w, Blue) and the f	FB196-MG (Mahogar	ny Finish)	
F647	Contractor Uni-Pack	FB103S-NM	N/A	FB103S-NW	N/A	FB103S-RW	N/A	N/A	FB103S-WO	FB103S-WP

MODEL NUMBER	FAN NAME	HIGH SPEED	LOW SPEED
F302	Gyrette™	1,502	985
F304L	Cage Free Gyro™	2,686	1,479
F306L	Elemental Gyro™	4,082	1,893
F307	Anywhere	1,122	605
F402	Gyro™ Wet	1,580	1,059
F410L	Slant	3,879	723
F448L	Contractor Uni-Pack	4,276	1,569
F467L	Concept III	5,500	2,000
F465L	Concept IV	6,000	2,000
F474L	Concept™ II Wet 52"	5,363	2,394
F476L	Concept™ I Wet 52"	5,389	3,262
F477L	Concept™ Wet 58"	5,434	2,595
F502	Traditional Gyro™	2,505	1,625
F510L	Spacesaver	1,992	459
F513	New Era	4,801	1,754
F514	Zen	6,158	1,879
F516L	Concept™ I 44"	3,558	1,619
F517L	Concept™ I 52"	5,236	2,087
F518L	Concept™ II 44"	3,783	1,479
F519L	Concept™ II 52"	5,491	1,915
F521	Aluma	4,237	1,400
F522	Mojo	4,168	2,055
F523	Aluma Wet	4,318	1,353
F524	Roto	4,422	1,553
F531	Flyte®	6,342	2,232
F532	Sunseeker	5,747	1,851
F533	Mojo II	3,504	933
F534L	Lun-Aire	5,364	2,198

MODEL NUMBER	FAN NAME	HIGH SPEED	LOW SPEED
F539	Great Room Traditional	7,686	3,524
F541L	Cone	8,250	2,651
F543L	Swept	7,937	2,651
F544	Calais TM	3,955	1,345
F546	Contractor 42"	2,718	1,393
F547	Contractor 52"	3,807	1,488
F548	Contractor Uni-Pack	4,635	1,358
F551	Watt	5,800	2,500
F552L	Watt II	5,800	2,500
F553L	Minute	5,000	2,300
F556	Contractor Plus	5,314	1,756
F556L	Contractor LED	5,314	1,756
F562	Supra® 32"	2,944	917
F563	Supra® 44"	5,207	1,520
F563-SP	Supra® 44" -SP	5,322	1,619
F565	Mesa™ 52"	2,999	403
F566	Mesa™ 42"	2,388	487
F568	Supra® 52"	4,907	1,362
F569	Supra® 52"-SP	5,563	1,410
F571	Sundance™ 52"	5,832	1,808
F572	Sundance™ 42"	3,342	1,239
F581	Gauguin™	5,297	2,503
F582	Rainman™	4,933	1,957
F588-SP	Ultra-Max™ -SP	6,121	1,416
F589	Sundowner®	6,401	1,747
F594L	Traditional Concept™ 52"	5,203	2,116
F596	Cirque™	4,437	1,956

MODEL NUMBER	FAN NAME	HIGH SPEED	LOW SPEED
F602	Gyro™	2,477	1,670
F603	Como™	5,169	1,810
F614	Timeless	4,491	1,921
F617L	Raptor	5,158	1,910
F620	Bolo™	4,588	2,022
F622	Traditional Mojo	4,654	1,967
F623L	Orb	4,985	2,257
F624	Roto XL	6,576	2,637
F647	Contractor Uni-Pack	3,718	1,459
F648	Contractor Uni-Pack	4,039	1,581
F656L	Contractor Uni-Pack LED	5,089	1,435
F659	Classica	4,389	1,796
F671L	Pure	4,300	2,000
F673L	Airetor	5,000	2,300
F675	Seacrest	6,000	2,000
F676L	Vital	3,400	1,500
F681	Groton	5,722	1,912
F683L	Shade	8,077	2,348
F684L	Clean	10,340	3,753
F688	Kola	4,901	1,401
F689	Kola-XL	6,497	1,608
F690L	Espace	5,124	1,732
F695	Kafé	4,766	1,213
F696	Kafé-XL	6,305	1,457
F701	Delano®	5,530	1,482

MODEL NUMBER	FAN NAME	HIGH SPEED	LOW SPEED
F702	Volterra™	5,243	1,868
F705	Napoli TM	5,609	2,370
F711	Delano® II	3,772	936
F715	Napoli™ II	6,238	1,589
F726	Spectre	6,469	1,637
F727	Rudolph	5,757	1,554
F729	Steal	6,093	1,498
F734	Strata	4,648	1,925
F736L	Gear	7,450	2,146
F738	Pancake	3,941	780
F739L	Pancake XL LED	6,619	3,055
F742L	Molino	6,500	3,200
F745	Sabot	4,609	825
F747L	Timber	7,778	3,478
F749L	Sky Hawk	5,800	2,200
F771L	Ellipse	6,500	2,200
F753	Java	5,314	2,751
F753L	Java LED	5,771	2,834
F759	Classica - Gallery Edition	4,878	1,892
F786	Simple 44"	5,289	1,626
F787	Simple 52"	7,051	2,032
F788L	Dream Star	4,983	1,067
F802	Vintage Gyro™	1,770	1,240
F803DL	Artemis™	7,157	2,295
F812	Lineage™	6,238	1,589

MODEL NUMBER	FAN NAME	HIGH SPEED	LOW SPEED
F823	Wing	5,667	1,805
F828	Symbio	6,276	1,717
F829L	Mojave	7,417	2,531
F831L	Tear	7,052	2,974
F832L	Triple	5,861	2,081
F833	Kewl	4,981	1,499
F834L	Metropolis	5,589	2,601
F838L	Force	4,004	287
F843	Wave	4,466	1,674
F844	Light Wave	4,453	1,497
F846	Wave II	5,640	1,619
F847L	Timber	7,939	2,937
F849L	Stack	5,968	1,574
F852L	Alva	7,015	3,296
F853	Aviation	5,093	2,127
F853L	Aviation LED	5,093	2,127
F864L	Barn	8,500	3,000
F868L	Sleek	6,006	1,715
F870L	Windmolen	8,848	4,198
F887-72	Xtreme 72"	8,905	3,005
F887-96	Xtreme 96"	13,080	9,152
F888	Slipstream	8,263	3,916
F896-65	Xtreme H2O 65"	9,036	3,764
F896-84	Xtreme H2O 84"	10,988	5,150

Airflow CFM

MODEL NUMBER	FAN NAME	HIGH SPEED	LOW SPEED
F899L	Ninety-Nine	13,350	7,803
F900	Cristafano™	7,885	3,038
F902L	Bling	5,311	1,830
F903L	Artemis™ IV	8,376	2,864
F905L	Artemis™ XL5	6,076	3,396
F988L	Géant	13,000	5,000
F1000	Dyno	4,184	1,534
F1001L	Dyno XL	5,987	1,807

New Fan Styles



FAN STYLES





F864L Page 16

FAN STYLES



Bling F902L Page 158



Bolo™ F620 Page 226



Cage Free Gyro™ F304L Page 194



Calais™ F544 Page 237



Cirque[™] F596 Page 182



Classica F659 Page 232



Classica - Gallery Edition F759 Page 230



Clean F684L Page 32



Como™ F603 Page176



Concept[™] I 44" F516L Page 178



Concept[™] I 52" F517L Page 178



Concept[™] I Wet 52" F476L Page 268














Supra* 32" F562 Page 366

Supra® 44" F563 Page 362

Supra® 44" -SP F563-SP Page 360





		Blade Sweep	No of Blades	Blade Pitch	Motor Size	RPM (Hi/Low)	Warranty	Light Kit	Downrods ¾"ID	Downrod ½" ID	Lead Wire	Dimension A	Dimension B	Hanging Weight (LBS)
F300	Retro Style	10"	3	14°	70 x 70	1253/1525	One Year	N/A	N/A	N/A	72"	N/A	N/A	6
F304L	Cage Free Gyro™	37"	6	23°	70 x 16	1470/800	Limited Lifetime	Integrated	6"	N/A	80"	22¼"	17¾	19
F307	Anywhere	15"	3	23°	82 x 25	985/491	Limited Lifetime	N/A	6"	N/A	118"	N/A	N/A	20
F402	Gyro™ Wet	42"	6	20°	82 x 25	1350/720	Limited Lifetime	Integrated	6"	N/A	80"	19½"	17¾"	30
F410L	Slant	36"	3	20°	DC125 x 20	300/150	Limited Lifetime	Integrated	6"	N/A	80"	15"	10½"	15
F474L	Concept™ II Wet 52"	52"	3	14°	188 x 20	170/92	Limited Lifetime	Integrated	N/A	N/A	8"	12"	8½"	26
F476L	Concept™ I Wet 52"	52"	3	14°	188 x 20	168/93	Limited Lifetime	Integrated	6"	N/A	80"	20½"	17"	25
F477L	Concept™ I Wet 58"	58"	3	14°	188 x 22	158/68	Limited Lifetime	Integrated	6"	N/A	80"	18¼"	141/4"	27
F502	Traditional Gyro™	42"	6	20°	80 x 25	1350/720	Limited Lifetime	Integrated	4½" & 12"	N/A	80"	17"	16½"	40
F510L	Spacesaver	26"	3	14°	153 x 12	392/170	Limited Lifetime	Integrated	N/A	N/A	8"	11"	71/4"	12
F513	New Era	52"	4	14°	172 × 16	199/67	Limited Lifetime	Adaptable	6"	N/A	80"	15½"	12¾"	18
F516L	Concept™l 44"	44"	3	14°	153 x 15	189/91	Limited Lifetime	Integrated	6"	N/A	80"	17½"	141/4"	22
F517L	Concept™l 52"	52"	3	14°	172 x 20	183/70	Limited Lifetime	Integrated	6"	N/A	80"	17½"	14¼"	25
F518L	Concept™ II 44"	44"	3	14°	153 x 15	181/79	Limited Lifetime	Integrated	N/A	N/A	8"	11½"	8¼"	24
F519L	Concept™ II 52"	52"	3	14°	172 x 20	172/66	Limited Lifetime	Integrated	N/A	N/A	8"	11½"	81/4"	27
F521	Aluma	52"	4	12°	153 x 15	187/100	Limited Lifetime	Integrated	6"	N/A	80"	15¾"	12¼"	17
F522	Мојо	52"	5	12°	153 x 15	162/60	Limited Lifetime	Included	6"	N/A	80"	17"	11½"	18
F523	Aluma Wet	52"	4	12°	153 × 20	166/73	Limited Lifetime	Integrated	6"	N/A	80"	16½"	13¼"	19
F524	Roto	52"	3	22°	153 x 15	210/112	Limited Lifetime	N/A	6"	N/A	80"	113/4"	9½"	11
F531	Flyte®	56"	3	14°	188 x 25	178/82	Limited Lifetime	Integrated	N/A	9" DL	80"	17¾"	16¼"	27
F532	Sunseeker	60"	5	14°	188 x 25	135/50	Limited Lifetime	Integrated	6"	N/A	80"	16½"	143/4"	28
F533	Mojo II	52"	4	14°	153 x 15	168/84	Limited Lifetime	Integrated	N/A	N/A	12"	12½"	8"	18
F534L	Lun-Aire	54"	5	12°	172 x 17	150/70	Limited Lifetime	Integrated	6"	N/A	80"	15¼"	10½"	25
F539	Great Room Traditional	72"	5	14°	212 x 25	126/45	Limited Lifetime	Adaptable	6"	N/A	80"	15¼"	13"	35
F541L	Cone	54"	5	14°	DC123 x 30	169/102	Limited Lifetime	Integrated	6"	N/A	74"	13¾"	11½"	14
F543L	Swept	56"	4	26°	DC123 x 30	191/51	Limited Lifetime	Integrated	6"	N/A	80"	14½"	12"	14
F544	Calais™	52"	5	14°	172 x 17	165/62	Limited Lifetime	Integrated	N/A	N/A	8"	12"	7½"	27
F546	Contractor 42"	42"	5	12°	153 x 10	214/113	Limited Lifetime	Adaptable	4"	N/A	80"	12¼"	9¾"	14
F547	Contractor 52"	52"	5	12°	153 x 13	162/67	Limited Lifetime	Adaptable	4"	N/A	80"	12¾"	10¼"	13
F548	Contractor Uni-Pack	52"	5	12°	153 x 13	162/56	Limited Lifetime	Included	4"	N/A	80"	17¼"	9¾"	17
F556	Contractor Plus	52"	5	12°	153 x 15	183/69	Limited Lifetime	Adaptable	6"	N/A	80"	14¾"	13"	15
F556L	Contractor LED	52"	5	12°	153 x 15	183/69	Limited Lifetime	Adaptable	6"	N/A	80"	16"	14¼"	15
F562	Supra® 32"	32"	6	22°	153 x 16	267/93	Limited Lifetime	Adaptable	6"	N/A	80"	14¾"	13"	15
F563	Supra® 44"	44"	5	14°	188 x 15	243/77	Limited Lifetime	Adaptable	6"	N/A	80"	14½"	13¼"	19
F563	Supra® 44" -SP	44"	5	14°	188 x 15	243/77	Limited Lifetime	Included	6"	N/A	80"	27½"	13¼"	22
F467L	CONCEPT III	54	3	140	DC 153 x 15	150/35	Limited Lifetime	Integrated	N/A	N/A	12	12 1/4"	9 1/4"	

Minka-Aire® ceiling fans are warranted to be free from defects in material and workmanship only if purchased from an authorized Minka-Aire® distributor:

		weep	lades	itch	size	5	ıty.	.=	spo	p _o	ſire	sion A	sion B	(LBS)
		Blade Sweep	No of Blades	Blade Pitch	Motor Size	RPM (Hi/Low)	Warranty	Light Kit	Downrods ¾" ID	Downrod %" ID	Lead Wire	Dimension A	Dimension B	Hanging Weight (LBS)
F465L	CONCEPTIV	54	3	140	DC 153 x 15	150/35	Limited Lifetime	Integrated	6"	N/A	80	13 1/2"	10 1/4"	
F551	Watt	60	5	130	125 x 30	170/60	Limited Lifetime	Adaptable	6"	N/A	80	16"	13"	
F552L	WATTII	60	5	130	DC 125 x 30	170/60	Limited Lifetime	Integrated	6"	N/A	80	20 1/2"	13"	
F565	Mesa™ 52"	52"	5	12°	153 x 14	176/65	Limited Lifetime	Adaptable	N/A	N/A	8"	8¾"	6½"	13
F566	Mesa™ 42"	42"	5	12°	153 x 10	211/92	Limited Lifetime	Adaptable	N/A	N/A	8"	7¾"	5¾"	11
F568	Supra® 52"	52"	5	14°	188 x 15	179/58	Limited Lifetime	Adaptable	6"	N/A	80"	15¼"	13¼"	20
F569	Supra® 52"-SP	52"	5	14°	188 x 15	168/53	Limited Lifetime	Included	6"	N/A	80"	19½"	13¼"	24
F571	Sundance™ 52"	52"	5	12°	153 x 15	182/63	Limited Lifetime	Adaptable	6"	N/A	80"	14½"	13½"	16
F572	Sundance™ 42"	42"	5	12°	153 x 10	233/103	Limited Lifetime	Adaptable	6"	N/A	80"	14¾"	12½"	13
F581	Gauguin™	52"	4	14°	188 x 20	148/76	Limited Lifetime	Integrated	6"	N/A	80"	16¼"	15¾"	25
F582	Rainman™	54"	5	14°	172 x 20	145/70	Limited Lifetime	Integrated	6"	N/A	80"	23¾"	13¼"	28
F588	Ultra-Max™-SP	54"	5	14°	188 x 25	201/65	Limited Lifetime	Adaptable	6"	N/A	80"	14¾"	12¾"	24
F589	Sundowner®	54"	5	16°	188 x 20	185/51	Limited Lifetime	Adaptable	6"	N/A	80"	15"	13"	28
F593L	Traditional Concept™ 44"	44"	3	14°	153 x 17	221/105	Limited Lifetime	Integrated	N/A	N/A	8"	11"	7½"	19
F594L	Traditional Concept™ 52"	52"	3	14°	172 x 20	178/60	Limited Lifetime	Integrated	N/A	N/A	8"	11"	7½"	23
F596	Cirque™	54"	6	14°	188 x 25	143/64	Limited Lifetime	Integrated	4" & 6"	N/A	80"	14¾"	9¾"	26
F602	Gyro™	42"	6	20°	82 x 25	1350/720	Limited Lifetime	Integrated	6"	N/A	80"	16¼"	18¼"	31
F603	Como™	54"	5	14°	188 x 20	182/61	Limited Lifetime	Integrated	6"	N/A	80"	15¾"	11"	27
F614	Timeless	54"	5	14°	188 x 15	163/58	Limited Lifetime	K9614	6"	N/A	80"	16½"	141/4"	21
F617L	Raptor	60"	5	14°	DC172 x 12	150/60	Limited Lifetime	Integrated	6"	N/A	80"	13¾"	11"	29
F620	Bolo™	52"	5	14°	172 x 17	168/72	Limited Lifetime	Included	6"	N/A	80"	22¾"	15"	25
F623L	Orb	54"	4	14°	AC153 x 17	142/65	Limited Lifetime	Included	6"	N/A	80"	16½"	10¼"	20
F624	Roto XL	62"	3	20°	172 x 16	188/96	Limited Lifetime	N/A	6"	N/A	80"	12¾"	111/4"	14
F647	Contractor Uni-Pack	52"	5	12°	153 x 13	160/57	Limited Lifetime	Included	4"	N/A	80"	18"	9¾"	16
F648	Contractor Uni-Pack	52"	5	12°	153 x 15	188/68	Limited Lifetime	Included	4"	N/A	80"	17¼"	9¾"	17
F656L	Contractor Uni-Pack LED		5	12°	172 x 14	197/58	Limited Lifetime	Integrated	6"	N/A	80"	17"	12½"	19
F659	Classica	54"	5	14°	172 x 16	188/64	Limited Lifetime	K9659	6"	N/A	80"	16¾"	13"	23
F671L	PURE	48	3	120	AC 153 x 17	165/60	Limited Lifetime	Integrated	N/A	N/A	12	10"	7 3/4"	
F673L	AIRETOR	52	5	120	AC 153 x 17	150/60	Limited Lifetime	Integrated	6"	N/A	80	13"	8.5"	
F676L	VITAL	44	3	120	AC 153 x 15	140/60	Limited Lifetime	Integrated	6"	N/A	80	14 3/4"	8 3/4"	
F681	Groton	56"	5	12°	188 x 25	135/50	Limited Lifetime	Integrated	10"	N/A	80"	20¼"	15½"	38
F683L	Shade	56"	4	14°	DC168 x 15	160/50	Limited Lifetime	Integrated	6"	N/A	80"	17½"	9½"	25
F684L	Clean	60"	5	12°	DC123 x 30	160/50	Limited Lifetime	Integrated	6"	N/A	80"	16"	15"	20
F688	Kola	52"	5	12°	172 × 14	190/61	Limited Lifetime	Adaptable	6"	N/A	80"	15½"	13¼"	18
F689	Kola-XL	60"	5	12°	188 x 20	160/44	Limited Lifetime	Adaptable	6"	N/A	80"	15½"	13¼"	23
F690L	Espace	52"	5	14°	172 x17	161/59	Limited Lifetime	Integrated	6"	N/A	80"	14½"	10½"	21

		Blade Sweep	No of Blades	Blade Pitch	Motor Size	RPM (Hi/Low)	Warranty	Light Kit	Downrods ¾" ID	Downrod ½" ID	Lead Wire	Dimension A	Dimension B	Hanging Weight (LBS)
F695	Kafé	52"	5	12°	172 x 14	190/61	Limited Lifetime	Adaptable	6"	N/A	80"	15"	12¾"	18
F696	Kafé-XL	60"	5	12°	188 x 20	160/44	Limited Lifetime	Adaptable	6"	N/A	80"	15"	12¾"	23
F701	Delano®	52"	5	14°	172 x 20	160/65	Limited Lifetime	Integrated	6"	N/A	80"	18"	10"	28
F702	Volterra™	52"	5	14°	172 × 20	159/71	Limited Lifetime	Integrated	6"	N/A	80"	18¼"	10"	28
F705	Napoli™	56"	5	14°	188 x 25	153/59	Limited Lifetime	Integrated	12"	N/A	80"	16½"	8¾"	40
F711	Delano® II	52"	5	14°	172 x 20	150/68	Limited Lifetime	Integrated	N/A	N/A	8"	11"	6¼"	25
F715	Napoli™ II	68"	5	14°	212 x 25	109/44	Limited Lifetime	Integrated	12"	N/A	80"	17"	9¼"	46
F726	Spectre	60"	4	14°	DC188 x 10	163/48	Limited Lifetime	Integrated	6"	N/A	80"	15¼"	113/4"	18
F727	Rudolph	52"	3	14°	172 x 16	139/57	Limited Lifetime	K9727L	6"	N/A	80"	15½"	13½"	20
F729	Steal	54"	3	5°	188 x 15	170/65	Limited Lifetime	Adaptable	6"	N/A	80"	13½"	11¼"	30
F734	Strata	52"	4	12°	172 x 17	163/81	Limited Lifetime	Integrated	6"	N/A	80"	18"	14½"	21
F736L	Gear	54"	3	14°	DC125 x 30	155/51	Limited Lifetime	Integrated	6"	N/A	80"	16¼"	14"	15
F738	Pancake	52"	4	12°	153 x 18	180/70	Limited Lifetime	N/A	6"	N/A	12"	9¾"	73/4"	14
F739L	Pancake XL LED	62"	4	12°	DC188 x 14	160/70	Limited Lifetime	Integrated	6"	N/A	80"	10.3/4"	9"	25
F742L	MOLINO	65	3	140	DC 153 x 15	140/80	Limited Lifetime	Integrated	6"		80	14 1/2"	11	
F745	Sabot	52"	5	12°	DC172 x 12	173/50	Limited Lifetime	Integrated	6"	N/A	80"	12"	11"	13
F747L	Timber	68"	3	23°	DC172 x 25	105/50	Limited Lifetime	Integrated	10"	N/A	80"	15"	13½"	16
F749L	SkyHawk	60	3	140	DC 153 x 20	160/35	Limited Lifetime	Integrated	6"		80	15 3/4"	11 3/4"	
F753	Java	54"	3	14°	153 x 18	150/71	Limited Lifetime	N/A	6"	N/A	80"	143/4"	13¼"	16
F753L	Java LED	54"	3	14°	153 x 18	150/71	Limited Lifetime	Integrated	6"	N/A	80"	15¾"	14¼"	17
F759	Classica Gallery Edition	54"	5	14°	172 x 16	188/64	Limited Lifetime	Adaptable	6"	N/A	80"	16¼"	13¼"	27
F771L	ELLIPSE	60	5	16°	DC 120 x 20	150/45	Limited Lifetime	Integrated	6"	N/A	80	13 1/4"	8 3/4"	
F786	Simple 44"	44"	3	26°	DC123 x 30	196/51	Limited Lifetime	K9787L	6"	N/A	74"	12¾"	111/4"	10
F787	Simple 52"	52"	3	14°	DC123 x 30	191/148	Limited Lifetime	K9787L	6"	N/A	80"	12½"	10¾"	11
F788L	Dream Star	60"	8	Variable	DC168 x 30	105/50	Limited Lifetime	Integrated	12"	N/A	80"	16½"	8½"	15
F802	Vintage Gyro™	42"	6	20°	82 x 25	1350/720	Limited Lifetime	Integrated	6"	N/A	80"	16¾"	18"	34
F803L	Artemis™	58"	3	Variable	188 x 25	133/69	Limited Lifetime	Integrated	6"	N/A	80"	15½"	12"	26
F823	Wing	52"	1	Variable	DC125 x 30	155/111	Limited Lifetime	N/A	6"	N/A	80"	13"	12¼"	14
F828	Symbio	56"	5	15°	DC125 x 30	161/48	Limited Lifetime	Integrated	6"	N/A	80"	17¾"	15¾"	16
F829L	Mojave	56"	3	21°	DC123 x 30	180/50	Limited Lifetime	Integrated	6"	N/A	80"	16½"	15½"	14
F831L	Tear	60"	3	16°	DC120 x 20	167/71	Limited Lifetime	Integrated	6"	N/A	80"	16½"	14¼"	14
F832L	Triple	60"	3	Variable	DC123 x 30	144/50	Limited Lifetime	Integrated	6"	N/A	74"	15¼"	10¾"	14
F833	Kewl	52"	3	22°	153 x 15	201/104	Limited Lifetime	N/A	6"	N/A	80"	14"	10"	12
F838L	Force	60"	3	Variable	DC123 x 30	140/60	Limited Lifetime	Integrated	6"	N/A	80"	15"	12½"	30
F843	Wave	52"	3	48°	172 x 14	153/61	Limited Lifetime	N/A	6"	N/A	80"	12½"	8½"	12
F844	Light Wave	52"	3	48°	172 x 14	139/57	Limited Lifetime	Integrated	6"	N/A	80"	13¾"	81/2"	14
F846	Wave II	60"	2	Variable	DC168 x 8	207/50	Limited Lifetime	N/A	6"	N/A	80"	13"	10"	12
F847L	Timber	84"	3	14°	DC172 x 25	90/50	Limited Lifetime	Integrated	10"	N/A	80"	15"	13½"	22
F849L	Stack	56"	3	14°	DC125 x 30	179/52	Limited Lifetime	Integrated	6"	N/A	80"	16¼"	10½"	20

Minka-Aire® ceiling fans are warranted to be free from defects in material and workmanship only if purchased from an authorized Minka-Aire® distributor:

		Blade Sweep	No of Blades	Blade Pitch	Motor Size	RPM (Hi/Low)	Warranty	Light Kit	Downrods ¾" ID	Downrod ½" ID	Lead Wire	Dimension A	Dimension B	Hanging Weight (LBS)
F852L	Alva	56"	5	14°	DC120 x 20	170/80	Limited Lifetime	Integrated	6"	N/A	80"	20½"	11"	20
F853	Aviation	60"	3	Variable	DC120 x 25	115/89	Limited Lifetime	N/A	6"	N/A	80"	14"	12¼"	16
F853L	Aviation LED	60"	3	Variable	DC120 x 25	115/44	Limited Lifetime	Integrated	6"	N/A	80"	13	10½"	20
F864	Barn	65"	10	16°	DC168 x 30	110/30	Limited Lifetime	Integrated	10"	N/A	80"	21"	18"	33
F868L	Sleek	60"	3	12°	DC172 x 12	140/50	Limited Lifetime	Integrated	6"	N/A	80	11½"	9¼"	12
F870L	Windmolen	65"	12	24°	DC123 x 30	90/30	Limited Lifetime	Integrated	10"	N/A	80"	18½"	14"	26
F887	Xtreme 72"	72"	9	4°	DC165 x 12	120/51	Limited Lifetime	N/A	6"	N/A	80"	13½"	12"	22
F887	Xtreme 96"	96"	9	4°	DC165 x 12	72/51	Limited Lifetime	N/A	6"	N/A	80"	13½"	12"	25
F888	Slipstream	65"	8	14°	DC165 x 25	98/78	Limited Lifetime	Integrated	6"	N/A	80"	17¼"	13"	25
F896	Xtreme H2O 65"	65"	8	9°	DC123 x 30	130/50	Limited Lifetime	K9886L	6"	N/A	80"	12	111/4"	45
F896	Xtreme H2O 84"	84"	8	9°	DC123 x 30	90/50	Limited Lifetime	K9886L	6"	N/A	80"	12	111/4"	45
F899L	Ninety-Nine	99"	9	Variable	DC172 x 25	59/33	Limited Lifetime	Integrated	6"	N/A	80"	15½"	12"	45
F900	Cristafano™	68"	5	14°	212 x 25	112/49	Limited Lifetime	Integrated	16"	N/A	80"	19¾"	13"	42
F902L	Bling	56"	5	14°	DC125 x 30	170/80	Limited Lifetime	Integrated	6"	N/A	80"	17¾"	9"	20
F903L	Artemis™ IV	64"	4	Variable	DC123 x 30	154/51	Limited Lifetime	Integrated	6"	N/A	80"	16"	7¾"	20
F905	Artemis™ XL5	62"	5	28°	DC172 x 25	91/74	Limited Lifetime	Integrated	6"	N/A	80"	16¼"	12¾"	21
F988	Geant	110"	8	9°	DC188 x 28	110/55	Limited Lifetime	Integrated	16"	N/A	80"	23"	20"	49
F1000	Dyno	52"	5	12°	153 x 17	175/63	Limited Lifetime	Integrated	6"	N/A	80"	14½"	11½"	15
F1001	Dyno XL	60"	5	12°	AC188 x 15	135/55	Limited Lifetime	N/A	6"	N/A	80"	14"	11½"	22

ACCESSORIES	FB103S-LM 420	FB217-ORB
AC100 397	FB103S-ML 420	FB422-DC 420
AC100-BCW 397	FB103S-NM	FB422-DM 420
AC100-BS 397	FB103S-NW	FB422-DW 420
AC100-BWH 397	FB103S-RW	FB422-LC 420
AC100-CT 397	FB103S-WO	FB422-LM 420
AC100-DBB	FB103S-WP	FB422-MM 420
AC100-EX 397	FB107P-DM 420	FB422-NW
AC100-FB 397	FB107P-DW 420	FB422-WO
AC100-FPWH399	FB107P-MM 420	FB422-WP
AC100-KA 397	FB107T-CW 420	FB423-DC 420
AC100-MCG 397	FB107T-DW 420	FB423-DM 420
AC100-ORB 397	FB107T-LC 420	FB423-LC 420
AC100-PBL 397	FB107T-MM 420	FB423-LM 420
AC100-PI 397	FB107T-NP	FB423-NW
AC100-PW 397	FB107T-NW	FB423-WO
AC100-STW/GOW 397	FB107T-RW	FB423-WP
AC100-SWH 397	FB107T-WO	FB424-DC 420
AC100-VRT 397	FB107T-WP	FB424-DM 420
CM7022-STW 228	FB196-MG 420, 421	FB424-DW 420
CM7038-STW 229	FB196-RYB 420, 421	FB424-LC 420
GC900 SET 238, 399	FB216-DM 420	FB424-LM 420
	FB216-DW 420	FB424-NW
ACCESSORY BLADES	FB216-ORB	FB424-WO
FB103S-DM 420	FB217-DM 420	FB424-WP
FB103S-LC 420	FB217-DW 420	

CONTROL SYSTEMS	2560 402	DL75 414, 415
BD-1000 407	2565 402	DR500 414, 415, 416
RC400 404	2593-1 402	DR503 414, 415
RC500 404	2593-2 402	DR504 414, 415
RC600 404	2593-4 402	DR506 414, 415
RCS212 405	2593-5 402	DR512
RCS213 405	2636 402	DR518 414, 415
RCS223 405	2645 402	DR524 414, 415
RCS223L 405	2646 402	DR536 414, 415
WC105-WH 406	2652 402	DR548 414, 415
WC106-WH 407	4099 402	DR560 414, 415
WC110L		DR572 414, 415
WC115 406	HANGING SYSTEMS	DR1512
WC116 407	A180 414, 415, 416	DR1518
WC116L	A245 414, 415	DR1524
WC400	A245-BN	DR1536
WC500406	A581 305,414, 415	DR1548
WC500 406 WC600 406	A581 305,414, 415 A581-BG 305, 416	DR1548
WC600406	A581-BG 305, 416	DR1560
WC600 406 WCS212 405	A581-BG	DR1560
WC600	A581-BG	DR1560
WC600	A581-BG	DR1560
WC600. 406 WCS212. 405 WCS213. 405 WCS223. 406	A581-BG	DR1560
WC600	A581-BG	DR1560

K9614-PW	K9886L-WHF 403	K35L-ORB 400
K9659L-BCW		K35L-PW 400
K9659-DRF	LIGHT KITS - UNIVERSAL	K35-SWH 400
K9659-FB	K1-L-44 399	K1099-1-L-44 399
K9659-MCG	K1-L-BS 399	K9363-L
K9659L-PBL401	K33-L-44 399	K9365-L-44 399
K9659-PI	K33-L-BS 399	K9369-L
	K33-L-MCG 399	K9372-1
LIGHT KITS - CUSTOM LED	K33-L-ORB 399	K9372-2
K9727L-BN 403	K34L-44 400	K9372-3
K9727L-CL 403	K34L-BCW 400	K9372-5
K9727L-DK 403	K34-BN 400	K9373-L-BS 398
K9727L-ORB 403	K34L-BNK 400	K9373-L-ORB 398
K9727L-WHF 403	K34L-BS 400	K9373-L-WH 398
K9787L-BNW 403	K34L-DBB 400	K9374-L-BS 398
K9787L-CL 403	K34L-HBZ 400	K9374-L-WH 398
K9787L-ORB 403	K34L-KA 400	K9375-L-BS 398
K9787L-SL 403	K34L-ORB 400	K9375-L-BWH398
K9787L-WHF 403	K34-PI 400	K9375-L-ORB 398
K9838L-SL 403	K34L-PW 400	K9375-L-WH 398
K9838L-DK 403	K34-SWH 400	K9376-2
K9838L-WH403	K35L-44 400	K9380-1 396
K9886L-BNW 403	K35L-BNK 400	K9401-L-BWH 398
K9886L-CL 403	K35L-KA 400	K9401L-DRF 398
K9886L-ORB 403	K35L-HBZ 400	K9401-L-MW 398
K9886L-SI 403	K35-MCG 400	K9401L-ORB 398

K9401L-TCL398	F410L-WH 171	F510L-ORB 336
K9401-L-VRT 398	F448L-BS/DW 368	F510L-WH
K9401L-WH 398	F448L-WH	F513-BN
K9402L-44 398	F448L-BS 369	F513-KA
K9402L-ORB 398	F448L-ORB/EX 370	F513-ORB
К9500 396	F448L-CL 369	F513-WH
K9515L-1 396	F448L-ORB	F514-BN
K9515-2 396	F465L-BNW 25	F514-WH
K9525L-1 396	F465L-CL 25	F516L-BN
K9525-2	F465L-ORB 24	F516L-ORB
K9448L 396	F465L-WH 25	F516L-WH
	F467L-BNW 22	F517L-BN
LIGHT KITS - UNIVERSAL LED	F467L-CL 23	F517L-ORB
K9110L 396	F467L-ORB 23	F517L-WH
K9115L 396	F467L-WH 23	F518L-BN
K9120L 396	F474L-BNW 271, 272	F518L-ORB
	F474L-ORB	F518L-PN
FANS		
	F474L-WH	F518L-WH
F304L-BN/SL	F474L-WH	F518L-WH
F304L-BN/SL	F476L-BNW 268	F519L-BN
F304L-BN/SL	F476L-BNW	F519L-BN
F304L-BN/SL	F476L-BNW 268 F476L-ORB 269 F476L-WH 269	F519L-BN
F304L-BN/SL	F476L-BNW 268 F476L-ORB 269 F476L-WH 269 F477L-BNW .267	F519L-BN .154 F519L-ORB .155 F519L-PN .155 F519L-WH .155
F304L-BN/SL	F476L-BNW 268 F476L-ORB 269 F476L-WH 269 F477L-BNW .267 F477L-ORB 266	F519L-BN .154 F519L-ORB .155 F519L-PN .155 F519L-WH .155 F521-ABD .146

F522-BWH 333	F534L-WH 311	F551-PN
F522L-CL	F539-BCW	F551-WH 379
F522-ORB	F539-BNK 200	F552L-BN 384
F522-ORB/TS 330	F539-HBZ199, 201	F552L-BNK 382
F522-WH	F539-ORB	F552L-CL
F523-ABD	F541L-ORB	F552L-ORB 385, 387
F523-ORB 283	F541L-SL 92, 93, 262, 263	F552L-PN
F523-WHF 283	F541L-WH93, 263	F552L-WH 385, 387
F524-ABD	F543L-DK 142, 144	F553L-BN/DW 386
F524-CL 101, 103	F543L-CL	F553L-CL
F524-DK	F543L-KA	F553L-ORB
F524-ORB	F543L-SL	F553L-WHF
F524-WHF	F543L-WHF	F556-BN 349
F531-L-BN	F544-BCW	F556-BN/DW 349
F531-L-WH	F546-BS	F556-BNK
F532-BNW	F546-BS/DW	F556-CL 348
F532-DRF	F546-ORB	F556-HBZ 350
F532-ORB	F546-WH	F556L-BN 345
F532-SI 296	F547-BS	F556L-BN/DW 345
F533-BN	F547-BS/DW	F556L-BNK 347
F533-DK	F547-ORB	F556L-BWH
F533-ORB	F547-WH	F556L-CL
F533-WH 335	F551-BN 379	F556L-HBZ 346
F534L-BN 311	F551-BNK	F556L-ORB 345
F534L-ORB	F551-CL	F556L-WH 347
F534L-CL 311	F551-ORB	F556-ORB 349

F556-WHF	F571-ORB 303	F594L-PW 173, 275
F562-BS	F571-WH 302	F594L-WH 173, 275
F562-ORB	F572-ORB	F596-BN
F562-WH	F572-WH 303	F596-PN/TL
F563-BS	F581-BG	F602-BN/CH 191
F563-BS/DW 364	F581-ORB 305	F602-RRB 191
F563-ORB 363, 365	F581-WHF 305	F603-BN
F563-SP	F582-BNW	F603-ORB
F563-SP-BS/DW	F582-GL	F614-BNK
F563-SP-ORB 360	F582-ORB	F614-DBB 211
F563-SP-WH	F582-SI 290	F614-FB
F563-WH 365	F588-SP-BCW 352	F614-HBZ 209
F565-BN	F588-SP-BN353	F614-ORB 211
F565-WH	F588-SP-ORB 353	F614-PW
F566-WH	F588-SP-WH 353	F617L-BN 111
F568-BCW	F589-BI/AI	F617L-GM 109, 110
F568-BS	F589-DRF 299	F617L-ORB/AB 111
F568-BS/DW	F589-HT 300	F620-BCW
F568-KA 356	F589-MW 299	F620-BN 226
F568-ORB	F589-ORB 299	F620-DBB
F568-SWH	F589-TCL 298	F620-ORB
F568-WH 359	F589-WH	F623L-BBR/SBR
F569-BS	F593L-ORB 175, 277	F623L-BC/SBR
F569-BS/DW 354	F593L-PW 174, 276	F623L-BS/BN
F569-ORB 355	F593L-WH 175, 277	F623L-WHF/BN 125
	10702 ****	10202 ((117) 117

Index

F624-CL 265	F676L-ORB 393	F695-BNK 222
F624-ORB 264	F676L-WHF 393	F695-CL 223
F624-WHF 265	F681-BNW 260	F695-HBZ
F656L-BN/DW 342	F681-ORB	F695-KA 225
F656L-BNK 340	F681-PN	F695-WH 223
F656L-CL	F681-SDBK/WS 259	F696-BNK
F656L-HBZ	F681-WA/PW 261	F696-CL
F656L-ORB 343	F683L-BNW 287, 288	F696-HBZ
F656L-PN	F683L-GI 289	F696-KA
F656L-WH	F683L-HBZ 289	F696-WH
F659-BCW 235	F684L-GI/BN 33	F701-DRB 205
F659-DRF	F684L-MBK/BN 32	F701-DRF 203
F659-FB 235	F684L-ORB/TB 33	F701-KA 205
F659-PBL 234	F684L-PN	F701-PN 202
F659-PI 233	F688-DBB 217	F701-PW 204
F671L-BN/SL 388	F688-KA 217	F702-BCW 236
F671L-CL 389	F688-PW	F702-VB 236
F671L-WHF 389	F688-WH 217	F705-STW 228
F673L-BN/SL	F689-DBB215	F711-DRB 206
F673L-CL 390	F689-KA	F711-PN 207
F673L-ORB	F689-PW	F715-STW 229
F673L-WHF	F689-WH	F726-BN/SL
F675L-ORB 27	F690L-BN/SL 308	F726-ORB/AB
F675L-WHF 26	F690L-CL	F726-ORB/BN
F676L-BRS/SL 393	F690L-ORB/MM 307, 309	F727-BN/MM 313, 316
F676L-CL 392	F690L-WH 309	F727-BN/SL

F727-CL	F747L-HBZ/AW 40	F787-CL94, 254
F727-DK	F747L-HBZ/MP 41	F787-ORB
F727-ORB	F749L-BN 19	F787-SL
F727-WHF315	F749L-BNK 18	F787-WHF12, 95, 255
F729-BN 329	F749L-CL 19	F788L-GS 28
F729-GM 328	F749L-WHF 19	F788L-ORB 29
F729-WHF 329	F753-BNW 140, 281	F788L-WH 29
F734-GL 285	F753-CL	F802-BN/CH
F734-ORB 284	F753-KA 138, 280	F802-KA
F734-SI 285	F753L-BNW 133, 136, 279	F802-ORB
F736L-BS/SDBK 45, 47	F753L-CL 134, 279	F803DL-BK
F736L-BS/WHF 47	F753L-KA 137, 279	F803L-CPBR 121
F736L-PN/BS 47	F753L-PN	F803DL-DK
F736L-PN/ORB 46	F753L-WHF 137, 278	F803DL-LN
F738-DK 131	F753-PN	F803DL-MP
F738-SL 131	F753-WHF	F803DL-SL
F738-WHF	F759-PBL 230	F803DL-TL
F739L-BN	F771L-BN/CL 21	F803DL-WH
F739L-SL	F771L-BN/SL 20	F823-DK
F739L-WHF	F771L-BN/WH 21	F823-SL
F742L-BNK	F786-BNW 97, 257	F828-BN
F742L-CL/SG 30	F786-CL 97, 257	F828-BN/DW 74
F745-BN 161	F786-ORB 96, 256	F828-BN/WH
F745-DK 161	F786-SL 97, 257	F828-ORB 75
F745-ORB	F786-WHF 97, 257	F828-WHF 75

F829L-CH/SL	F846-SL	F868L-ORB 78
F829L-SL	F846-WHF	F868L-WHF 81
F829L-WHF	F847L-HBZ/AW 39, 42	F870L-BS
F831L-FLR	F847L-HBZ/MP 43	F870L-TCL
F831L-ORB	F849L-BN/SL	F870L-TW
F831L-SL 37	F849L-SL	F887-72-BN 67
F831L-TD 35, 36	F849L-WH	F887-72-ORB 66, 67
F831L-WHF 37	F852L-BN	F887-96-BN 67
F832L-BN/SL 51	F852L-HBZ	F887-96-ORB 66
F832L-BS 51	F853-BN/AMP 86	F888L-BNW 152, 294
F832L-ORB/MM 51	F853-BN/CL 83	F888L-CL 150, 292
F832L-VI 49, 50	F853-BN/DK 84	F888L-DK 151, 293
F833-BK 181	F853-BN/MM 85	F888L-ORB 153, 295
F833-RD	F853-BN/SL87	F888L-WHF 153, 295
F833-SL181	F853L-BN/AMP 90	F896-65-BNW 62, 248
F833-WH 181	F853L-BN/CL 89	F896-65-CL
F838L-SL 98, 99	F853L-BN/DK 88	F896-65-ORB 63, 249
F843-DK 73	F853L-BN/MM 89	F896-65-WHF 65, 251
F843-CL 73	F853L-BN/SL 91	F896-65-SI 64, 250
F843-SL	F853L-BN/WH 91	F896-65-CL 60, 246
F843-WH 73	F853-SBR/CL 87	F896-84-BNW 57, 58,244
F844-CL 71	F853-WH 87	F896-84-ORB 59, 245,
F844-DK 69, 70	F864L-BNK 17	F896-84-WHF61, 247
F844-SL 71	F864L-HBZ 16	F896-84-SI 59, 245
F844-WH 71	F868L-BN	F899L-DK 54
F846-DK	F868L-CL/CL 80	F899L-ORB 55

F900-BCW 238, 239	OPTIONAL SHADES
F902L-CH	FS683L-GRN
F902L-ORB	FS683L-RD
F903L-BN/SL	FS683L-TRN
F903L-GM/MBK 107	FS683L-WH
F903L-ORB	
F903L-SBR/MBK 105, 106	
F905L-DK	
F905L-LN	
F905L-SL	
F905L-WH	
F988L-ALM 52, 53	
F1000-BN 319, 323	
F1000-BNK	
F1000-BN/SL 320	
F1000-HBZ	
F1000-ORB	
F1000-WH	
F1001-BN	
F1001-BNK	
F1001-BN/SL	
F1001-HBZ	
F1001-ORB	
F1001-WH	

Notes

Notes

Notes

Notes

Notes

Notes

Notes	
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_

FINISH CODES

Minka-Aire® Finishes

MG.........Manogarly Firish
MP.......Maple Finish
MW......Mossoro Walnut™
ODK......Distress Koa (Outdoor)
ORB......Oil Rubbed Bronze
ORG......Orange
PBL......Provencal Blanc
PI......Patina Iron
PN.....Polished Nickel


PW....... Pewter
RD.... Red
RRB... Restoration Bronze
RW.... Rosewood
SBR... Soft Brass
SDBK... Sand Black
SI... Smoked Iron
SL.. Silver
STW... Sterling Walnut™
SWH.. Shell White
TB... Toned Brass
TCL. Textured Coal
TI.. Tarnished Iron
TL... Translucent
TSP... Tuscan Patina™
VB... Volterra Bronze™
VI... Vintage Iron
VP... Vineyard Patina


VRT Vintage Rust™

WH/044 White


WHF..... Flat White

Dimensions A and B were measured with the shortest downrod enclosed with the fan.









Minka-Aire® ceiling fans are suitable for year-round use and can contribute to your comfort in the summer and winter. With our reverse switch, in the winter you will be able to move the heat from your ceiling and circulate the air in your living area. In the summer you will save energy by recirculating air from the outside into your room and also if your air conditioning is used, save on energy costs.









World Headquarters
1151 W Bradford Ct. Corona, CA 92882

Dallas Market Center Showroom 2100 Stemmons, Suite 3725, Dallas, TX 75207

Contact 951.278.3267 (FANS) | 800.307.3267 | Fax: 951.278.2828 sales@minkagroup.net | minkagire.com | minkagroup.net

MKACAT2020-02